



State Of Ohio Environmental Protection Agency

P.O. Box 1049, 361 East Broad St., Columbus, Ohio 43266-0149
(614) 466-8565



Richard F. Celeste, Governor

Re: Permit to Install
Stark County
Application No.15-303

JANUARY 29, 1986

CERTIFIED MAIL

BREITENSTINE LANDFILL INC
7916 CHAPEL ST SE
WAYNESBURG, OHIO 44688

Attention: LEROY BREITENSTINE

Dear Sir:

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions I urge you to read it carefully.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Board of Review pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency and the Environmental Law Division of the Office of the Attorney General within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address:

Environmental Board of Review
250 East Town Street, Room 101
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations Section
Division of Air Pollution Control

TGR/gs

cc: US EPA
Canton Division of Air Pollution Control

RECEIVED
FEB 03 1986

CITY OF CANTON
HEALTH DEPT.
AIR POLLUTION CONTROL DIVISION

Permit to Install Terms and Conditions

Application No. 15-303
APS Premise No. 1576181541
Permit Fee: \$400.00

Name of Facility: BREITENSTINE LANDFILL INC

Person to Contact: LEROY BREITENSTINE

Address: 7916 CHAPEL ST SE
WAYNESBURG, OHIO 44688

Location of proposed source(s): 7916 CHAPEL ST SE
SANDY TWP, OHIO

Description of proposed source(s): ROADWAYS & MATERIAL HANDLING AT A
LANDFILL W/ASBESTOS DISPOSAL.


Date of Issuance: JANUARY 29, 1986

Effective Date: JANUARY 29, 1986

The above named entity is hereby granted a permit to install for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

JANUARY 29, 1986

Substantial construction for installation must take place within eighteen months of the effective date of this permit. This deadline may be extended by up to twelve months, if application is made to the Director no less than sixty days before the expiration of this permit and the party shows good cause for any such extension.

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, examining records or reports pertaining to the construction, modification or installation of the above described source of environmental pollutants.

If the construction of the proposed source has already begun or has been completed prior to the date the Director of the Ohio Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

The specified permit fee must be remitted within 15 days of the effective date of this permit to install.

This permit shall apply only to the source(s) shown on the application approved by the Ohio Environmental Protection Agency.

The air pollution control rules that are applicable to this facility include but are not limited to:

- a. National Emission Standards for Hazardous Air Pollutants (NESHAPS), Subpart M - Asbestos (40 CFR 61.140-61.156).
- b. Open Burning Standards (OAC 3745-19).
- c. Permit to Install New Sources of Pollution (OAC 3745-31).

JANUARY 29, 1986

- d. Air Permits to Operate and Variances (OAC 3745-35).
- e. Air Pollution Nuisances Prohibited (OAC 3745-15-07).
- f. Restriction of Emission of Fugitive Dust (OAC 3745-17-08).

This facility shall not cause or allow any open burning at this location.

The owner or operator shall not initiate or allow any salvage operation to be conducted at this location without prior approval of the Ohio EPA.

The owner or operator of this facility shall not install a gas recovery system or fuel-fired boilers or diesel generators without obtaining a Permit to Install from the Ohio EPA.

Plant Unpaved Roadways & Parking Areas

In accordance with the requirements of paragraph B of OAC 3745-17-08:

- a. Breitenstine Landfill, Inc. shall apply water or other suitable dust suppressant chemicals, as often as necessary, on all dirt and gravel surfaced roads and parking areas. Salt brine usage must conform to Ohio Department of Natural Resource's rules and regulations.
- b. Speed zones of no more than 10 miles per hour shall be established, posted, enforced, and observed by all vehicles operating within the facility.
- c. The facility must operate and maintain a truck mounted spray system for the use of the facility to distribute water and/or dust suppressant solution in order to minimize or eliminate visible emissions of fugitive dust generated by vehicle traffic on unpaved roadways.
- d. Transporters of all loads of bulk, dry, dust material shall be requested to tarp or cover the material.

Truck Dumping

In accordance with the requirements of paragraph B of OAC 3745-17-08:

- a. Any bulk, dry, dusty materials shall be watered, as necessary, prior to or during dumping operations in order to minimize or eliminate visible emissions of fugitive dust.
- b. Any dusty material to be stored prior to disposal shall be watered, as necessary, or have a temporary soil cover in order to minimize or eliminate visible emissions of fugitive dust.

JANUARY 29, 1986

Asbestos Disposal

Pursuant to 40 CFR Subpart M, "National Emission Standards for Asbestos", and OAC 3745-31, "Permits to Install New Sources of Pollution", Breitenstine Landfill, Inc. shall employ the Best Available Technology during the disposal of asbestos-containing materials. This includes the following:

- a. There must be no visible emissions to the outside air of asbestos-containing materials during the on-site transportation and deposition operations.
- b. Asbestos-containing materials shall be placed in trench cells and shall be covered with at least 24 inches of compacted soil within 24 hours of receipt. At least one ten foot lift of refuse will separate the final grade from the asbestos waste.
- c. Warning signs and fencing must be installed and maintained as follows:
 - 1. The perimeter of the active asbestos disposal area must be fenced in a manner adequate to deter access by the general public;
 - 2. Warning signs must be displayed at all entrances to the active site and at intervals of 100m (330 ft) or less along the perimeter of the active site. The warning sign must:
 - i) Be posted in such a manner and location that a person can easily read the legend; and
 - ii) Conform to the requirements of 51 cm x 36 cm (20" x 14") upright format signs specified in 29 CFR 1910.14(d)(4) and this paragraph; and
 - iii) Display the following legend in the lower panel with the letter sizes and style of visibility at least equal to those specified below:

<u>Legend</u>	<u>Notation</u>
Asbestos Waste Disposal Site	2.5 cm (1") Sans Serif Gothic or Block
Do Not Create Dust	1.9 cm (3/4") Sans Serif Gothic or Block
Breathing Asbestos Is Hazardous to Your Health	14 Point Gothic

The spacing between any two lines must be at least equal to the height of the upper of the two lines.

JANUARY 29, 1986

- d. Breitenstine Landfill, Inc. shall only accept for disposal asbestos-containing waste which has been thoroughly wetted, placed in double 6 mil plastic bags, and then in sealable leak tight containers such as steel or fiber drums which are properly labeled. Other types of containers must be approved by either OEPA, Northeast District Office or the Canton Air Pollution Control Division prior to their use.

The label shall state:

Caution

Contains Asbestos

Avoid Opening or Breaking Container

Breathing Asbestos is Hazardous to Your Health

or alternate label approved by OSHA under 29 CFR 1910.1001 (g)(2)(ii).

- e. Each load of asbestos-containing waste that is delivered to Breitenstine Landfill, Inc. will be inspected prior to it being unloaded. The inspection will consist of:
1. Proper packaging and labeling;
 2. Leaks and/or punctures; and
 3. Shipping papers (manifests).

If the waste is found to be improperly packaged, the load will be rejected and the generator will be contacted and notified of the reason(s) for rejection.

If leaks and/or punctures are found, the personnel of Breitenstine Landfill, Inc. shall immediately implement the "Asbestos Spill Contingency Plan" as described in paragraph "f" below.

If the load passes the inspection, the driver will be instructed to proceed to the designated area of disposal.

- f. Breitenstine Landfill, Inc. will develop an "Asbestos Spill Contingency Plan" to control asbestos wastes in the event that a leaking or punctured container is discovered. All Breitenstine Landfill personnel who handle asbestos-containing wastes shall be instructed in the proper procedures for asbestos spill control. These personnel shall be provided with adequate respirators, disposable clothing, portable water sprayers, 6-mil plastic bags and

JANUARY 29, 1986

labeled drums. All asbestos spills shall be immediately contained and cleaned up by Breitenstine Landfill personnel; the collected materials shall be wetted, bagged, drummed and buried along with the undisturbed asbestos-containing wastes.

- g. All asbestos-containing waste material sent to Breitenstine Landfill will be shipped via the non-hazardous waste manifest. This document will show the Generator, Transporter, number of containers, date of disposal, and the cell number where that load was disposed of. A monthly summary of asbestos disposal activity will be submitted to the Ohio EPA/Northeast District Office/Division of Air Pollution Control. This summary will contain the generator's name, the location the asbestos was removed from, the date it was disposed, and the volume of waste.
- h. Within three months of the effective date of this Permit to Install, Breitenstine Landfill, Inc. shall file, with the County Recorder, an amendment or notation to the deed for this property stating that the site contains asbestos-containing materials and that the records of the locations of these materials within the property are available from the Breitenstine Landfill, Inc.
- i. Breitenstine Landfill, Inc. shall maintain records as to the location of the asbestos disposal areas. Location of these areas shall be recorded in reference to monitoring wells.