



# PERMIT TO OPERATE AN AIR CONTAMINANT SOURCE

Date of Issuance 02/05/93

Application No. 1576181541F002

Effective Date 02/05/93

Permit Fee \$500

This document constitutes issuance to:

AMERICAN LANDFILL INC.  
7916 CHAPEL STREET SE  
WAYNESBURG

OHIO 44688

of a permit to operate for:

FUGITIVE DUST CONTROL AND ASBESTOS DISPOSAL  
MATERIAL HANDLING (INCLUDING ASBESTOS)


The following terms and conditions are hereby expressly incorporated into this permit to operate:

1. This permit to operate shall be effective until 02/04/96  
You will be contacted approximately six months prior to this date regarding the renewal of this permit. If you are not contacted, please write to the appropriate Ohio EPA field office.
2. The above-described source is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.
3. Prior to any modification of this source, as defined in rule 3745-31-01 of the Ohio Administrative Code (OAC), a permit to install must be granted by the Ohio EPA pursuant to OAC Chapter 3745-31.
4. The Director of the Ohio EPA or an authorized representative may, subject to the safety requirements of the permit holder, enter upon the premises of this source at any time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit.
5. A permit fee in the amount specified above must be remitted within 15 days from the issuance date of this permit.
6. Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA field office must be notified in writing of any transfer of this permit.
7. This source and any associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices in order to minimize air contaminant emissions. Any malfunction of this source or any associated air pollution control system(s) shall be reported immediately to the appropriate Ohio EPA field office in accordance with OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this source.
8. Any unauthorized or emergency release of an air contaminant from this source which, due to the toxic or hazardous nature of the material, may pose a threat to public health, or otherwise endanger the safety or welfare of the public, shall be reported immediately to the appropriate Ohio EPA field office (during normal business hours) or to the Ohio EPA's Emergency Response Group (1-800-282-9378). (Additional reporting may be required pursuant to the federal Comprehensive Environmental Response, Compensation, and Liability Act.)
9. The appropriate Ohio EPA field office is:  
DIV. OF AIR POLLUTION CNTRL CANTON CITY HEALTH DEPT.  
THIRD FLOOR, CITY HALL  
CANTON, OH 44702 (216) 489-3385
10.  If this term and condition is checked, the permit holder is subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY

*Donald R. Schlegel*

Director



The first part of the report deals with the general situation in the country. It is noted that the economy is in a state of depression, and that the government is unable to meet its obligations. The report also mentions the need for a new constitution and the importance of maintaining law and order.

The second part of the report discusses the political situation. It is noted that the government is weak and that there is a need for a strong leader. The report also mentions the importance of the military and the need for a new constitution.

The third part of the report discusses the economic situation. It is noted that the economy is in a state of depression, and that the government is unable to meet its obligations. The report also mentions the need for a new constitution and the importance of maintaining law and order.

The fourth part of the report discusses the social situation. It is noted that the population is suffering from poverty and that there is a need for social reforms. The report also mentions the importance of the military and the need for a new constitution.


APPLICATION NUMBER: 15 76 18 1541 F002  
 FACILITY NAME: AMERICAN LANDFILL, INC.  
 EQUIPMENT DESCRIPTION: FUGITIVE DUST CONTROL AND ASBESTOS DISPOSAL  
 COMPANY ID: MATERIAL HANDLING (INCLUDING ASBESTOS)

ADDITIONAL SPECIAL TERMS AND CONDITIONS

I. Operations and Authority

The specific operations, equipment and/or property, which constitute the air contaminant source and which are covered by this permit are listed in the following table with the applicable rules of the Ohio Administrative Code (OAC), Ohio Revised Code (ORC) and Code of Federal Regulations (CFR).

<u>Operations, Equipment and/or property</u>	<u>Applicable Rules or regulations</u>
Asbestos Waste Material Disposal	OAC 3745-20-05 OAC 3745-20-06 OAC 3745-20-07
Recordkeeping	OAC 3745-20-08
All Regulated Operations Authority to Enter	ORC 3704.03
Refuse Disposal, Cover, Soil Handling	OAC 3475-17-08 OAC 3745-15-07



II. Asbestos Disposal

This facility is subject to the provisions of NESHAP, 40 CFR Part 61, Subparts A and M, and regulations adopted by the Ohio EPA at Chapter 3745-20 of the Administrative Code. This facility is authorized to accept and disposal of asbestos-containing materials in accordance with the conditions of this permit.

- A. There shall be no visible emission from asbestos-containing materials during on-site transportation, transfer, unloading, deposition or compacting operations.
- B. This facility shall inspect each load of asbestos containing material delivered to the facility.

1. The inspection shall consist of visual examination of each load, sufficient to determine whether the friable asbestos-containing materials are received in intact, leak-tight containers labeled with appropriate hazard warning labels, name of the waste generator and location of waste generation. The inspection shall determine whether the waste shipment records (WSR) required by paragraph I, accompany the consignment and accurately describe the waste material and quantity.
  2. If on the basis of the inspection, the waste material is found to be improperly received, the load shall be disposed of in accordance with the procedures in the "Asbestos Spill Contingency Plan" described in Paragraph F, and the discrepancy notation shall be made on the waste shipment record.
  3. The owner or on-duty operator shall notify The Canton Local Air Agency (216-489-3385) of any load of asbestos-containing material which is rejected, or non-conforming load disposed of in accordance with the Asbestos Spill Contingency Plan. Notification shall be provided as soon as possible by a phone contact, followed in writing by the next working day providing a copy of the waste shipment record if available, or when waste is not shipped with a WSR, provide available information on vehicle identification, source of the load, a description of the load, nature of discrepancy, and the location of disposal. If possible, non-conforming loads of suspect friable material shall be detained or the location of disposal protected from damage until the Ohio EPA is informed and provided the opportunity to inspect.
- C. Deposition and burial operations shall be conducted in a careful manner that prevents handling by equipment or persons that causes asbestos-containing waste materials to be broken up or dispersed before the materials are buried.
- D. This facility shall establish restricted access, adequate to deter the unauthorized entry of the general public and any unauthorized personnel, within one hundred feet of the unloading, deposition, burial and initial compaction of asbestos-containing waste material areas. A hazard

warning shall be displayed on signs not less than 20 X 14 inches, posted so they are visible before entering an area with asbestos waste disposal operation in progress; or alternatively mark vehicles used to transport asbestos-containing waste material with 21 X 14 inch signs during the loading and unloading of the waste so that the signs are displayed in such a manner and location that a person can easily read the legend. Display the following legend in the lower panel with letter sizes and styles of a visibility at least equal to those specified in this paragraph.

Legend:

DANGER  
ASBESTOS DUST HAZARD  
CANCER AND LUNG DISEASE HAZARD  
Authorized Personnel Only

Notation

2.5 cm (1 inch) Sans Serif, Gothic or Block  
2.5 cm (1 inch) Sans Serif, Gothic or Block  
1.9 cm (3/4 inch) Sans Serif, Gothic or Block  
14 Point Gothic

Spacing between any two lines must be at least equal to the height of the upper of the two lines.

- E. This facility shall cover and compact asbestos wastes in accordance with the following:
1. As soon as practicable after the placement of friable asbestos, but no later than the end of each working day, the asbestos-containing waste material deposited at the site during the operating day shall be covered with at least twelve inches of non-asbestos material. Once the load is covered, the area may be compacted.
  2. Care shall be taken to ensure disposed asbestos shall not be re-excavated in subsequent operations. Any accidentally exposed material shall be immediately recovered in accordance with the provisions of condition "E1."
  3. Asbestos-containing waste materials shall be separated from the landfill final grade by no less than 24 inches of compacted non-asbestos-containing material and a permanent cover of vegetation, or in

accordance with current requirements for closure, whichever is most stringent.

- F. This facility shall implement and maintain an "Asbestos Disposal Operating Procedure and Spill Contingency Plan" (Plan) consisting of: authorized personnel training, inspection and disposal operating procedures, non-conforming load response procedures, inventory and maintenance procedures for safety and emission control equipment, recordkeeping procedures and emergency notification procedures. Authorized personnel shall be knowledgeable in the procedures and the Plan shall be available for inspection at this facility at all times.
- G. This facility shall have emission control equipment available for wetting and containing asbestos in the event of a release or non-conforming load disposal. All equipment required to implement the Plan shall be maintained in accordance with good engineering practices to ensure equipment is in a ready-to-use condition, and in an appropriate location for use.
- H. This facility shall prepare and submit to the Canton Agency quarterly reports summarizing asbestos disposal activities. This report must contain the following information:
1. The name, address, and location of this facility; the calendar period covered by the report; and any changes in methods of storage or disposal operations
  2. A list of all asbestos-containing waste consignments received including: the date received, the name of the waste generator, the name and street address of the facility where the load originated, the quantity of asbestos, and any discrepancy or non-conformity discovered.

These quarterly reports shall be submitted by January 15, April 15, July 15, and October 15 of each year and shall address the data obtained during the previous calendar quarters.

- I. This facility shall require that all waste shipments received be accompanied by a waste shipment record.

1. The waste shipment record forms shall be retained at the facility for at least two years, and will be made available for inspection upon request.
  2. As soon as possible and no longer than 30 days after receipt of the waste, send a copy of the signed waste shipment record to the waste generator.
  3. Upon discovering a discrepancy between the quantity of waste designated on the waste shipment records and the quantity actually received, attempt to reconcile the discrepancy with the waste generator. If the discrepancy is not resolved within 15 days after receiving the waste, immediately report in writing to the state, local, district, or EPA Regional office responsible for administering the asbestos NESHAP program for the waste generator (identified in the waste shipment record), and, if different, the Canton Agency. Describe the discrepancy and attempts to reconcile it, and submit a copy of the waste shipment record along with the record.
- J. Maintain, until closure, records of the location, depth, and area, and quantity in cubic meters (cubic yards) of asbestos-containing waste material within the disposal site on a map or diagram of the disposal area.
- K. Upon closure, comply with all the provisions of Rule 3745-20-07.
- L. Submit to the Canton Agency, upon closure of the facility, a copy of records of asbestos waste disposal locations and quantities.
- M. Furnish upon request, and make available at reasonable times and during operating hours for inspection by the director, all records required under this section.
- N. Notify the Canton Agency in writing at least 45 days prior to excavating or otherwise disturbing any asbestos-containing waste material that has been deposited at a waste disposal site and is covered. If the excavation will begin on a date other than the one contained in the original notice, notice of the new start date must be provided at least ten working days before excavation begins and in no event shall excavation begin earlier than the date specified in the original notification.

Include the following information in the notice:

1. Scheduled starting and completion dates.
2. Reason for disturbing the waste.
3. Procedures to be used to control emissions during the excavation, storage, transport, and ultimate disposal of the excavated asbestos-containing waste material. If deemed necessary, the Director may require changes in the emission control procedures to be used.
4. Location of any temporary storage site and the final disposal site.

### III. Authority to Enter

Any representative of the Director of the Ohio Environmental Protection Agency may upon presentation of proper identification, enter upon any portion of the property including any improvements thereon, at any reasonable time, to make inspections, take samples, conduct tests and examine records or reports pertaining to any emission of air contaminants and any monitoring equipment, emission control equipment, or methods. No operator or agent of this facility shall act in any manner to refuse, hinder, or thwart legal right of entry.

### IV. Solid Waste Disposal

This facility shall ensure solid wastes are deposited, spread and compacted in such a manner as to minimize or prevent visible emissions of dust. This facility shall require all truckloads of solid waste to be unloaded in a manner which will minimize the drop height of the solid wastes. Any dusty materials or wastes likely to become airborne, shall be watered as necessary prior to or during dumping operations in order to minimize or eliminate visible emissions of fugitive dust, but any watering shall avoid free liquids and runoff. No dusty material shall be dumped during periods of high wind speed unless it has been treated to prevent it from becoming airborne.

PREPARED BY: DANIEL J. SCHILTZ

DATE PREPARED: DECEMBER 4, 1992