



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

5/1/2013

SCOTT MASON
ADAMS MASON MEMORIAL CHAPEL
791 EAST MARKET STREET
AKRON, OH 44305

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE

Facility ID: 1677011118
Permit Number: P0114230
Permit Type: Renewal
County: Summit

Certified Mail

No	TOXIC REVIEW
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA) Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**

How to appeal this permit

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

How to save money, reduce pollution and reduce energy consumption

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: www.ohioairquality.org/clean_air

How to give us feedback on your permitting experience

Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

How to get an electronic copy of your permit

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

If you have any questions, please contact Akron Regional Air Quality Management District at (330)375-2480 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,



Michael W. Ahern, Manager

Permit Issuance and Data Management Section, DAPC

Cc: ARAQMD



FINAL

**Division of Air Pollution Control
Permit-to-Install and Operate
for
ADAMS MASON MEMORIAL CHAPEL**

Facility ID:	1677011118
Permit Number:	P0114230
Permit Type:	Renewal
Issued:	5/1/2013
Effective:	5/1/2013
Expiration:	5/1/2023



Division of Air Pollution Control
Permit-to-Install and Operate
for
ADAMS MASON MEMORIAL CHAPEL

Table of Contents

Authorization	1
A. Standard Terms and Conditions	3
1. What does this permit-to-install and operate ("PTIO") allow me to do?.....	4
2. Who is responsible for complying with this permit?	4
3. What records must I keep under this permit?	4
4. What are my permit fees and when do I pay them?.....	4
5. When does my PTIO expire, and when do I need to submit my renewal application?	4
6. What happens to this permit if my project is delayed or I do not install or modify my source?	5
7. What reports must I submit under this permit?	5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?	5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ...	5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?	6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?	6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently?	6
13. Can I transfer this permit to a new owner or operator?.....	7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?	7
15. What happens if a portion of this permit is determined to be invalid?	7
B. Facility-Wide Terms and Conditions.....	8
C. Emissions Unit Terms and Conditions	10
1. N003, Cremator #3	11



Final Permit-to-Install and Operate
ADAMS MASON MEMORIAL CHAPEL
Permit Number: P0114230
Facility ID: 1677011118
Effective Date: 5/1/2013

Authorization

Facility ID: 1677011118
Application Number(s): A0047602
Permit Number: P0114230
Permit Description: PTIO renewal for a human crematory.
Permit Type: Renewal
Permit Fee: \$0.00
Issue Date: 5/1/2013
Effective Date: 5/1/2013
Expiration Date: 5/1/2023
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

ADAMS MASON MEMORIAL CHAPEL
791 EAST MARKET STREET
Akron, OH 44305

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.


Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Akron Regional Air Quality Management District
146 South High Street, Room 904
Akron, OH 44308
(330)375-2480

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Scott J. Nally
Director



Final Permit-to-Install and Operate
ADAMS MASON MEMORIAL CHAPEL
Permit Number: P0114230
Facility ID: 1677011118
Effective Date: 5/1/2013

Authorization (continued)

Permit Number: P0114230
Permit Description: PTIO renewal for a human crematory.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	N003
Company Equipment ID:	Cremator #3
Superseded Permit Number:	P0103065
General Permit Category and Type:	Not Applicable



Final Permit-to-Install and Operate
ADAMS MASON MEMORIAL CHAPEL
Permit Number: P0114230
Facility ID: 1677011118
Effective Date: 5/1/2013

A. Standard Terms and Conditions



1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is



very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.



10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Akron Regional Air Quality Management District in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting¹ a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

¹ Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).



13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



Final Permit-to-Install and Operate
ADAMS MASON MEMORIAL CHAPEL
Permit Number: P0114230
Facility ID: 1677011118
Effective Date: 5/1/2013

B. Facility-Wide Terms and Conditions



1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.



Final Permit-to-Install and Operate
ADAMS MASON MEMORIAL CHAPEL
Permit Number: P0114230
Facility ID: 1677011118
Effective Date: 5/1/2013

C. Emissions Unit Terms and Conditions



1. N003, Cremator #3

Operations, Property and/or Equipment Description:

Human crematory, rated charging capacity 200 pounds per hour, natural gas-fired, multiple-chambered incinerator [primary chamber burner capacity rating 0.92 million Btu per hour heat input and secondary chamber burner (afterburner) capacity rating 1.2 million Btu per hour heat input] burning Types 0 & 4 materials.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3), as effective 11/30/01	See b)(2)a.
b.	OAC rule 3745-31-05(A)(3)(a)(ii), as effective 12/01/06	See b)(2)b.
c.	OAC rule 3745-15-07(A)	Except as provided in paragraph (B) of this rule, the emission or escape into the open air from any source or sources whatsoever, of smoke, ashes, dust, dirt, grime, acids, fumes, gases, vapors, odors, or any other substances or combinations of substances, in such manner or in such amounts as to endanger the health, safety or welfare of the public, or cause unreasonable injury or damage to property, is hereby found and declared to be a public nuisance. It shall be unlawful



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		for any person to cause, permitor maintain any such public nuisance.
d.	OAC rule 3745-17-07(A)(1)	Visible particulate emissions (PE) from the stack serving this emissions unit shall not exceed 20% opacity, as a 6-minute average, except as provided by rule.
e.	OAC rule 3745-17-09(B)	No person shall cause, suffer, or allow to be emitted into the ambient air from any incinerators, PE in the exhaust gases in excess of 0.10 pound per one hundred pounds of liquid, semi-solid or solid refuse and salvageable material charged, for incinerators having incineration capacities equal to or greater than one hundred pounds per hour.
f.	OAC rule 3745-17-09(C)	This incinerator, including all associated equipment and grounds, shall be designed, operated and maintained so as to prevent the emission of objectionable odors.
g.	OAC rule 3745-18-06(C)	Process equipment which has a rated capacity equal to, or less than, one thousand pounds per hour process weight input is exempt from paragraph (E) of this rule and from rules 3745-18-07 to 3745-18-94 of the Administrative Code.

(2) Additional Terms and Conditions

- a. The permittee has satisfied the Best Available Technology (BAT) emission limitation/control measure requirements pursuant to Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to the Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 changes), such that employment of BAT is not required if the air contaminant source was installed or modified on or after August 3, 2006 and has the potential to emit, taking into account air pollution controls installed on the source, less than ten tons per year of emissions of an air contaminant or precursor of an air contaminant for which a national ambient air quality standard (NAAQS) has been adopted under the Clean Air Act. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to employ BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05, employment of BAT is no longer a requirement based upon the above-mentioned conditions.



- b. The following rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the SIP:

The BAT requirements pursuant to OAC rule 3745-31-05(A)(3)(a) are not applicable to the PE from this emissions unit. Employment of BAT is only applicable to emissions of an air contaminant or precursor of an air contaminant for which a NAAQS has been adopted under the Clean Air Act. PE (also referred to as total suspended particulate or particulate matter) is an air contaminant without an established NAAQS.

- c. The PE limit from OAC rule 3745-17-09(B) is greater than the potential to emit for this emissions unit. Therefore, no monitoring, record keeping, or reporting requirements are necessary to ensure ongoing compliance with this emissions limit.
- d. The permittee shall apply for and, if required, obtain a modification to this permit or obtain a new final permit-to-install and operate (PTIO) prior to making any change to equipment, change in the charge capacity, change in the fuel burned or heat input rate, or change in the method of operation of this emissions unit that results in an increase in the allowable emissions or results in an increase in emissions of greater than the de minimis levels in OAC rule 3745-15-05 for any type of air contaminant not previously emitted.
- e. The ventilation system (i.e., air intake, exhaust, blowers, ductwork, and stack) for the emissions unit covered under this permit shall meet good engineering design so as to (1) not compromise the airflow performance of the air intake, exhaust, blowers, ductwork, and stack for any emissions unit in the building, (2) not affect the air intake and exhaust for the building heating and cooling system and operation of building windows and doors and (3) maximize air dispersion and minimize down-wash of emissions so as not to result in the exposure of concentrations of air contaminants and/or odors to employees, residents, visitors, and surrounding community that violates the public nuisance prohibition of OAC rule 3745-15-07.
- f. The permittee shall adjust, operate, and maintain the emissions unit covered under this permit in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The operator(s) shall be properly trained in the operation and maintenance of each unit. A copy of this permit shall be visibly posted near the incinerator.
- g. Ashes shall be removed from the primary chamber after each batch cycle. The afterburner shall be inspected and cleaned as necessary to ensure proper operation of the incinerator. All unnecessary items and non-combustible materials shall be removed from the material charged to the emissions unit.
- h. The permittee shall comply with any applicable State and federal requirements governing the storage, treatment, transport, and disposal of any waste material generated by the operation of each emissions unit.

c) Operational Restrictions



- (1) Except for additional restrictions and prohibitions noted in this section, the permittee shall use this emissions unit to incinerate materials in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall not incinerate materials not recommended or designed for by the manufacturer.
- (2) The permittee shall burn only natural gas as fuel in this emissions unit.
- (3) The emissions unit must be equipped with an afterburner (secondary combustion chamber burner) that shall be used at all times the emissions unit is in operation.
- (4) The incinerator (loaded while cold and never opened until the batch cycle is complete) shall incorporate a lockout system, which will prevent recharging and/or ignition of materials until the exhaust gas temperature of the secondary combustion chamber reaches 1600 degrees Fahrenheit.
- (5) The secondary combustion chamber of the incinerator shall be maintained at a minimum exhaust gas temperature of 1600 degrees Fahrenheit until the materials are completely combusted and the batch cycle is complete.
- (6) The permittee shall not incinerate materials in this emissions unit at a rate that exceeds the rated charging capacity of 200 pounds per hour, as specified in the application.
- (7) The permittee shall only burn Type 4 human remains and associated Type 0 paper/wood. The associated paper must be free from all plastics and all other foreign materials. The associated wood must not be preservative-treated wood or particle board, and must not contain any plastics or foreign materials. No plastic bags or other types of plastic materials shall be burned.
- (8) The permittee shall not use this emissions unit as an animal crematory. In accordance with ORC section 4717.13(A)(9), the permittee shall not cremate animals in a cremation chamber in which dead human bodies or body parts are cremated and the permittee shall not cremate dead human bodies or human body parts in a cremation chamber in which animals are cremated.
- (9) The permittee shall not incinerate materials containing Teflon, PVC, nor any material listed under 40 CFR Part 61, National Emission Standards for Hazardous Air Pollutants.
- (10) The permittee shall not incinerate materials containing halogens such as chlorine, fluorine, or bromine.
- (11) Except for mercury contained in dental amalgam fillings, the permittee shall not incinerate materials which may emit vapors of toxic metals such as lead, cadmium, or any metals and/or their compounds listed as hazardous air pollutants in the 1990 Clean Air Act Amendments.
- (12) The permittee shall not incinerate materials containing rubber, natural or synthetic, or petroleum-derived products.
- (13) The permittee shall not incinerate materials regulated by OAC Chapter 3745-75 "Infectious Waste Incinerator Limitations" or OAC Chapter 3745-105 "Pathological Waste Incinerators."



- (14) The permittee shall not incinerate refuse or garbage.
 - (15) Any emissions unit malfunction, or changes to equipment, materials incinerated, or method of operation of an emission unit, that causes the release of smoke and/or odors in excess of (1) emissions released during normal operations and/or (2) applicable visible emission standards and/or violates the public nuisance prohibition of OAC rule 3745-15-07 must be accompanied by a complete shutdown of the emission unit until the problem is identified and corrected. Any malfunction shall be reported in accordance with the requirements of OAC rule 3745-15-06. Deviations from normal operations due to changes in equipment, materials incinerated, or method of operation of either emission unit shall be reported in accordance with the requirements of the annual Permit Evaluation Report (PER) form specified in e)(2).
 - (16) Maintenance of the secondary combustion chamber (afterburner), that requires the shutdown or bypassing of the secondary chamber, must be accompanied by the complete shutdown of the primary combustion chamber of the incinerator.
- d) **Monitoring and/or Recordkeeping Requirements**
- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in the emissions unit.
 - (2) The permittee shall perform daily checks, when the emissions unit is in operation and when weather conditions allow, for any visible particulate emissions from the stack serving the emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the location and color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any visible emission incident; and
 - e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.



- (3) The permittee shall operate and maintain a continuous temperature monitor and recorder which measures and records the temperature of the exhaust gases from the secondary combustion chamber when the emissions unit is in operation. Units shall be in degrees Fahrenheit (degrees F). The monitoring and recording devices shall be capable of accurately measuring the desired parameter. The temperature monitor and recorder shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, with any modifications deemed necessary by the permittee.
 - (4) The permittee shall collect and record the following information for each day for the emissions unit:
 - a. A log of the downtime for the temperature monitoring and/or recording equipment, when the associated emissions unit was in operation; and
 - b. All periods of time during which the temperature of the exhaust gases from the incinerator, when the emissions unit was in operation, was below the minimum secondary combustion chamber exhaust gas temperature of 1600 degrees Fahrenheit as specified above.
 - (5) For all materials incinerated, the permittee shall maintain a written log for each emissions unit that contains the following information, on a per batch basis:
 - a. date of incineration for each batch;
 - b. complete identification and composition of all materials in each batch;
 - c. duration of incineration, in hours, including start/finish times, for each batch;
 - d. amount of material charged, in pounds, for each batch;
 - e. calculated charging rate, in pounds per hour, for each batch, i.e., d./c.;
 - f. identification of any materials under item b. and/or calculated charging rate under item e. of this section that did not comply with the applicable requirements of "c) Operational Restrictions" above; and
 - g. a log of ash removal from the incinerator, as specified above in b)(2)(g).
 - (6) The permittee shall inspect the incinerator semi-annually using preventive maintenance procedures recommended by the equipment manufacturer. Each inspection shall include a written log which documents the findings of the inspection and identifies any needed repairs to the unit. If repairs are needed, the incinerator shall not be operated if the operation would result in any exceedance of the emission limits detailed in this permit. Copies of contractor's invoices of maintenance and repairs shall be maintained for no less than five (5) years, and shall be available for inspection, upon request.
 - (7) All records and logs required in this permit shall be maintained for no less than five (5) years, and shall be available for inspection, upon request.
- e) Reporting Requirements



- (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in the emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
 - (2) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA District Office or Local Air Agency by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit. It is recommended that the PER is submitted electronically through the Ohio EPA's "e-Business Center: Air Services", although PERs can be submitted via U.S. postal service or can be hand delivered.
 - (3) The permittee shall identify the following information for the emissions unit in the annual PER in accordance with the monitoring requirements for visible emissions in term number d)(2) above:
 - a. all days during which any visible particulate emissions were observed from the stack; and
 - b. any corrective actions taken to eliminate the visible particulate emissions.
 - (4) The reports required by this permit other than the annual PER may be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal; or they may be mailed as a hard copy to the appropriate district office or local air agency.
- f) Testing Requirements
- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation:

Visible PE from the stack serving this emissions unit shall not exceed 20% opacity, as a 6-minute average.

Applicable Compliance Method:

If required, compliance shall be determined through visible emission observations performed in accordance with U.S. EPA Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1)
 - b. Emission Limitation:

PE shall not exceed 0.10 pound per one hundred pounds of liquid, semi-solid or solid refuse and salvageable material charged, for incinerators having incineration capacities equal to or greater than one hundred pounds per hour.

Applicable Compliance Method:



Final Permit-to-Install and Operate
ADAMS MASON MEMORIAL CHAPEL
Permit Number: P0114230
Facility ID: 1677011118
Effective Date: 5/1/2013

If required, compliance shall be determined through stack testing performed in accordance with USEPA Methods 1-5, 40 CFR 60, Appendix A and the procedures specified in OAC rule 3745-17-03(B)(8).

- g) Miscellaneous Requirements
 - (1) None.