John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

5/9/2013

Certified Mail

Roger Davidson
Davidson Collision
2140 Integrity Dr. South
Columbus, OH 43209

No	TOXIC REVIEW
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
Yes	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0125044158
Permit Number: P0113891
Permit Type: Initial Installation
County: Franklin

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA) Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**

How to appeal this permit

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of $70.00, made payable to “Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General’s Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

How to save money, reduce pollution and reduce energy consumption

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: www.ohioairquality.org/clean_air

How to give us feedback on your permitting experience

Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

How to get an electronic copy of your permit

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

If you have any questions, please contact Ohio EPA DAPC, Central District Office at (614)728-3778or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: Ohio EPA-CDO

FINAL

Division of Air Pollution Control
Permit-to-Install and Operate
for
Davidson Collision

Facility ID:	0125044158
Permit Number:	P0113891
Permit Type:	Initial Installation
Issued:	5/9/2013
Effective:	5/9/2013
Expiration:	5/9/2023

Division of Air Pollution Control
Permit-to-Install and Operate
for
Davidson Collision

Table of Contents

Authorization 1

A. Standard Terms and Conditions 3

1. What does this permit-to-install and operate ("PTIO") allow me to do? 4
2. Who is responsible for complying with this permit? 4
3. What records must I keep under this permit? 4
4. What are my permit fees and when do I pay them? 4
5. When does my PTIO expire, and when do I need to submit my renewal application? 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
7. What reports must I submit under this permit? 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
13. Can I transfer this permit to a new owner or operator? 7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 7
15. What happens if a portion of this permit is determined to be invalid? 7

B. Facility-Wide Terms and Conditions 8

C. Emissions Unit Terms and Conditions 10

1. K003, Blowtherm 11
2. Emissions Unit Group -Garmat Spray Booth: K001,K002, ... 18

Authorization

Facility ID:	0125044158
Application Number(s):	A0047461
Permit Number:	P0113891
Permit Description:	Installation and operation of three spray coating booths
Permit Type:	Initial Installation
Permit Fee:	$600.00
Issue Date:	5/9/2013
Effective Date:	5/9/2013
Expiration Date:	5/9/2023

Permit Evaluation Report (PER) Annual Date: Apr 1 - Mar 31, Due May 15

This document constitutes issuance to:

Davidson Collision
2140 Integrity Dr. South
Columbus, OH 43209

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Central District Office
50 West Town Street, 6th Floor
P.O. Box 1049
Columbus, OH 43216-1049
(614)728-3778

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s))listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Scott J. Nally
Director

Authorization (continued)

Permit Number: P0113891
Permit Description: Installation and operation of three spray coating booths

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	**K003**
Company Equipment ID:	Blowtherm
Superseded Permit Number:	
General Permit Category and Type:	Not Applicable

Group Name: Garmat Spray Booth

Emissions Unit ID:	**K001**
Company Equipment ID:	Garmat
Superseded Permit Number:	
General Permit Category andType:	Not Applicable
Emissions Unit ID:	**K002**
Company Equipment ID:	Garmat
Superseded Permit Number:	
General Permit Category andType:	Not Applicable

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

  You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement.Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is takenby Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Ohio EPA DAPC, Central District Office in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting[1] a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

[1] Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

   a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

      (1) None.

   b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

      (1) None.

2. The Ohio EPA has determined that this facility may be subject to the requirements of an area source MACT/GACT rule that the Ohio EPA does not have the delegated authority to implement. Although Ohio EPA has determined that an area source MACT (also known as the GACT) may apply, at this time Ohio EPA does not have the authority to enforce this standard. Instead, U.S. EPA has the authority to enforce this standard. Please be advised that all requirements associated with these rules are in effect and are enforceable by U.S. EPA. For more information on the area source rules, please refer to the follow U.S. EPA website: http://www.epa.gov/ttn/atw/area/arearules.html

C. Emissions Unit Terms and Conditions

1. K003, Blowtherm

Operations, Property and/or Equipment Description:

Blowtherm spray booth with oven

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAD rule 3745-31-05(A)(3), as effective 11/30/2001	Particulate emissions (PE) shall not exceed 2.15 pounds per day and 0.39 tons per year. Volatile organic compound (VOC) emissions shall not exceed 34.05 pounds per day and 6.28 tons per year. Oxides of nitrogen (NOx) emissions shall not exceed 0.10 pound per hour and 0.44 ton per year. Carbon monoxide (CO) emissions shall not exceed 0.08 pound per hour and 0.35 ton per year. The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-11(C).

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		See b)(2)a.
b.	OAC rule 3745-31-05(A)(3), as effective 12/01/2006	See b)(2)b.
b.	OAC rule 3745-17-11(C)	See c)(1), c)(2), and d)(3) through d)(7).
c.	OAC rule 3745-21-09(U)(2)(e)(iii)	See b)(2)c.

(2) Additional Terms and Conditions

a. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to the Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 changes), such that BAT is no longer required by State regulations for National Ambient Air Quality Standards (NAAQS) pollutant(s) less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05, then these emission limitations/control measures no longer apply.

b. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the particulate emissions (PE) from this air contaminant source since the calculated annual emission rate for PE is less than 10 tons/year, taking into account the federally enforceable rule under OAC rule 3745-17-11(C).

The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the VOC, NOx, and CO emissions from this air contaminant source since the uncontrolled potential to emit for VOC, NOx, and CO is each less than 10 tons/year.

c. The permittee shall not use more than 10 gallons of coating material per day for the coating of miscellaneous metal parts.

c) Operational Restrictions

(1) The permittee shall install and operate a dry filtration system for the control of particulate emissions whenever this emissions unit is in operation and shall maintain the dry particulate filter in accordance with the manufacturer's recommendations, instructions, and/or operating manual(s), with any modifications deemed necessary by the permittee.

(2) In the event the particulate filter system is not operating in accordance with the manufacturer's recommendations, instructions, or operating manual, with any modifications deemed necessary by the permittee, the control device shall be expeditiously repaired or otherwise returned to these documented operating conditions.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall collect and record the following information each day for this emissions unit:

a. the name and identification number of each coating employed;

b. the VOC content of each coating employed, in pounds per gallon, as applied;

c. the number of gallons of each coating employed;

d. the total number of gallons of all the coatings employed; and

e. the total VOC emissions from all the coatings employed, in pounds, i.e., the sum of d)(1)b. times d)(1)c. for each coating employed.

The coating usage records shall be maintained for a minimum of 3 years.

(2) The permittee shall collect and record the following information for each month for this emissions unit:

a. the company identification of each cleanup material employed;

b. the number of gallons of each cleanup material employed;

c. the VOC content of each cleanup material employed, in pounds per gallon;

d. the total VOC emissions from all cleanup materials employed, in pounds, i.e., the sum of d)(2)b. times d)(2)c. for each cleanup employed;

e. if cleanup materials are collected for off-site disposal and/or recovery, the following records shall be maintained if a credit is to be applied to the monthly VOC emissions:

i. the amount of cleanup material recovered during the month* for off-site disposal and/or recovery, in gallons (or pounds, if records of recovered cleanup material is maintained by weight and VOC content in percent by weight);

ii. the VOC content of the recovered cleanup material shall be based on the lowest VOC content of any cleanup material collected, in pounds per gallon (or percent by weight); or it may be based upon a laboratory analyses provided by the facility to which the waste solvent is shipped;

iii. the date the recovered cleanup material was shipped, the amount shipped (minus the container), and the name and address of the receiving, disposal, and/or recovery facility; and

f. the total monthly VOC emission from cleanup operations, in pounds, i.e., [d)(2)d.] – [d)(2)e.i. x d)(2)e.ii.].

***** A daily log may be required for recovered waste cleanup solvents, where a record of the monthly total volume or weight of the collected material cannot be accurately maintained. This amount shall be adjusted if the volume or weight shipped is less than the sum of the monthly recovered solvent added to the container.

The cleanup material usage log shall be maintained for a minimum of 3 years.

(3) The permittee shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for the dry particulate filter, along with documentation of any modifications deemed necessary by the permittee. These documents shall be maintained at the facility and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

[OAC 3745-17-11(C)(2)(a)]

(4) The permittee shall conduct periodic inspections of the dry particulate filter to determine whether it is operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the permittee or operator. These inspections shall be performed at a frequency that shall be based upon the recommendation of the manufacturer and the permittee shall maintain a copy of the manufacturer's recommended inspection frequency and it shall be made available to the Ohio EPA upon request.

[OAC rule 3745-17-11(C)(2)(c)]

(5) In addition to the recommended periodic inspections, not less than once each calendar year the permittee shall conduct a comprehensive inspection of the dry particulate filter while the emissions unit is shut down and perform any needed maintenance and repair to ensure that it is operated in accordance with the manufacturer's recommendations.

[OAC rule 3745-17-11(C)(2)(c)]

(6) The permittee shall document each inspection (periodic and annual) of the dry particulate filter system and shall maintain the following information:

a. the date of the inspection;

b. a description of each/any problem identified and the date it was corrected;

c. a description of any maintenance and repairs performed; and

d. the name of person who performed the inspection.

These records shall be maintained at the facility for not less than five years from the date the inspection and any necessary maintenance or repairs were completed and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

[OAC rule 3745-17-11(C)(2)(d) and (f)]

(7) The permittee shall maintain records that document any time periods when the dry particulate filter was not in service when the emissions unit(s) was/were in operation, as well as, a record of all operations during which the dry particulate filter was not operated according to the manufacturer's recommendations with any documented modifications made by the permittee. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.

[OAC rule 3745-17-11(C)(2)(e),(f) and (g) for OAC rule 3745-17-11(C)(1)]

e) Reporting Requirements

(1) The reports required by this permit may be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal; or they may be mailed as a hard copy to the appropriate district office or local air agency.

(2) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA District Office or Local Air Agency by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit. It is recommended that the PER is submitted electronically through the Ohio EPA's "e-Business Center: Air Services" although PERs can be submitted via U.S. postal service or can be hand delivered.

f) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. <u>Emission Limitation:</u>
2.15 pounds per day and 0.39 ton per year of particulate emissions

<u>Applicable Compliance Method:</u>
The daily emission limitation was developed by summing the PE from the combustion of natural gas in the oven and the PE from the coatings. First, multiply the rated capacity of the oven (0.84 mmBtu/hr) by the AP-42 emission factor of 0.00745 lb/mmBtu (AP-42 Table 1.4-2 (July 1998)) and a conversion factor of 24 hours/day.

Then, multiply the highest solids content of a coating (7.80 lbs/gal) by the maximum number of gallons applied in the booth daily (4.9 gallons of coating). The result was then multiplied by a control efficiency of 95% for the spray booth filters.

The annual emission limitation was developed by multiplying the daily emission limitation by 365 days/yr and a conversion factor of 1 ton/2000 lbs. Provided compliance with the hourly limitation is shown, compliance with the annual limitation will be assumed.

b. Emission Limitation:
34.05 lb/day and 6.28 tons per year of volatile organic compounds

Applicable Compliance Method:
The daily emission limitation was developed by summing the VOC from the combustion of natural gas in the oven and the VOC from the coatings. First, multiply the rated capacity of the oven (0.84 mmBtu/hr) by the AP-42 emission factor of 0.0054 lb/mmBtu (AP-42 Table 1.4-2 (July 1998)) and a conversion factor of 24 hours/day.

Then, multiply the highest VOC content of a coating (6.90 lbs/gal) by the maximum number of gallons applied in the booth daily (4.9 gallons of coating).

The annual emission limitation was developed by multiplying the daily emission limitation by 365 days/yr and a conversion factor of 1 ton/2000 lbs. The result was then added to the annual emissions from the cleanup material determined in d)(2).

c. Emission Limitation:
0.10 lb/hr and 0.44 ton/yr of oxides of nitrogen

Applicable Compliance Method:
The hourly emission limitation was developed by multiplying the rated capacity of the oven by the AP-42 emission factor of 0.098 lb/mmBtu (AP-42 Table 1.4-2 (July 1998)).

The annual emission limitation was developed by multiplying the rated capacity of the oven by the AP-42 emission factor of 0.098 lb/mmBtu (AP-42 Table 1.4-2 (July 1998)) and a conversion factor of 8,760 hr/yr and 1 ton/2000 lb. Provided compliance with the hourly limitation is shown, compliance with the annual limitation will be assumed.

d. Emission Limitation:
0.08 lb/hr and 0.35 ton/yr of carbon monoxide

Applicable Compliance Method:
The hourly emission limitation was developed by multiplying the rated capacity of the oven by the AP-42 emission factor of 0.082 lb/mmBtu (AP-42 Table 1.4-2 (July 1998)).

The annual emission limitation was developed by multiplying the rated capacity of the oven by the AP-42 emission factor of 0.082 lb/mmBtu (AP-42 Table 1.4-2 (July 1998)) and a conversion factor of 8,760 hr/yr and 1 ton/2000 lb. Provided

compliance with the hourly limitation is shown, compliance with the annual limitation will be assumed..

g) Miscellaneous Requirements

(1) None.

2. Emissions Unit Group -Garmat Spray Booth: K001,K002,

EU ID	Operations, Property and/or Equipment Description
K001	Garmat spray booth #1 with oven
K002	Garmat spray booth #2 with oven

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3), as effective 11/30/2001	Particulate emissions (PE) shall not exceed 2.15 pounds per day and 0.39 ton per year. Volatile organic compound (VOC) emissions shall not exceed 33.93 pounds per day and 6.26 tons per year. Oxides of nitrogen (NOx) emissions shall not exceed 0.08 pound per hour and 0.35 ton per year. Carbon monoxide (CO) emissions shall not exceed 0.07 pound per hour and 0.31 ton per year. The requirements of this rule also include compliance with the requirements of OAC

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		rule 3745-17-11(C). See b)(2)a.
b.	OAC rule 3745-31-05(A)(3), as effective 12/01/2006	See b)(2)b.
b.	OAC rule 3745-17-11(C)	See c)(1), c)(2), and d)(3) through d)(7)
c.	OAC rule 3745-21-09(U)(2)(e)(iii)	See b)(2)a.

(2) Additional Terms and Conditions

a. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to the Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 changes), such that BAT is no longer required by State regulations for National Ambient Air Quality Standards (NAAQS) pollutant(s) less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05, then these emission limitations/control measures no longer apply.

b. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the particulate emissions (PE) from this air contaminant source since the calculated annual emission rate for PE is less than 10 tons/year, taking into account the federally enforceable rule under OAC rule 3745-17-11(C).

The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the VOC, NOx, and CO emissions from this air contaminant source since the uncontrolled potential to emit for VOC, NOx, and CO is each less than 10 tons/year.

c. The permittee shall not use more than 10 gallons of coating material per day for the coating of miscellaneous metal parts.

c) Operational Restrictions

(1) The permittee shall install and operate a dry filtration system for the control of particulate emissions whenever this emissions unit is in operation and shall maintain the dry particulate filter in accordance with the manufacturer's recommendations, instructions, and/or operating manual(s), with any modifications deemed necessary by the permittee.

(2) In the event the particulate filter system is not operating in accordance with the manufacturer's recommendations, instructions, or operating manual, with any modifications deemed necessary by the permittee, the control device shall be expeditiously repaired or otherwise returned to these documented operating conditions.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall collect and record the following information each day for this emissions unit:

a. the name and identification number of each coating employed;

b. the VOC content of each coating employed, in pounds per gallon, as applied;

c. the number of gallons of each coating employed;

d. the total number of gallons of all the coatings employed; and

e. the total VOC emissions from all the coatings employed, in pounds, i.e., the sum of d)(1)b. times d)(1)c. for each coating employed.

The coating usage records shall be maintained for a minimum of 3 years.

(2) The permittee shall collect and record the following information for each month for this emissions unit:

a. the company identification of each cleanup material employed;

b. the number of gallons of each cleanup material employed;

c. the VOC content of each cleanup material employed, in pounds per gallon;

d. the total VOC emissions from all cleanup materials employed, in pounds, i.e., the sum of d)(2)b. times d)(2)c. for each cleanup employed;

e. if cleanup materials are collected for off-site disposal and/or recovery, the following records shall be maintained if a credit is to be applied to the monthly VOC emissions:

i. the amount of cleanup material recovered during the month* for off-site disposal and/or recovery, in gallons (or pounds, if records of recovered cleanup material is maintained by weight and VOC content in percent by weight);

ii. the VOC content of the recovered cleanup material shall be based on the lowest VOC content of any cleanup material collected, in pounds per gallon (or percent by weight); or it may be based upon a laboratory analyses provided by the facility to which the waste solvent is shipped;

iii. the date the recovered cleanup material was shipped, the amount shipped (minus the container), and the name and address of the receiving, disposal, and/or recovery facility; and

f. the total monthly VOC emission from cleanup operations, in pounds, i.e., [d)(2)d.] – [d)(2)e.i. x d)(2)e.ii.].

***** A daily log may be required for recovered waste cleanup solvents, where a record of the monthly total volume or weight of the collected material cannot be accurately maintained. This amount shall be adjusted if the volume or weight shipped is less than the sum of the monthly recovered solvent added to the container.

The cleanup material usage log shall be maintained for a minimum of 3 years.

(3) The permittee shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for the dry particulate filter, along with documentation of any modifications deemed necessary by the permittee. These documents shall be maintained at the facility and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

[OAC 3745-17-11(C)(2)(a)]

(4) The permittee shall conduct periodic inspections of the dry particulate filter to determine whether it is operating in accordance with the manufacturer’s recommendations, instructions, or operating manuals with any modifications deemed necessary by the permittee or operator. These inspections shall be performed at a frequency that shall be based upon the recommendation of the manufacturer and the permittee shall maintain a copy of the manufacturer s recommended inspection frequency and it shall be made available to the Ohio EPA upon request.

[OAC rule 3745-17-11(C)(2)(c)]

(5) In addition to the recommended periodic inspections, not less than once each calendar year the permittee shall conduct a comprehensive inspection of the dry particulate filter while the emissions unit is shut down and perform any needed maintenance and repair to ensure that it is operated in accordance with the manufacturer's recommendations.

[OAC rule 3745-17-11(C)(2)(c)]

(6) The permittee shall document each inspection (periodic and annual) of the dry particulate filter system and shall maintain the following information:

a. the date of the inspection;

b. a description of each/any problem identified and the date it was corrected;

c. a description of any maintenance and repairs performed; and

d. the name of person who performed the inspection.

These records shall be maintained at the facility for not less than five years from the date the inspection and any necessary maintenance or repairs were completed and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

[OAC rule 3745-17-11(C)(2)(d) and (f)]

(7) The permittee shall maintain records that document any time periods when the dry particulate filter was not in service when the emissions unit(s) was/were in operation, as well as, a record of all operations during which the dry particulate filter was not operated according to the manufacturer's recommendations with any documented modifications made by the permittee. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.

[OAC rule 3745-17-11(C)(2)(e),(f) and (g) for OAC rule 3745-17-11(C)(1)]

e) Reporting Requirements

(1) The reports required by this permit may be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal; or they may be mailed as a hard copy to the appropriate district office or local air agency.

(2) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA District Office or Local Air Agency by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit. It is recommended that the PER is submitted electronically through the Ohio EPA's "e-Business Center: Air Services" although PERs can be submitted via U.S. postal service or can be hand delivered.

f) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. <u>Emission Limitation:</u>
2.15 pounds per day and 0.39 ton per year of particulate emissions

<u>Applicable Compliance Method:</u>
The daily emission limitation was developed by summing the PE from the combustion of natural gas in the oven and the PE from the coatings. First, multiply the rated capacity of the oven (0.84 mmBtu/hr) by the AP-42 emission factor of 0.00745 lb/mmBtu (AP-42 Table 1.4-2 (July 1998)) and a conversion factor of 24 hours/day.

Then, multiply the highest solids content of a coating (7.80 lbs/gal) by the maximum number of gallons applied in the booth daily (4.9 gallons of coating). The result was then multiplied by a control efficiency of 95% for the spray booth filters.

The annual emission limitation was developed by multiplying the daily emission limitation by 365 days/yr and a conversion factor of 1 ton/2000 lbs. Provided compliance with the hourly limitation is shown, compliance with the annual limitation will be assumed.

b. Emission Limitation:
33.93 lb/day and 6.26 tons per year of volatile organic compounds

Applicable Compliance Method:
The daily emission limitation was developed by summing the VOC from the combustion of natural gas in the oven and the VOC from the coatings. First, multiply the rated capacity of the oven (0.84 mmBtu/hr) by the AP-42 emission factor of 0.0054 lb/mmBtu (AP-42 Table 1.4-2 (July 1998)) and a conversion factor of 24 hours/day.

Then, multiply the highest VOC content of a coating (6.90 lbs/gal) by the maximum number of gallons applied in the booth daily (4.9 gallons of coating).

The annual emission limitation was developed by multiplying the daily emission limitation by 365 days/yr and a conversion factor of 1 ton/2000 lbs. The result was then added to the annual emissions from the cleanup material determined in d)(2).

c. Emission Limitation:
0.08 lb/hr and 0.35 ton/yr of oxides of nitrogen

Applicable Compliance Method:
The hourly emission limitation was developed by multiplying the rated capacity of the oven by the AP-42 emission factor of 0.098 lb/mmBtu (AP-42 Table 1.4-1 (July 1998)).

The annual emission limitation was developed by multiplying the rated capacity of the oven by the AP-42 emission factor of 0.098 lb/mmBtu (AP-42 Table 1.4-1 (July 1998)) and a conversion factor of 8,760 hr/yr and 1 ton/2000 lb. Provided compliance with the hourly limitation is shown, compliance with the annual limitation will be assumed.

d. Emission Limitation:
0.07 lb/hr and 0.31 ton/yr of carbon monoxide

Applicable Compliance Method:
The hourly emission limitation was developed by multiplying the rated capacity of the oven by the AP-42 emission factor of 0.082 lb/mmBtu (AP-42 Table 1.4-1 (July 1998)).

The annual emission limitation was developed by multiplying the rated capacity of the oven by the AP-42 emission factor of 0.082 lb/mmBtu (AP-42 Table 1.4-1 (July 1998)) and a conversion factor of 8,760 hr/yr and 1 ton/2000 lb. Provided

compliance with the hourly limitation is shown, compliance with the annual limitation will be assumed.

g) Miscellaneous Requirements

(1) None.