



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
GREENE COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 08-04622

Fac ID: 0829790583

DATE: 8/27/2004

Martin Marietta Materials Inc-Cook Rd
Patrick Montgomery
1337 Dayton-Xenia Rd
Xenia, OH 45385-7110

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

cc: USEPA

RAPCA



**Permit To Install
Terms and Conditions**

**Issue Date: 8/27/2004
Effective Date: 8/27/2004**

FINAL PERMIT TO INSTALL 08-04622

Application Number: 08-04622
Facility ID: 0829790583
Permit Fee: **\$900**
Name of Facility: Martin Marietta Materials Inc-Cook Rd
Person to Contact: Patrick Montgomery
Address: 1337 Dayton-Xenia Rd
Xenia, OH 45385-7110

Location of proposed air contaminant source(s) [emissions unit(s)]:
**1981 Cook Rd
Spring Valley, Ohio**

Description of proposed emissions unit(s):
Adding 10 new conveyors, chapter 31 replacing 08-04449 issued 4/8/03.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Martin Marietta Materials Inc-Cook Rd
PTI Application: 08-04622
Issued: 8/27/2004

Facility ID: 0829790583

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

Martin Marietta Materials Inc-Cook Rd
PTI Application: 08-04622
Issued: 8/27/2004

Facility ID: 0829790583

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

Martin Marietta Materials Inc-Cook Rd
PTI Application: 08-04622
Issued: 8/27/2004

Facility ID: 0829790583

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

6

Martin Marietta Materials Inc-Cook Rd
PTI Application: 08-04622
Issued: 8/27/2004

Facility ID: 0829790583

Martin Marietta Materials Inc-Cook Rd
PTI Application: 08-04622
Issued: 8/27/2004

Facility ID: 0829790583

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Particulate	5.95

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>		<u>Applicable Rules/Requirements</u>
	165 tons/hour, 8' x 20' Cedar Rapids 3-Deck Dry Screen (tertiary)	
F003 - Aggregate Processing - Modification	273 tons/hour, 8' x 20' Cedar Rapids 3-Deck Wet Screen (tertiary)	OAC rule 3745-31-05(A)(3)

Crushing Operations:

650 tons/hour; Cedar Rapids 3042
Impact Crusher (primary)

56 tons/hour, 4 1/4" Standard
Norberg Cone Crusher (secondary)

115 tons/hour, 4 1/4" Short head
Norberg Cone Crusher (secondary)

218 tons/hour, VS-ISC 77 Tertiary
Crusher

Material Handling Operations:

25 conveyors

2 feeders

1 (5434) Eagle Double Washer

1 surge bin

5 radial stackers

Screening Operations:

NSPS 40 CFR Part 60, Subpart 000

350 tons/hour, 5' x 12' Deister
2-Deck Dry Screen (Primary)

350 tons/hour, 5' x 12' Deister
2-Deck Dry Screen (Primary)

322 tons/hour, 6' x 20' Deister
3-Deck Wet Screen (Secondary)

322 tons/hour, 6' x 20' Deister
3-Deck Wet Screen (Secondary)

Applicable Emissions
Limitations/Control Measures

See Section A.2.g.

OAC rule 4735-17-07(B)

OAC rule 3745-17-08(B)

The requirements of this rule also include compliance with the requirements of NSPS 40 CFR Part 60, Subpart 000.

The particulate emissions (PE) from this emissions unit shall not exceed 5.04 lbs/hr and 5.95 tons/yr particulate emissions plant wide.

See Section A.2.a.

Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (See Section A.2.b. through A.2.f. below).

The visible particulate emissions shall not exceed 15% opacity, as a 6-minute average from the crushers.

The visible particulate emissions shall not exceed 10% opacity, as a 6-minute average from the screens.

The visible particulate emissions shall not exceed 10% opacity, as a 6-minute average from any transfer point.

There shall be no visible emissions from all saturated equipment except crushers.

See Section A.2.g.

2. Additional Terms and Conditions

- 2.a** The 5.04 lbs/hr PE emission limitation was established to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.
- 2.b** The permittee shall employ best available control measures to minimize or eliminate visible emissions of fugitive dust from emissions unit F003. If the inherent moisture of the in the aggregate is not sufficient to comply with the opacity restrictions of this permit, the permittee shall apply water or other suitable dust suppressant, at appropriate locations in the production line.
- 2.c** The material handling operations that are covered by this permit and subject to the above mentioned requirements are listed below:
- Front-end loader - Primary feeder
 - All feeders - crushers
 - All conveyor - conveyor transfer points
 - All conveyor - crushers
 - All conveyors - screens
- 2.d** The permittee shall employ best available control measures for the above-identified material handling operation(s) for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to perform the following control measure(s) to ensure compliance:

Emissions Unit ID: **F003**

material handling operation(s)

control measure(s)

front-end loader dumping into
primary feeder

maintain a low drop height and high moisture
content for the material being processed

all conveyors and transfer points
content for the material being processed

maintain a low drop height and high moisture
content for the material being processed

- 2.e** For each material handling operation that is not adequately enclosed, the above-identified control measure(s) shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) is (are) necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during the operation of the material handling operation(s) until further observation confirms that use of the control measure(s) is unnecessary.
- 2.f** Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05.
- 2.g.** This emissions unit is not located in an "Appendix A" area as indicated in OAC rule 3745-17-08. Therefore, the emissions unit is not subject to the RACM requirements established in OAC rule 3745-17-08(B) and the visible emission limitations specified in OAC rule 3745-17-07(B).

B. Operational Restrictions

1. The annual production rate for this facility shall not exceed 1,700,000 tons of aggregate.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation, and when the weather conditions allow, for any visible particulate emissions from this emissions unit. The presence or absence of any visible emissions from this emissions unit shall be noted in an operations log. If visible emissions from this emissions unit are observed, the permittee shall also note the following in the operations log:
 - a. The color of the emissions;
 - b. Whether the emissions are representative of normal operations;
 - c. If the emissions are not representative of normal operations, the cause of the abnormal emissions;

12

Martin

PTI A

Issued: 8/27/2004

Emissions Unit ID: **F003**

- d. The total duration of any visible emission incident; and
 - e. Any corrective actions taken to eliminate the visible emissions.
2. Except as otherwise provided in this section, for operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

<u>material handling operation(s)</u>	<u>minimum inspection frequency</u>
All	Daily

3. The above-mentioned inspections shall be performed during representative, normal operating conditions.
4. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
5. The permittee shall maintain records of the following information:
- a. The date and reason any required inspection was not performed;
 - b. The date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
 - c. The dates the control measure(s) was (were) implemented; and
 - d. On a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in 5.d. shall be kept separately for each material handling operation identified above and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

6. The permittee shall maintain monthly records of the total aggregate materials produced at this facility, in tons.
7. The permittee shall conduct visible emission evaluations (all unsaturated screens and unsaturated

crushers) at a minimum annually. The visible emissions evaluations shall be performed at maximum production capacity and during dry weather conditions between May 1 through September 30 to represent a worst case operating scenario. The duration of the Method 9 observations shall be in accordance with requirements of 40 CFR 60 Subpart OOO.

D. Reporting Requirements

1. The permittee shall submit annual reports of the annual production rate for this facility. These reports shall be submitted by January 31 of each year to the Director (the appropriate Ohio EPA District Office or local air agency).
2. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) of any Method 9 evaluation that did not demonstrate compliance with the opacity requirements specified above. The notification shall be in writing and shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA DO or LAA) within 30 days after the exceedance occurs.
3. The permittee shall report within 30 days, any change in the saturated or unsaturated nature of the material being processed in the screens and conveyors. The affected emissions unit is then subject to the provisions of the standard applicable to the type of material being processed.
4. The permittee shall submit deviation (excursion) reports that identify any of the following occurrences:
 - a. Each day during which an inspection was not performed by the required frequency; and
 - b. Each instance when a control measure, that was to be performed as a result of an inspection, was not implemented.

The deviation reports shall be submitted in accordance with section A.2.b of the General Terms and Conditions of this permit.

5. The permittee shall submit the following information for each piece of equipment that is replaced by a piece of equipment having the same function at the existing facility:
 - a. For a crusher, grinding mill, bucket elevator, bagging operation, or enclosed truck or railcar loading station:
 - i. The rated capacity in tons per hour of the existing facility being replaced;

- ii. The rated capacity in tons per hour of the replacement equipment; and
- b. For a conveyor belt:
 - i. The width of the existing belt being replaced;
 - ii. The width of the replacement conveyor belt; and

- c. For a screening operation:
 - i. The total surface area of the top screen of the existing screening operation being replaced; and
 - ii. The total surface area of the top screen of the replacement screening operation.
- d. The permittee shall submit the date of manufacture of each existing piece of equipment being replaced and the date of manufacture of the replacement. The notification shall be submitted 30 days (or as soon as possible) before installation of the replacement equipment is begun.

The notification shall be submitted within 30 days after equipment replacement.

- 6. This emissions unit is subject to the applicable provisions of the New Source Performance Standards (NSPS) as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60.

The application and enforcement of these standards are delegated to the Ohio EPA. The requirements of 40 CFR Part 60 are also federally enforceable.

Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:

- a. Construction date (no later than 30 days after such date);
- b. Anticipated start-up date (not more than 60 days or less than 30 days prior to such date);
- c. Actual start-up date (within 15 days after such date*); and
- d. Date of performance testing (If required, at least 30 days prior to testing).

Reports are to be sent to:

Ohio Environmental Protection Agency
DAPC - Air Quality Modeling and Planning
P.O. Box 1049
Columbus, OH 43216-1049

and

Regional Air Pollution Control Agency
Montgomery County Health Dept.
117 South Main Street
Dayton, Ohio 45422-1280

*The permittee shall submit a notification of the actual date of initial startup of each affected facility to the Administrator. The notification shall be postmarked within 15 days after such date and shall include a description of each affected facility, equipment manufacturer, and serial number of the equipment, if available.

E. Testing Requirements

1. Compliance with the emission limitations in this permit for emissions unit F003 shall be determined in accordance with the following method(s):

- a. Emission Limitation-
5.04 lbs/hr particulate emissions

Applicable Compliance Method-

Compliance shall be determined by summing the maximum hourly emission rates for the crushers, screens, and the material handling equipment. (See i. through vii. below)

- i. The maximum hourly emission rate for the primary crusher is determined by multiplying the maximum hourly production rate of 650 tons/hour by the emission factor of 0.001239 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95).
- ii. The maximum hourly emission rate for the secondary crushers are determined by multiplying the maximum hourly production rate of 56 tons/hour and 115 tons/hour respectively, by the emission factor of 0.001239 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95), and summing the emission rates.
- iii. The maximum hourly emission rate for the tertiary crusher is determined by multiplying the maximum hourly production rate of 218 tons/hour by the emission factor of 0.001239 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95), and summing the emission rates.
- iv. The maximum hourly emission rate for the primary screens is determined by

Emissions Unit ID: **F003**

multiplying the maximum hourly production rate of 350 tons/hour for each of the two screens by the emission factor of 0.001764 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95), and summing the emissions rates for the two screens.

- v. The maximum hourly emission rate for the secondary screens are determined by multiplying the maximum hourly production rate of 322 tons/hour for each of the two screens by the emission factor of 0.001764 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95) and summing the emissions rates for the two screens.
 - vi. The maximum hourly emission rate for the tertiary screens is determined by multiplying the maximum hourly production rate of 165 tons/hour and 273 tons/hour respectively, by the emission factor of 0.001764 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95) and summing the emissions rates for the two screens.
 - vii. The maximum hourly emission rate for the material handling equipment is determined by multiplying the maximum hourly production rates for each piece of equipment by the emission factor of 0.0001008 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95), and summing the emission rates for each piece of equipment.
- b. Emission Limitation-
5.95 tons/yr particulate emissions combined

Applicable Compliance Method-

Compliance shall be determined by summing the annual emission rates for the crushers, screens and material handling equipment. (See i. through vii. below)

- i. The annual emission rate for the primary crusher is determined by multiplying the monthly production records for the calendar year, by the emission factor of 0.001239 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95), and dividing by 2,000 pounds per ton.
- ii. The annual emission rate for the secondary crushers are determined by multiplying the monthly production records for the calendar year, by the emission factor of 0.001239 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95), and dividing by 2,000 pounds per ton, and summing the emission rates.
- iii. The annual emission rate for the tertiary crushers are determined by multiplying the monthly production records for the calendar year, by the emission factor of 0.001239 lb/ton, as specified in USEPA reference document AP-42, Table

11.19.2-2 (1/95), and dividing by 2,000 pounds per ton.

- iv. The annual emission rate for the primary screen is determined by multiplying the monthly production records for the calendar year, by the emission factor of 0.001764 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95), and dividing by 2,000 pounds per ton and summing the emission rates for the two screens.
- v. The annual emission rate for the secondary screens are determined by multiplying the monthly production records for the calendar year for each screen by the emission factor of 0.001764 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95), and dividing by 2,000 pounds per ton and summing the emission rates.
- vi. The annual emission rate for the tertiary screen is determined by multiplying the monthly production records for the calendar year by the emission factor of 0.001764 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95), and dividing by 2,000 pounds per ton.
- vii. The annual emission rate for the material handling equipment is determined by multiplying the monthly production records for the calendar year for each piece of equipment by the emission factor of 0.0001008 lb/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (1/95), and dividing by 2,000 pounds per ton and summing the emission rates for each piece of equipment.

- c. Emission Limitation-
15% opacity, as a 6-minute average (crushers)

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed using the methods and procedures specified in USEPA Reference Method 9 and 40 CFR 60 Subpart 000.

- d. Emission Limitation-
10% opacity, as a 6-minute average (screens, transfer points, conveyors, material handling equipment)

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed using the methods and procedures specified in USEPA Reference Method 9 and 40 CFR 60 Subpart

Martin Marietta Materials Inc-Cook Rd
PTI Application: 08-04633
Issued

Facility ID: 0829790583

Emissions Unit ID: **F003**

000.

- e. Emission Limitation-
No visible emissions (saturated equipment)

Applicable Compliance Method-

Compliance shall be based on USEPA Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

- f. Production Limitation-

The annual production rate for this facility shall not exceed 1,700,000 tons of aggregate.

Applicable Compliance Method-

Compliance shall be based upon record keeping requirements listed in term C.6 of this emissions unit.

F. Miscellaneous Requirements

1. This PTI is a modification of PTI 08-04449 issued to remove one surge bin and its feeder and to add 10 additional conveyors. This modification will result in an increase of 0.09 TPY of PE. The terms and conditions of this PTI will supercede the terms and conditions of PTI 08-04449 for emissions unit F003.