



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

6/6/2013

Certified Mail

Mr. Edward Puhala
Owens Corning Foam Insulation, LLC
170 South Avenue
Tallmadge, OH 44278-0037

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL
Facility ID: 1677120043
Permit Number: P0114713
Permit Type: Administrative Modification
County: Summit

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	MAJOR GHG
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA) Air Pollution Permit-to-Install (PTI) which will allow you to install or modify the described emissions unit(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, we urge you to read it carefully. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**

How to appeal this permit

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

How to save money, reduce pollution and reduce energy consumption

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: www.ohioairquality.org/clean_air

How to give us feedback on your permitting experience

Please complete a survey at www.epa.ohio.gov/dapc/pemitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

How to get an electronic copy of your permit

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

If you have any questions, please contact Akron Regional Air Quality Management District at (330)3752480 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager

Permit Issuance and Data Management Section, DAPC

Cc: U.S. EPA
ARAQMD; Pennsylvania; West Virginia; Canada



FINAL

**Division of Air Pollution Control
Permit-to-Install
for
Owens Corning Foam Insulation, LLC**

Facility ID: 1677120043
Permit Number: P0114713
Permit Type: Administrative Modification
Issued: 6/6/2013
Effective: 6/6/2013



Division of Air Pollution Control
Permit-to-Install
for
Owens Corning Foam Insulation, LLC

Table of Contents

Authorization	1
A. Standard Terms and Conditions	3
1. Federally Enforceable Standard Terms and Conditions	4
2. Severability Clause	4
3. General Requirements	4
4. Monitoring and Related Record Keeping and Reporting Requirements.....	5
5. Scheduled Maintenance/Malfunction Reporting	6
6. Compliance Requirements	6
7. Best Available Technology	7
8. Air Pollution Nuisance	7
9. Reporting Requirements	7
10. Applicability	8
11. Construction of New Sources(s) and Authorization to Install	8
12. Permit-To-Operate Application	9
13. Construction Compliance Certification	9
14. Public Disclosure	9
15. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations	10
16. Fees.....	10
17. Permit Transfers	10
18. Risk Management Plans	10
19. Title IV Provisions	10



Final Permit-to-Install
Owens Corning Foam Insulation, LLC
Permit Number: P0114713
Facility ID: 1677120043
Effective Date:6/6/2013

Authorization

Facility ID: 1677120043
Facility Description: Plastic Foam Products Manufacturer
Application Number(s): M0002203
Permit Number: P0114713
Permit Description: Administrative modification of PTI P0109178 to incorporate new blowing agents and remove obsolete OAC rule 3745-21-07(G)(2) requirements.
Permit Type: Administrative Modification
Permit Fee: \$1,000.00
Issue Date: 6/6/2013
Effective Date: 6/6/2013

This document constitutes issuance to:

Owens Corning Foam Insulation, LLC
170 South Avenue
Tallmadge, OH 44278

of a Permit-to-Install for the emissions unit(s) identified on the following page.

Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Akron Regional Air Quality Management District
146 South High Street, Room 904
Akron, OH 44308
(330)375-2480

The above named entity is hereby granted a Permit-to-Install for the emissions unit(s) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

A handwritten signature in black ink, appearing to read "Scott J. Nally".

Scott J. Nally
Director



Authorization (continued)

Permit Number: P0114713

Permit Description: Administrative modification of PTI P0109178 to incorporate new blowing agents and remove obsolete OAC rule 3745-21-07(G)(2) requirements.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	P002
Company Equipment ID:	Barometric Leg #2
Superseded Permit Number:	P0109178
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	P003
Company Equipment ID:	Barometric Leg #3
Superseded Permit Number:	P0109178
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	P006
Company Equipment ID:	Finishing Equipment
Superseded Permit Number:	P0109178
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	P007
Company Equipment ID:	Finishing Equipment
Superseded Permit Number:	P0109178
General Permit Category and Type:	Not Applicable



Final Permit-to-Install
Owens Corning Foam Insulation, LLC
Permit Number: P0114713
Facility ID: 1677120043
Effective Date:6/6/2013

A. Standard Terms and Conditions



1. Federally Enforceable Standard Terms and Conditions

- a) All Standard Terms and Conditions are federally enforceable, with the exception of those listed below which are enforceable under State law only:
 - (1) Standard Term and Condition A.2.a), Severability Clause
 - (2) Standard Term and Condition A.3.c) through A. 3.e)General Requirements
 - (3) Standard Term and Condition A.6.c) and A. 6.d), Compliance Requirements
 - (4) Standard Term and Condition A.9., Reporting Requirements
 - (5) Standard Term and Condition A.10., Applicability
 - (6) Standard Term and Condition A.11.b) through A.11.e), Construction of New Source(s) and Authorization to Install
 - (7) Standard Term and Condition A.14., Public Disclosure
 - (8) Standard Term and Condition A.15., Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations
 - (9) Standard Term and Condition A.16., Fees
 - (10) Standard Term and Condition A.17., Permit Transfers

2. Severability Clause

- a) A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.
- b) All terms and conditions designated in parts B and C of this permit are federally enforceable as a practical matter, if they are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. Terms and conditions in parts B and C of this permit shall not be federally enforceable and shall be enforceable under State law only, only if specifically identified in this permit as such.

3. General Requirements

- a) The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification.



- b) It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c) This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d) This permit does not convey any property rights of any sort, or any exclusive privilege.
- e) The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

4. Monitoring and Related Record Keeping and Reporting Requirements

- a) Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - (1) The date, place (as defined in the permit), and time of sampling or measurements.
 - (2) The date(s) analyses were performed.
 - (3) The company or entity that performed the analyses.
 - (4) The analytical techniques or methods used.
 - (5) The results of such analyses.
 - (6) The operating conditions existing at the time of sampling or measurement.
- b) Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c) Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - (1) Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the Akron Regional Air Quality Management District.



- (2) Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the Akron Regional Air Quality Management District. The written reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See A.15. below if no deviations occurred during the quarter.
 - (3) Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted (i.e., postmarked) to the Akron Regional Air Quality Management District every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
 - (4) This permit is for an emissions unit located at a Title V facility. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.
- d) The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the Akron Regional Air Quality Management District in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

6. Compliance Requirements

- a) The emissions unit(s) identified in this Permit shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.
- b) Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.



- c) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - (1) At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - (2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - (3) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - (4) As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- d) The permittee shall submit progress reports to the Akron Regional Air Quality Management District concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - (1) Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - (2) An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

7. Best Available Technology

As specified in OAC Rule 3745-31-05, new sources that must employ Best Available Technology (BAT) shall comply with the Applicable Emission Limitations/Control Measures identified as BAT for each subject emissions unit.

8. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

9. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a) Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the Akron Regional Air Quality Management District.
- b) Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission



limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the Akron Regional Air Quality Management District. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

10. Applicability

This Permit-to-Install is applicable only to the emissions unit(s) identified in the Permit-to-Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

11. Construction of New Sources(s) and Authorization to Install

- a) This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.
- b) If applicable, authorization to install any new emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.
- c) The permittee may notify Ohio EPA of any emissions unit that is permanently shut down (i.e., the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31) by submitting a certification from the authorized official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the authorized official that the emissions unit was permanently shut down. At a minimum, notification of permanent shut down shall be made or confirmed by marking the affected emissions unit(s) as "permanently shut down" in Ohio EPA's "Air Services" along with the date the emissions unit(s) was permanently



removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

- d) The provisions of this permit shall cease to be enforceable for each affected emissions unit after the date on which an emissions unit is permanently shut down (i.e., emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31). All records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law. All reports required by this permit must be submitted for any period an affected emissions unit operated prior to permanent shut down. At a minimum, the permit requirements must be evaluated as part of the reporting requirements identified in this permit covering the last period the emissions unit operated.

No emissions unit certified by the authorized official as being permanently shut down may resume operation without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

- e) The permittee shall comply with any residual requirements related to this permit, such as the requirement to submit a deviation report, air fee emission report, or other any reporting required by this permit for the period the operating provisions of this permit were enforceable, or as required by regulation or law. All reports shall be submitted in a form and manner prescribed by the Director. All records relating to this permit must be maintained in accordance with law.

12. Permit-To-Operate Application

The permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77. The permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).

13. Construction Compliance Certification

The applicant shall identify the following dates in the online facility profile for each new emissions unit identified in this permit.

- a) Completion of initial installation date shall be entered upon completion of construction and prior to start-up.
- b) Commence operation after installation or latest modification date shall be entered within 90 days after commencing operation of the applicable emissions unit.

14. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.



15. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly (i.e., postmarked), by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

16. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.

17. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The new owner must update and submit the ownership information via the "Owner/Contact Change" functionality in Air Services once the transfer is legally completed. The change must be submitted through Air Services within thirty days of the ownership transfer date.

18. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

19. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.



Final Permit-to-Install
Owens Corning Foam Insulation, LLC
Permit Number: P0114713
Facility ID: 1677120043
Effective Date:6/6/2013

B. Facility-Wide Terms and Conditions



Final Permit-to-Install
Owens Corning Foam Insulation, LLC
Permit Number: P0114713
Facility ID: 1677120043
Effective Date:6/6/2013

1. All the following facility-wide terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:
 - a) None.



Final Permit-to-Install
Owens Corning Foam Insulation, LLC
Permit Number: P0114713
Facility ID: 1677120043
Effective Date:6/6/2013

C. Emissions Unit Terms and Conditions



1. P002, Barometric Leg #2

Operations, Property and/or Equipment Description:

Polystyrene foam board extrusion, Line 2 - barometric leg

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	When employing a blowing agent containing any volatile organic compound (VOC), the VOC emissions shall not exceed 0.39 lbs/hr and 1.69 tons/yr. See b)(2)a.
b.	OAC rule 3745-31-05(D) Synthetic Minor to avoid Nonattainment New Source Review	VOC emissions from emissions units P002 and P006, combined, shall not exceed 32.8 tons per rolling, 12-month period. See c)(1)

(2) Additional Terms and Conditions

a. The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the organic compound (OC) emissions from this air contaminant source since the non-ODS blowing agents that do not contain VOC are not air contaminants for which a National Ambient Air Quality Standard (NAAQS) has been established or a precursor of an air contaminant for which a NAAQS has been established.

c) Operational Restrictions

(1) Annual hours of operation for this emissions unit shall not exceed 3,240 hours based upon a rolling, 12-month summation of the operating hours, when employing a blowing agent containing any VOC.



- (2) The permittee shall only employ the following blowing agents in this emissions unit:
- a. 1,1,1,2-tetrafluoroethane (HFC-134a) - organic compound;
 - b. 1,1,1-trifluoroethane (HFC-143a) - organic compound;
 - c. 1,1-difluoroethane (HFC-152a) - organic compound;
 - d. 1,1,1,3,3-pentafluoropropane (HFC-245 FA) - organic compound;
 - e. 1,1,1,3,3-pentafluorobutane (HFC-365 MFC) - organic compound;
 - f. USEPA SNAP approved blowing agent that may or may not contain VOC;
 - g. 1,1,2,2-tetrafluoroethane (HFC-134) - organic compound; and
 - h. Other blowing agents approved by the approved by the Akron Regional Air Quality Management District (ARAQMD) and Ohio EPA.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall evaluate the blowing agent efficiency on a once per shift frequency to ensure that material is being added to meet product specification by performing a "rate check", or by recording the data from the micro motion mass-flow sensor, in accordance with one of the following methods:
- a. weighing the amount of blowing agent introduced into the extrusion line during a given period of time, by supplying blowing agent from a container, which is weighed at the beginning and end of the evaluation;
 - b. data from the micro motion mass-flow sensors, which control the flow rate of the blowing agent, will be averaged on a per shift frequency and used to determine blowing agent percent to the extrusion line; or
 - c. other procedures approved by ARAQMD and Ohio EPA.

The permittee shall maintain records of the performance of the blowing agent by rate check or micro-motion flow sensor, on the extrusion line, including date and time, results, i.e., whether the blowing agent rate was within, above, or below specification; whether corrective actions were initiated; and whether such actions were effective, as shown by the next rate check or micro-motion data.

- (2) The permittee shall evaluate the efficiency of the board forming operations (extrusion die and shaping device at the inlet bulkhead of the barometric leg) on a once per day frequency to ensure the amount of scrap material generated is minimized by performing a "trim loss check." The trim loss checks may be conducted by one of the following methods:
- a. calculating the percentage of trim loss by using the weights of the untrimmed and trimmed product;



- b. calculating the percentage trim loss using untrimmed and trimmed product widths;
- c. calculating the percentage trim loss based on weight and width of a trimmed board and the width of an untrimmed board; or
- d. other procedures approved by ARAQMD and Ohio EPA.

The permittee shall maintain records of the performance of trim loss checks on the extrusion line, including date and time, results, i.e., whether the trim was within, above, or below specification; whether corrective actions were initiated; and whether such actions were effective, as shown by the next rate check.

- (3) The permittee shall calculate and record the following information on a daily basis for this emissions unit:
 - a. total amount of raw materials consumed, in pounds (i.e. polystyrene resin + blowing agent + colorant + flame retardant + fillers);
 - b. record of each blowing agent employed, the amount used, and the number of hours it was employed;
 - c. the number of hours of operation; and
 - d. the VOC emission rate, calculated in accordance with the equations in f)(1)a. below, in pounds per hour (average).
- (4) The permittee shall maintain monthly record of the following information for this emissions unit:
 - a. the number of hours of operation for each month, when a blowing agent that contains any VOC is employed; and
 - b. the rolling, 12-month summation of the operating hours, when a blowing agent that contains any VOC is employed.
- (5) The permittee shall maintain monthly records of the following information for emissions units P002 and P006, combined:
 - a. the VOC emissions, in tons; and
 - b. the rolling, 12-month summation of the VOC emissions, in tons.

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports which include the following:
 - a. an identification of each day during which the average hourly VOC emissions exceeded 0.39 pound per hour, and the actual average hourly VOC emissions for each such day;



- b. all exceedances of the rolling, 12-month VOC emission limitation for emissions units P002 and P006, combined; and
- c. all exceedances of the rolling, 12-month restriction on the numbers of hours of operation.

These quarterly deviation (excursion) reports shall be submitted to the Director (appropriate District Office or Local Air Agency) by January 31, April 30, July 31 and October 31 of each year and shall cover the previous calendar quarter. If no deviation occurred during a calendar quarter, the permittee shall submit a report which states that no deviation occurred during the calendar quarter.

- (2) The permittee shall submit quarterly written reports which (a) identify all days during which either the blowing efficiency or trim loss checks results in out of specification results and (b) describe any corrective actions taken bring the results back into proper specifications. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or Local Air Agency) by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarter.
- (3) The permittee shall notify the Director (the appropriate Ohio EPA District Office or Local Air Agency) in writing of any daily record showing the use of any blowing agent other than those allowed in c)(2) above. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or Local Air Agency) within 30 days following the end of the calendar month.

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emissions Limitations:

VOC emissions shall not exceed 0.39 lbs/hr and 1.69 tons/yr

Applicable Compliance Methods:

Compliance with the hourly allowable VOC emission limitation identified above shall be determined in accordance with the following equation:

$$\text{Hourly VOC rate (lbs/hr)} = \text{SUM (M)} \times \text{EF} \times \text{P}_{\text{VOC}} \text{ for each product recipe}$$

Where:

M = actual raw material in-feed rate factoring in buoyancy factor entering extruder, in pounds per hour

EF = emission factor, 0.0004 VOC/lb raw material (accounts for buoyancy factor)

P_{VOC} = Concentration VOC blend/BA % content of in-feed



*The constant factors were developed by the permittee as the result of stack testing performed at a similar facility for the same product mix.

Compliance with the annual allowable VOC emission limitation identified above shall be determined by multiplying the hourly allowable VOC emission limitation by 8,760 hrs/yr and dividing by 2,000 lbs/ton. Therefore, as long as compliance with the hourly allowable emission limitation is maintained, compliance with the annual allowable emission limitation shall be assumed.

b. Emission Limitation:

VOC emissions from emissions units P002 and P006, combined, shall not exceed 32.8 tons per rolling, 12-month period

Applicable Compliance Method:

Compliance with the annual allowable VOC emission limitation identified above shall be demonstrated by the record keeping requirements specified in section d)(5) of this permit.

g) Miscellaneous Requirements

- (1) None.



2. P003, Barometric Leg #3

Operations, Property and/or Equipment Description:

Polystyrene foam board extrusion, Line 3 - barometric leg

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	See b)(2)a.

(2) Additional Terms and Conditions

a. The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the organic compound (OC) emissions from this air contaminant source since the non-ODS blowing agents are not air contaminants for which a National Ambient Air Quality Standard (NAAQS) has been established or a precursor of an air contaminant for which a NAAQS has been established.

c) Operational Restrictions

(1) The permittee shall employ only the following blowing agents in this emissions unit:

- a. 1,1,1,2-tetrafluoroethane (HFC-134a) - organic compound;
- b. 1,1,1-trifluoroethane (HFC-143a) - organic compound;
- c. 1,1-difluoroethane (HFC-152a) - organic compound;
- d. 1,1,1,3,3-pentafluoropropane (HFC-245 FA) - organic compound;
- e. 1,1,1,3,3-pentafluorobutane (HFC-365 MFC) - organic compound;
- f. 1,1,2,2-tetrafluoroethane (HFC-134) - organic compound;
- g. US EPA SNAP approved blowing agents that do not contain VOC; and



h. Other blowing agents approved by the approved by the Akron Regional Air Quality Management District (ARAQMD) and Ohio EPA.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall evaluate the blowing agent efficiency on a once per shift frequency to ensure that material is being added to meet product specification by performing a "rate check", or by recording the data from the micro motion mass-flow sensor, in accordance with one of the following methods:

- a. weighing the amount of blowing agent introduced into the extrusion line during a given period of time, by supplying blowing agent from a container, which is weighed at the beginning and end of the evaluation;
- b. data from the micro motion mass-flow sensors, which control the flow rate of the blowing agent, will be averaged on a per shift frequency and used to determine blowing agent percent to the extrusion line; or
- c. other procedures approved by ARAQMD and Ohio EPA.


The permittee shall maintain records of the performance of the blowing agent by rate check or micro-motion flow sensor, on the extrusion line, including date and time, results, i.e., whether the blowing agent rate was within, above, or below specification; whether corrective actions were initiated; and whether such actions were effective, as shown by the next rate check or micro-motion data.

(2) The permittee shall evaluate the efficiency of the board forming operations (extrusion die and shaping device at the inlet bulkhead of the barometric leg) on a once per day frequency to ensure the amount of scrap material generated is minimized by performing a "trim loss check." The trim loss checks may be conducted by one of the following methods:

- a. calculating the percentage of trim loss by using the weights of the untrimmed and trimmed product; or
- b. calculating the percentage trim loss using untrimmed and trimmed product widths;
- c. calculating the percentage trim loss based on weight and width of a trimmed board and the width of an untrimmed board; or
- d. other procedures approved by ARAQMD and Ohio EPA.

The permittee shall maintain records of the performance of trim loss checks on the extrusion line, including date and time, results, i.e., whether the trim was within, above, or below specification; whether corrective actions were initiated; and whether such actions were effective, as shown by the next rate check.

(3) The permittee shall maintain a record of each blowing agent employed in this emissions unit on a daily basis.



e) Reporting Requirements

- (1) The permittee shall submit quarterly written reports which (a) identify all days during which either the blowing efficiency or trim loss checks results in out of specification results and (b) describe any corrective actions taken bring the results back into proper specifications. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or Local Air Agency) by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarter.
- (2) The permittee shall notify the Director (the appropriate Ohio EPA District Office or Local Air Agency) in writing of any daily record showing the use of any blowing agent other than those allowed in c)(1) above. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or Local Air Agency) within 30 days following the end of the calendar month.

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:
 - a. None.

g) Miscellaneous Requirements

- (1) None.



3. P006, Finishing Equipment

Operations, Property and/or Equipment Description:

Polystyrene foam board trimming and cutting equipment associated with Line 2.

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(F) Voluntary Restriction to avoid BAT	Particulate emissions (PE) shall not exceed 9.74 tons/yr. See b)(2)a. and b)(2)b.
b.	OAC rule 3745-31-05(D) Synthetic Minor to avoid Nonattainment New Source Review	Volatile organic compound (VOC) emissions from emissions units P002 and P006, combined, shall not exceed 32.8 tons per rolling, 12-month period. See c)(1) Fugitive VOC emissions from the warehouse shall not exceed 7.37 tons/yr.
c.	OAC rule 3745-17-07(A)	Visible PE from any stack shall not exceed 20% opacity as a 6-minute average, except as provided by rule.
d.	OAC rule 3745-17-11(B)	PE shall not exceed 5.34 lbs/hr.

(2) Additional Terms and Conditions

a. Permit to Install (PTI) P0114713 for this air contaminant source takes into account the use of a cyclone and baghouse, whenever this air contaminant source is in operation, with a minimum overall control efficiency of 98.5%, by weight for PE, as a voluntary restriction as proposed by the permittee for the purpose of avoiding Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3).



- b. The particulate emissions from this emissions unit shall be vented to a cyclone and baghouse at all times the emissions unit is in operation.
- c) **Operational Restrictions**
 - (1) Annual hours of operation for this emissions unit shall not exceed 3,240 hours, based on a rolling 12-month summation of the operating hours, when finishing foam boards containing any VOC blowing agents.
 - (2) The permittee shall only finish foam board containing the following blowing agents in this emissions unit:
 - a. 1,1,1,2-tetrafluoroethane (HFC-134a) - organic compound;
 - b. 1,1,1-trifluoroethane (HFC-143a) - organic compound;
 - c. 1,1-difluoroethane (HFC-152a) - organic compound;
 - d. 1,1,1,3,3-pentafluoropropane (HFC-245 FA) - organic compound;
 - e. 1,1,1,3,3-pentafluorobutane (HFC-365 MFA) - organic compound;
 - f. USEPA SNAP approved blowing agent that may or may not contain VOC;
 - g. 1,1,2,2-tetrafluoroethane (HFC-134) - organic compound; and
 - h. Other blowing agents approved by the approved by the Akron Regional Air Quality Management District (ARAQMD) and Ohio EPA.
- d) **Monitoring and/or Recordkeeping Requirements**
 - (1) The permittee shall properly install, operate, and maintain equipment to continuously monitor the pressure drop, in inches of water, across the baghouse when the controlled emissions unit is in operation, including periods of startup and shutdown. The permittee shall record the pressure drop across the baghouse on a daily basis. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s).
 - (2) Whenever the monitored value for the pressure drop deviates from the limit or range established in d(4) of this permit, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation:
 - a. the date and time the deviation began;
 - b. the magnitude of the deviation at that time;
 - c. the date the investigation was conducted;
 - d. the name(s) of the personnel who conducted the investigation; and



- e. the findings and recommendations.
- (3) In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable range specified in d)(4) of this permit, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken:
- a. a description of the corrective action;
 - b. the date corrective action was completed;
 - c. the date and time the deviation ended;
 - d. the total period of time (in minutes) during which there was a deviation;
 - e. the pressure drop readings immediately after the corrective action was implemented; and
 - f. the name(s) of the personnel who performed the work.

Investigation and records required by this paragraph do not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

- (4) The acceptable pressure drop range across the baghouse is 0.1 to 5.0 inches of water.
- This range or limit on the pressure drop across the baghouse is effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or Local Air Agency. The permittee may request revisions to the permitted limit or range for the pressure drop based upon information obtained during future testing that demonstrate compliance with the allowable particulate emission rate for the controlled emissions unit. In addition, approved revisions to the range or limit will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of a minor permit modification.
- (5) The permittee shall maintain monthly records of the following information for this emissions unit:
- a. the number of hours of operation for each month, when finishing foam boards containing any VOC blowing agents; and
 - b. the rolling, 12-month summation of the operating hours, when finishing foam boards containing any VOC blowing agents.
- (6) The permittee shall maintain monthly records of the following information for emissions units P002 and P006, combined:
- a. the VOC emissions, in tons; and



b. the rolling, 12-month summation of the VOC emissions, in tons.

e) Reporting Requirements

(1) The permittee shall submit quarterly deviation (excursion) reports that identify the following information concerning the operation of the baghouse during the operation of the emissions unit:

- a. each period of time (start time and date, and end time and date) when the pressure drop across the baghouse was outside of the acceptable range;
- b. an identification of each incident of deviation described in e)(1)a. above where a prompt investigation was not conducted;
- c. an identification of each incident of deviation described in e)(1)a. above where prompt corrective action, that would bring the pressure drop into compliance with the acceptable range, was determined to be necessary and was not taken; and
- d. an identification of each incident of deviation described in e)(1)a. above where proper records were not maintained for the investigation and/or the corrective action(s), as identified in the monitoring and record keeping requirements of this permit.

(2) The permittee shall submit quarterly deviation (excursion) reports which include the following:

- a. all exceedances of the rolling, 12-month VOC emission limitation for emissions units P002 and P006, combined; and
- b. all exceedances of the rolling, 12-month restriction on the numbers of hours of operation.

(3) These quarterly deviation (excursion) reports shall be submitted to the Director (appropriate District Office or Local Air Agency) by January 31, April 30, July 31 and October 31 of each year, and shall cover the previous calendar quarter. If no deviation occurred during a calendar quarter, the permittee shall submit a report which states that no deviation occurred during the calendar quarter.

f) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

PE shall not exceed 9.74 tons/yr

Applicable Compliance Method:



Compliance with the annual allowable PE limitation identified above shall be demonstrated by multiplying the maximum hourly controlled PE rate [(148.25 lbs PE/hr) x (1-0.985) = 2.22 lbs PE/hr] by the maximum annual hours of operation (8760 hrs/yr) and dividing by 2000 lbs/ton.

b. Emission Limitation:

VOC emissions from emissions units P002 and P006, combined, shall not exceed 32.8 tons per rolling, 12-month period

Applicable Compliance Method:

Compliance with the annual allowable VOC emission limitation identified above shall be demonstrated by the record keeping requirements specified in section d)(6) of this permit.

c. Emission Limitation:

Fugitive VOC emissions from the warehouse shall not exceed 7.37 tons/yr

Applicable Compliance Method:

Compliance with the annual allowable fugitive VOC emission limitation identified above shall be determined in accordance with the following equation:

$$\text{Annual VOC rate (tons/yr)} = \text{SUM} (M \times \text{Trim}\%) \text{EF}_2 \times P_{\text{Mix}} \times 3240 \text{ hrs}/2000 \text{ lbs}$$

Where:

SUM = summation of each VOC in the blowing agent mix

M = actual raw material in-feed rate factoring in buoyancy factor entering extruder, in pounds per hour

Trim% = percentage of material removed from board stock

EF₂ = emission factor based on in-feed material less trim with buoyancy accounted for

P_{Mix} = concentration VOC blend/BA% content of in-feed

d. Emission Limitation:

Visible PE from any stack shall not exceed 20% opacity, as a 6-minute average

Applicable Compliance Method:

If required, compliance with the allowable stack opacity limitation identified above shall be determined through visible emissions observations performed in accordance with US EPA Method 9 of 40 CFR Part 60, Appendix A.



e. Emission Limitation:

PE shall not exceed 5.34 lbs/hr

Applicable Compliance Method:

If required, compliance with the hourly allowable PE limitation identified above shall be determined through emissions testing performed in accordance with US EPA Methods 1-5 of 40 CFR Part 60, Appendix A.

g) Miscellaneous Requirements

(1) None.



4. P007, Finishing Equipment

Operations, Property and/or Equipment Description:

Polystyrene foam board trimming and cutting equipment associated with Line 3.

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(F) Voluntary Restriction to avoid BAT	Particulate emissions (PE) shall not exceed 9.81 tons/yr. See b)(2)a. and b)(2)b.
b.	OAC rule 3745-17-07(A)	Visible PE from any stack shall not exceed 20% opacity as a 6-minute average, except as provided by rule.
c.	OAC rule 3745-17-11(B)	PE shall not exceed 5.34 lbs/hr.

(2) Additional Terms and Conditions

a. Permit to Install (PTI) P0114713 for this air contaminant source takes into account the use of a cyclone and baghouse, whenever this air contaminant source is in operation, with a minimum overall control efficiency of 98.6%, by weight for PE, as a voluntary restriction as proposed by the permittee for the purpose of avoiding Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3).

b. The particulate emissions from this emissions unit shall be vented to a cyclone and baghouse at all times the emissions unit is in operation.

c) Operational Restrictions

(1) The permittee shall only finish foam board containing the following blowing agents in this emissions unit:

a. 1,1,1,2-tetrafluoroethane (HFC-134a) - organic compound;



- b. 1,1,1-trifluoroethane (HFC-143a) - organic compound;
 - c. 1,1-difluoroethane (HFC-152a) - organic compound;
 - d. 1,1,1,3,3-pentafluoropropane (HFC-245 FA) - organic compound;
 - e. 1,1,1,3,3-pentafluorobutane (HFC-365 MFC) - organic compound;
 - f. 1,1,2,2-tetrafluoroethane (HFC-134) - organic compound;
 - g. US EPA SNAP approved blowing agents that do not contain VOC; and
 - h. Other blowing agents approved by the approved by the Akron Regional Air Quality Management District (ARAQMD) and Ohio EPA.
- d) Monitoring and/or Recordkeeping Requirements
- (1) The permittee shall properly install, operate, and maintain equipment to continuously monitor the pressure drop, in inches of water, across the baghouse when the controlled emissions unit is in operation, including periods of startup and shutdown. The permittee shall record the pressure drop across the baghouse on a daily basis. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s).
 - (2) Whenever the monitored value for the pressure drop deviates from the limit or range established in d)(4) of this permit, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation:
 - a. the date and time the deviation began;
 - b. the magnitude of the deviation at that time;
 - c. the date the investigation was conducted;
 - d. the name(s) of the personnel who conducted the investigation; and
 - e. the findings and recommendations.
 - (3) In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable range specified in d)(4) of this permit, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken:
 - a. a description of the corrective action;
 - b. the date corrective action was completed;
 - c. the date and time the deviation ended;



- d. the total period of time (in minutes) during which there was a deviation;
- e. the pressure drop readings immediately after the corrective action was implemented; and
- f. the name(s) of the personnel who performed the work.

Investigation and records required by this paragraph do not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

- (4) The acceptable pressure drop range across the baghouse is 0.1 to 5.0 inches of water.

This range or limit on the pressure drop across the baghouse is effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or Local Air Agency. The permittee may request revisions to the permitted limit or range for the pressure drop based upon information obtained during future testing that demonstrate compliance with the allowable particulate emission rate for the controlled emissions unit. In addition, approved revisions to the range or limit will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of a minor permit modification.

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify the following information concerning the operation of the baghouse during the operation of the emissions unit:
 - a. each period of time (start time and date, and end time and date) when the pressure drop across the baghouse was outside of the acceptable range;
 - b. an identification of each incident of deviation described in e)(1)a. above where a prompt investigation was not conducted;
 - c. an identification of each incident of deviation described in e)(1)a. above where prompt corrective action, that would bring the pressure drop into compliance with the acceptable range, was determined to be necessary and was not taken; and
 - d. an identification of each incident of deviation described in e)(1)a. above where proper records were not maintained for the investigation and/or the corrective action(s), as identified in the monitoring and record keeping requirements of this permit.
- (2) The quarterly deviation (excursion) reports shall be submitted to the Director (appropriate District Office or Local Air Agency) by January 31, April 30, July 31 and October 31 of each year, and shall cover the previous calendar quarter. If no deviation occurred during a calendar quarter, the permittee shall submit a report which states that no deviation occurred during the calendar quarter.

f) Testing Requirements



(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

PE shall not exceed 9.81 tons/yr

Applicable Compliance Method:

Compliance with the annual allowable PE limitation identified above shall be demonstrated by multiplying the maximum hourly controlled PE rate [(160.0 lbs PE/hr) x (1-0.986) = 2.24 lbs PE/hr] by the maximum annual hours of operation (8760 hrs/yr) and dividing by 2000 lbs/ton.

b. Emission Limitation:

Visible PE from any stack shall not exceed 20% opacity, as a 6-minute average

Applicable Compliance Method:

If required, compliance with the allowable stack opacity limitation identified above shall be determined through visible emissions observations performed in accordance with US EPA Method 9 of 40 CFR Part 60, Appendix A.

c. Emission Limitation:

PE shall not exceed 5.34 lbs/hr

Applicable Compliance Method:

If required, compliance with the hourly allowable PE limitation identified above shall be determined through emissions testing performed in accordance with US EPA Methods 1-5 of 40 CFR Part 60, Appendix A.

g) Miscellaneous Requirements

(1) None.