



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL MODIFICATION
MIAMI COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 08-04545

Fac ID: 0855140039

DATE: 6/29/2006

Goodrich Corp
Mark Hartman
101 Waco St
Troy, OH 45373

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

RAPCA



**Permit To Install
Terms and Conditions**

**Issue Date: 6/29/2006
Effective Date: 6/29/2006**

FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 08-04545

Application Number: 08-04545
Facility ID: 0855140039
Permit Fee: **\$100**
Name of Facility: Goodrich Corp
Person to Contact: Mark Hartman
Address: 101 Waco St
Troy, OH 45373

Location of proposed air contaminant source(s) [emissions unit(s)]:

**101 Waco St
Troy, Ohio**

Description of proposed emissions unit(s):

Administrative modification to update VE requirements.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Goodrich Corp
PTI Application: 08-04545
Modification Issued: 6/29/2006

Facility ID: 085514003

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Goodrich Corp
PTI Application: 08-04545
Modification Issued: 6/29/2006

Facility ID: 085514003

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

Goodrich Corp
PTI Application: 08-04545
Modification Issued: 6/29/2006

Facility ID: 085514003

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

Goodrich Corp
 PTI Application: 08-04545
 Modification Issued: 6/29/2006

Facility ID: 085514003

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
particulate	2.41 TPY
OC	2.63 TPY

Goodrich Corp
PTI Application: 08 04515
Modif

Facility ID: 085514003

Emissions Unit ID: P016

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>
P016 - Salt Bath Heat Treat Line M-1481 with baghouse control	OAC rule 3745-31-05(A)(3)
	OAC rule 3745-17-11(B)
	OAC rule 3745-17-07(A)
	OAC rule 3745-17-07(A)
	OAC rule 3745-17-07(B)
	OAC rule 3745-17-11(B)
	OAC rule 3745-21-07(G)(2)
OAC 3745-21-07(G)(2) OAC rule 3745-31-05(A)(3)	

Applicable Emissions
Limitations/Control Measures

The visible PE shall not exceed 5% opacity, as a 6 minute average.

The requirements of this rule also includes compliance with OAC rule 3745-17-11(B).

The organic compound emissions (OC) from this unit shall not exceed 0.60 lb/hour and 2.63 TPY.

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

The particulate emissions (PE) from this unit shall not exceed 0.551 lb/hour and 2.41 TPY.

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

The visible particulate emisisions (PE) from the baghouse stack shall not exceed 5% opacity, as a 6 minute average.

The fugitive visible PE from any building egress point shall not exceed 5% opacity, as a 3 minute average.

The organic compound emissions (OC) from this unit

shall not exceed 0.60 lb/hour and 2.63 TPY.

The particulate emissions (PE) from this unit shall not exceed 0.551 lb/hour and 2.41 TPY.

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

Good**PTI A****Modification Issued: 6/29/2006**Emissions Unit ID: **P016****2. Additional Terms and Conditions**

- 2.a** The 0.551 lb/hr PE and the 0.60 lb/hr OC limitations were established for PTI purposes to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.

B. Operational Restrictions

1. The pressure drop across the baghouse control system shall be maintained within the range of 21 to 67 inches of water when the emissions unit is in operation.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall properly, operate, and maintain equipment to monitor the pressure drop across the baghouse when the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a daily basis.
2. The permittee shall perform daily checks when the equipment is in operation and when the weather conditions allow for any visible particulate emissions from the stack of the baghouse serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. The color of the emissions;
 - b. Whether the emissions are representative of normal operations;
 - c. If the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. The total duration of any visible emissions incident; and
 - e. Any corrective actions taken to minimize or eliminate abnormal visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission

Good**PTI A****Modification Issued: 6/29/2006**Emissions Unit ID: **P016**

incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

D. Reporting Requirements

1. The permittee shall submit on a semi-annual basis a report which (a) identifies all days during which any visible particulate emissions were observed and (b) describe the corrective actions taken to minimize or eliminate the visible emissions. The report shall be submitted by January 31 and July 31 of each year to the Director (District Office or Local Air Agency).
21. The permittee shall pressure drops submit quarterly deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified above. The deviation reports shall be submitted in accordance with the General Terms and Conditions of this permit.

E. Testing Requirements

1. Compliance with the specified emission limitations in Section A.1. of this permit shall be demonstrated in accordance in accordance with the following methods:
 - a. Emission Limitation -
0.551 lb PE/hour

Applicable Compliance Method-
The 0.551 lb PE/hour emission limitation was determined from Table I of OAC rule 3745-17-11 using the salt usage process weight rate of 0.004 ton per hour.

If required, compliance shall be based on conducting a stack test in accordance with USEPA Reference Method 5, of 40 CAR Part 60, Appendix A.
 - b. Emission Limitation -
2.41 TPY PE

Applicable Compliance Method-

Emissions Unit ID: P016

The 2.41 TPY PE emission limitation was developed by multiplying the hourly emission rate of 0.551 lb PE/hour by the maximum hourly operating time of 8760 hours/year and dividing by 2,000 lbs/ton. Therefore, if the emissions unit is in compliance with the hourly emission rate, compliance is presumed with the annual emission rate.

- c. Emission Limitation -
 Visible PE emissions from the baghouse stack shall not exceed 5 percent opacity as a 6-minute average

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(1) using the methods and procedures specified in USEPA Reference Method 9.

- d. Emission Limitation -
 Fugitive visible PE emissions from any building egress point shall not exceed 5 percent opacity as a 3-minute average

Applicable Compliance Method-

Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(1) using the methods and procedures specified in USEPA Reference Method 9.

- de. Emission Limitation-
 0.60 lb/hour OC

Applicable Compliance Method-

The 0.60 lb/hour emissions limitation was determined from emissions testing done on emissions unit P003, which is similar to emissions unit P016.

- ef. Emission Limitation-
 2.63 TPY OC, including cleanup

Applicable Compliance Method-

The 2.63 TPY emission limitation was developed by multiplying the hourly emission rate of 0.60 lb/hr by the maximum hourly operating time of 8760 hours/year and dividing by 2,000 lbs/ton. Therefore, if the emissions unit is in compliance with the hourly emission rate, compliance is presumed with the annual emission rate.

12

Good

PTI A

Modification Issued: 6/29/2006

Emissions Unit ID: **P016**

F. Miscellaneous Requirements

1. This PTI is for the installation of a new emissions unit replacing existing emissions unit P003. None