



State of Ohio Environmental Protection Agency

**RE: DRAFT PERMIT TO INSTALL MODIFICATION  
MIAMI COUNTY**

**CERTIFIED MAIL**

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center

**Application No: 08-04110**

**DATE: 1/18/2001**

American Matsushita Electronics Company  
Steve Fogle  
1400 West Market St  
Troy, OH 45373

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install modification for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43266-0149.

A Permit to Install may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install a fee of \$300 will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Very truly yours,

Thomas G. Rigo  
Field Operations and Permit Section  
Division of Air Pollution Control

CC: USEPA

RAPCA



**Permit To Install**

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

**DRAFT MODIFICATION OF PERMIT TO INSTALL 08-04110**

Application Number: 08-04110  
APS Premise Number: 0855140417  
Permit Fee: **To be entered upon final issuance**  
Name of Facility: American Matsushita Electronics Company  
Person to Contact: Steve Fogle  
Address: 1400 West Market St  
Troy, OH 45373

Location of proposed air contaminant source(s) [emissions unit(s)]:

**1400 West Market St**  
**Troy, Ohio**

Description of proposed emissions unit(s):

**Administrative modification to PTI 08-04110, issued on 6/14/00 to remove the requirement to monitor the gas flow rate.**

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

**A. State and Federally Enforceable Permit To Install General Terms and Conditions**

**1. Monitoring and Related Recordkeeping and Reporting Requirements**

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
  - i. The date, place (as defined in the permit), and time of sampling or measurements.
  - ii. The date(s) analyses were performed.
  - iii. The company or entity that performed the analyses.
  - iv. The analytical techniques or methods used.
  - v. The results of such analyses.
  - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
  - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
  - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.11 below if no deviations occurred during the quarter.

**American Matsushita Electronics Company**  
**PTI Application: 08-04110**  
**Issued: To be entered upon final issuance**

**Facility ID: 0855140417**

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

## **2. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

## **3. Risk Management Plans**

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

## **4. Title IV Provisions**

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

## **5. Severability Clause**

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

## **6. General Requirements**

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

## **7. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

## **8. Federal and State Enforceability**

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit

**American Matsushita Electronics Company**

**Facility ID: 0855140417**

**PTI Application: 08-04110**

**Issued: To be entered upon final issuance**

shall not be federally enforceable and shall be enforceable under State law only.

## **9. Compliance Requirements**

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
  - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
  - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
  - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

**10. Permit To Operate Application**

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
  
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35 , the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

**American Matsushita Electronics Company**

**Facility ID: 0855140417**

**PTI Application: 08-04110**

**Issued: To be entered upon final issuance**

**B. State Only Enforceable Permit To Install General Terms and Conditions**

**1. Compliance Requirements**

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

**2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

**3. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**4. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**5. Termination of Permit To Install**

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**6. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

**7. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**8. Applicability**

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

**9. Best Available Technology**

**American Matsushita Electronics Company**  
**PTI Application: 08-04110**  
**Issued: To be entered upon final issuance**

**Facility ID: 0855140417**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**10. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**11. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)**

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

**C. Permit To Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)**  
**TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

|    | <u>Pollutant</u> | <u>Tons Per Year</u> |
|----|------------------|----------------------|
| CO |                  | 175.2                |

**American Matsushita Electronics Company**  
**PTI Application: 08-04110**  
**Issued: To be entered upon final issuance**

**Facility ID: 0855140417**

**American Matsushita Electronics Company**

**PTI Application: 08 04110**

**Issued**

**Facility ID: 0855140417**

Emissions Unit ID: P002

**Part II - FACILITY SPECIFIC TERMS AND CONDITIONS**

**A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions**

None

**B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions**

None

Ameri  
PTI A

Emissions Unit ID: P002

**Issued: To be entered upon final issuance**

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u>  | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>   |
|--|--------------------------------------|--|
| P002 - A-108, CO<br>Generating Natural Gas<br>Fired Blackening Oven with<br>Catalytic Incineration | OAC rule 3745-31-05 (A)(3)           | 240 lbs/day carbon monoxide (CO), 43.8<br>TPY CO<br>Application of a catalytic incinerator<br>See A.2.a.   |
|  | OAC rule 3745-21-08 (B)              | The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3). |

**2. Additional Terms and Conditions**

- 2.a This is a modification to PTI 08-1549 issued on September 27, 1989. The modification represents an increase of 12.8 TPY CO from that originally permitted in PTI 08-1549.
- 2.b The CO control system is common to emissions units P002 and P003.

**II. Operational Restrictions**

1. The average temperature of the exhaust gases at the inlet to the catalytic incinerator (immediately before the catalyst bed), for any 3-hour block of time when the emissions unit is in operation, shall not be more than 50 degrees Fahrenheit below the average temperature during the most recent emissions test that demonstrated the emissions unit was in compliance.

**III. Monitoring and/or Recordkeeping Requirements**

**Issued: To be entered upon final issuance**

1. The permittee shall install, operate and maintain continuous temperature monitors and recorder(s) which measure and record(s) the temperature of the exhaust gases at the inlet to the catalytic incinerator (immediately before the catalyst bed) when the emissions unit is in operation. Units shall be in degrees Fahrenheit. The monitoring and recording devices shall be capable of accurately measuring the desired parameter. The temperature monitors and recorder(s) shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, with any modifications deemed necessary by the permittee.
2. The permittee shall collect and record the following information each day:
  - a. All 3-hour blocks of time (when the emissions unit was in operation) during which the average temperature of the exhaust gases at the inlet to the catalytic incinerator (immediately before the catalyst bed) was more than 50 degrees Fahrenheit below the average temperature during the most recent emission test that demonstrated the emissions unit was in compliance.
  - b. A log of the downtime for the capture (collection) system, control device, and monitoring equipment, when the associated emissions unit was in operation.
3. The permittee shall on a quarterly basis monitor and record the CO combustion gas flow rate from the gas-blackening generator into the oven. Units shall be in cubic feet/hour.
4. The permittee shall install, operate and maintain equipment to continuously monitor and record the CO concentration by volume from the gas-blackening generator into the oven on an average hourly basis. Units shall be in pounds/cubic feet.
5. The monitoring and recording devices shall be capable of accurately measuring the desired parameters and shall be properly operated and maintained in accordance with the manufacturer's recommendations.

The permittee shall maintain records of all data obtained by the continuous CO concentration monitoring system including, but not limited to, the average hourly CO concentration by volume, the results of daily zero/span calibration checks, and the magnitude of manual calibration adjustments.

6. The permittee shall calculate the daily CO emission limitation in the following manner:
  - i. calculate CO emissions captured and controlled  $(1 - x)(y)(\text{lbs CO/day})$
  - ii. calculate fugitive CO emissions  $(1 - y)(\text{lbs CO/day})$

Emissions Unit ID: P002

iii. sum i and ii, for the total controlled CO emission rate, in lbs CO/day

Where:

x = the measured destruction efficiency of the catalytic oxidizer from the most recent compliance test that demonstrated the emissions unit was in compliance

y = assume 50% capture efficiency from the oven until the actual capture efficiency is established during a compliance test that demonstrated the emissions unit was in compliance

lbs CO/day = (average hourly CO concentration, in lbs/cubic feet as measured by the monitor)(average hourly combustion gas flow rate, in cubic feet/hour as determined during testing and quarterly monitoring), and summing the average hourly rates for 24 hrs/day

#### IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all 3-hour blocks of time when the emissions unit was in operation, during which the average temperature of the exhaust gases at the inlet to the catalytic incinerator (immediately before the catalyst bed) does not comply with the temperature limitations specified above.
2. All reports shall be submitted in accordance with General Term and Condition A.1.c.
3. The permittee shall submit deviation (excursion) reports that identifies each day during which the daily controlled CO emission rate exceeds 240 lbs/day. The notification shall include a copy of such record and shall be submitted in accordance with general term and condition A.1. within 30 days after the exceedance occurs.
4. The permittee shall submit reports within 30 days following the end of each calendar quarter to the Regional Air Pollution Control Agency documenting any continuous CO monitoring system downtime while the emissions unit was on line (date, time, duration and reason) along with any corrective action(s) taken. The permittee shall provide the emissions unit operating time during the reporting period and the date, time, reason and corrective action(s) taken for each time period of emissions unit and control equipment malfunctions. The total operating time of the emissions unit and the total operating time of the continuous CO monitoring system while the emissions unit was on line shall also be included in the quarterly report.
5. The permittee shall submit annual reports to the Director (the appropriate Ohio EPA District Office or local air agency) which specify the total annual CO emissions from this emissions unit. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

#### V. Testing Requirements

1. Compliance with the emission limitation(s) in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

**Issued: To be entered upon final issuance**

- a. Emission Limitation  
240 lbs/day carbon monoxide

## Applicable Compliance Method

This emissions limitation was developed based upon the maximum oven CO generator rate of 420 lbs/day, 50% capture efficiency and 90% control device destruction efficiency.

$$(420 \text{ lbs/day})(1 - 0.50)(1 - 0.90) + (420 \text{ lbs/day})(1 - 0.50) = 240 \text{ lbs/day CO}$$

Compliance with the 240 lbs/day limitation shall be based upon the records maintained in Sections A.III.3. and A.III.4. and the calculation method given in A.III.6.

- b. Emission Limitation  
43.8 TPY CO

## Applicable Compliance Method

This emissions limitation was developed based upon the maximum daily emission rate of 240 pounds multiplied by 365 days/yr and divided by 2000 lbs/ton. Therefore, if compliance is demonstrated with the daily emissions limitation, then it is assumed that compliance will be demonstrated with the tons/year.

## 2. Emissions Testing Requirement:

The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

- a. The emission testing shall be conducted within three months of the issuance of the permit.
- b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rate for CO and the overall control efficiency limitation for CO and to establish the combustion gas flow rate, in cubic feet/hr.
- c. The following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): for CO, Method 10 of 40 CFR Part 60 Appendix A. The test method(s) which must be employed to demonstrate compliance with the overall control efficiency limitation for CO are specified below. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.
- d. The capture efficiency shall be determined using Methods 204 through 204F, as specified in 40 CFR Part 51, Appendix M, or the permittee may request to use an alternative method or procedure for the determination of capture efficiency in accordance with the

Emissions Unit ID: P002

USEPA's "Guidelines for Determining Capture Efficiency," dated January 9, 1995. (The Ohio EPA will consider the request, including an evaluation of the applicability, necessity, and validity of the alternative, and may approve the use of the alternative if such approval does not contravene any other applicable requirement.) The control efficiency (i.e., the percent reduction in mass emissions between the inlet and outlet of the control system) shall be determined in accordance with the test methods and procedures specified in the mass balance protocol approved on 10/25/95. The test methods and procedures selected shall be based on a consideration of the diversity of the pollutants present and their total concentration, and on a consideration of the potential presence of interfering gases.

- e. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

## VI. Miscellaneous Requirements

None

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u>  | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|--|
| P002 - A-108, CO<br>Generating Natural Gas<br>Fired Blackening Oven with<br>Catalytic Incineration | None                                 | None   |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Recordkeeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

Ameri  
PTI A

Emissions Unit ID: P003

**Issued: To be entered upon final issuance**

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u>   | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>   |
|---|--------------------------------------|--|
| P003 - B-108, CO<br>Generating Natural Gas<br>Fired Blackening Oven with<br>Catalytic Incinerator | OAC rule 3745-31-05 (A)(3)           | 360 lbs/day CO, 65.7 TPY CO<br>Application of a catalytic incinerator<br>See A.2.a   |
|   | OAC rule 3745-21-08 (B)              | The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3). |

**2. Additional Terms and Conditions**

- 2.a This is a modification to PTI 08-1549 issued on September 27, 1989. The modification represents an increase of 12.8 TPY CO from that originally permitted in PTI 08-1549.
- 2.b The CO control system is common to emissions units P002 and P003.

**II. Operational Restrictions**

1. The average temperature of the exhaust gases at the inlet to the catalytic incinerator (immediately before the catalyst bed), for any 3-hour block of time when the emissions unit is in operation, shall not be more than 50 degrees Fahrenheit below the average temperature during the most recent emissions test that demonstrated the emissions unit was in compliance.

**III. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall install, operate and maintain continuous temperature monitors and recorder(s)

**Issued: To be entered upon final issuance**

which measure and record(s) the temperature of the exhaust gases at the inlet to the catalytic incinerator (immediately before the catalyst bed) when the emissions unit is in operation. Units shall be in degrees Fahrenheit. The monitoring and recording devices shall be capable of accurately measuring the desired parameter. The temperature monitors and recorder(s) shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, with any modifications deemed necessary by the permittee.

2. The permittee shall collect and record the following information each day:
  - a. All 3-hour blocks of time (when the emissions unit was in operation) during which the average temperature of the exhaust gases at the inlet to the catalytic incinerator (immediately before the catalyst bed) was more than 50 degrees Fahrenheit below the average temperature during the most recent emission test that demonstrated the emissions unit was in compliance.
  - b. A log of the downtime for the capture (collection) system, control device, and monitoring equipment, when the associated emissions unit was in operation.
3. The permittee shall on a quarterly basis monitor and record the combustion gas flow rate from the gas-blackening generator into the oven on an average hourly basis. Units shall be in cubic feet/hour.
4. The permittee shall install, operate and maintain equipment to continuously monitor and record the CO concentration by volume from the gas-blackening generator into the oven on an average hourly basis. Units shall be in pounds/cubic feet.
5. The monitoring and recording devices shall be capable of accurately measuring the desired parameters and shall be properly operated and maintained in accordance with the manufacturer's recommendations.

The permittee shall maintain records of all data obtained by the continuous CO concentration monitoring system including, but not limited to, the average hourly CO concentration by volume, the results of daily zero/span calibration checks, and the magnitude of manual calibration adjustments.

6. The permittee shall calculate the daily CO emission limitation in the following manner:
  - i. calculate CO emissions captured and controlled  $(1 - x)(y)(\text{lbs CO/day})$
  - ii. calculate fugitive CO emissions  $(1 - y)(\text{lbs CO/day})$
  - iii. sum i and ii, for the total controlled CO emission rate, in lbs CO/day

Where:

x = the measured destruction efficiency of the catalytic oxidizer from the most recent compliance test that demonstrated the emissions unit was in compliance

y = assume 50% capture efficiency from the oven until the actual capture efficiency is established during a compliance test that demonstrated the emissions unit was in compliance

lbs CO/day = (average hourly CO concentration, in lbs/cubic feet as measured by the monitor)(average hourly combustion gas flow rate, in cubic feet/hour as determined during testing and quarterly monitoring), and summing the average hourly rates for 24 hrs/day

#### IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all 3-hour blocks of time when the emissions unit was in operation during which the average temperature of the exhaust gases at the inlet to the catalytic incinerator (immediately before the catalyst bed) does not comply with the temperature limitations specified above.
2. All reports shall be submitted in accordance with General Term and Condition A.1.c.
3. The permittee shall submit deviation (excursion) reports that identifies each day during which the daily controlled CO emission rate exceeds 360 lbs/day. The notification shall include a copy of such record and shall be submitted in accordance with general term and condition A.1. within 30 days after the exceedance occurs.
4. The permittee shall submit reports within 30 days following the end of each calendar quarter to the Regional Air Pollution Control Agency documenting any continuous CO monitoring system downtime while the emissions unit was on line (date, time, duration and reason) along with any corrective action(s) taken. The permittee shall provide the emissions unit operating time during the reporting period and the date, time, reason and corrective action(s) taken for each time period of emissions unit and control equipment malfunctions. The total operating time of the emissions unit and the total operating time of the continuous CO monitoring system while the emissions unit was on line shall also be included in the quarterly report.
5. The permittee shall submit annual reports to the Director (the appropriate Ohio EPA District Office or local air agency) which specify the total annual CO emissions from this emissions unit. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

#### V. Testing Requirements

**Issued: To be entered upon final issuance**

1. Compliance with the emission limitation(s) in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation  
360 lbs/day carbon monoxide

## Applicable Compliance Method

This emissions limitation was developed based upon the maximum oven CO generator rate of 648 lbs/day, 50% capture efficiency and 90% control device destruction efficiency.

$$(648 \text{ lbs/day})(1 - 0.50)(1 - 0.90) + (648 \text{ lbs/day})(1 - 0.50) = 360 \text{ lbs/day CO}$$

Compliance with the 360 lbs/day limitation shall be based upon the records maintained in Sections A.III.3. and A.III.4. and the calculation method given in A.III.6.

- b. Emission Limitation  
65.7 TPY CO

## Applicable Compliance Method

This emissions limitation was developed based upon the maximum daily emission rate of 360 pounds multiplied by 365 days/yr and divided by 2000 lbs/ton. Therefore, if compliance is demonstrated with the daily emissions limitation, then it is assumed that compliance will be demonstrated with the tons/year.

2. Emissions Testing Requirement:

The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

- a. The emission testing shall be conducted within three months of the issuance of the permit.
- b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rate for CO and the overall control efficiency limitation for CO and to establish the combustion gas flow rate, in cubic feet/hr.
- c. The following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): for CO, Method 10 of 40 CFR Part 60 Appendix A. The test method(s) which must be employed to demonstrate compliance with the overall control efficiency limitation for CO are specified below. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.

Emissions Unit ID: P003

- d. The capture efficiency shall be determined using Methods 204 through 204F, as specified in 40 CFR Part 51, Appendix M, or the permittee may request to use an alternative method or procedure for the determination of capture efficiency in accordance with the USEPA's "Guidelines for Determining Capture Efficiency," dated January 9, 1995. (The Ohio EPA will consider the request, including an evaluation of the applicability, necessity, and validity of the alternative, and may approve the use of the alternative if such approval does not contravene any other applicable requirement.) The control efficiency (i.e., the percent reduction in mass emissions between the inlet and outlet of the control system) shall be determined in accordance with the test methods and procedures specified in the mass balance protocol approved on 10/25/95. The test methods and procedures selected shall be based on a consideration of the diversity of the pollutants present and their total concentration, and on a consideration of the potential presence of interfering gases.
- e. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

## VI. Miscellaneous Requirements

None

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u>   | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| P003 - B-108, CO<br>Generating Natural Gas<br>Fired Blackening Oven with<br>Catalytic Incinerator | None                                 | None   |

2. **Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Recordkeeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

Ameri  
PTI A

Emissions Unit ID: P021

**Issued: To be entered upon final issuance**

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u>   | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>   |
|---|--------------------------------------|--|
| P021 - C-108, CO Generated Natural Gas Fired Blackening Oven with Catalytic Incinerator | OAC rule 3745-31-05 (A)(3)           | 360 lbs/day CO,<br>65.7 TPY CO<br>Application of a catalytic incinerator<br>See A.2.a  |
|   | OAC rule 3745-21-08 (B)              | The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3). |

**2. Additional Terms and Conditions**

- 2.a This is modification to PTI 08-3377 issued on July 26, 1995. The modification represents an increase of 32.1TPY CO from that originally permitted in PTI 08-3377.

**II. Operational Restrictions**

1. The average temperature of the exhaust gases at the inlet to the catalytic incinerator (immediately before the catalyst bed), for any 3-hour block of time when the emissions unit is in operation, shall not be more than 50 degrees Fahrenheit below the average temperature during the most recent emissions test that demonstrated the emissions unit was in compliance.

**III. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall install, operate and maintain continuous temperature monitors and recorder(s) which measure and record(s) the temperature of the exhaust gases at the inlet to the catalytic

**Issued: To be entered upon final issuance**

incinerator (immediately before the catalyst bed) when the emissions unit is in operation. Units shall be in degrees Fahrenheit. The monitoring and recording devices shall be capable of accurately measuring the desired parameter. The temperature monitors and recorder(s) shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, with any modifications deemed necessary by the permittee.

2. The permittee shall collect and record the following information each day:
  - a. All 3-hour blocks of time (when the emissions unit was in operation) during which the average temperature of the exhaust gases at the inlet to the catalytic incinerator (immediately before the catalyst bed) was more than 50 degrees Fahrenheit below the average temperature during the most recent emission test that demonstrated the emissions unit was in compliance.
  - b. A log of the downtime for the capture (collection) system, control device, and monitoring equipment, when the associated emissions unit was in operation.
3. The permittee shall on a quarterly basis monitor and record the combustion gas flow rate from the gas-blackening generator into the oven on an average hourly basis. Units shall be in cubic feet/hour.
4. The permittee shall install, operate and maintain equipment to continuously monitor and record the CO concentration by volume from the gas-blackening generator into the oven on an average hourly basis. Units shall be in pounds/cubic feet.
5. The monitoring and recording devices shall be capable of accurately measuring the desired parameters and shall be properly operated and maintained in accordance with the manufacturer's recommendations.

The permittee shall maintain records of all data obtained by the continuous CO concentration monitoring system including, but not limited to, the average hourly CO flow rate, the results of daily zero/span calibration checks, and the magnitude of manual calibration adjustments.

6. The permittee shall calculate the daily CO emission limitation in the following manner:
  - i. calculate CO emissions captured and controlled  $(1 - x)(y)(\text{lbs CO/day})$
  - ii. calculate fugitive CO emissions  $(1 - y)(\text{lbs CO/day})$
  - iii. sum i and ii, for the total controlled CO emission rate, in lbs CO/day

Where:

x = the measured destruction efficiency of the catalytic oxidizer from the most recent compliance test that demonstrated the emissions unit was in compliance

y = assume 50% capture efficiency from the oven until the actual capture efficiency is established during a compliance test that demonstrated the emissions unit was in compliance

lbs CO/day = (average hourly CO concentration, in lbs/cubic feet as measured by the monitor)(average hourly combustion gas flow rate, in cubic feet/hour as determined during testing and quarterly monitoring), and summing the average hourly rates for 24 hrs/day

#### IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all 3-hour blocks of time when the emissions unit was in operation during which the average temperature of the exhaust gases at the inlet to the catalytic incinerator (immediately before the catalyst bed) does not comply with the temperature limitations specified above.
2. All reports shall be submitted in accordance with General Term and Condition A.1.c.
3. The permittee shall submit deviation (excursion) reports that identifies each day during which the daily controlled CO emission rate exceeds 360 lbs/day. The notification shall include a copy of such record and shall be submitted in accordance with general term and condition A.1. within 30 days after the exceedance occurs.
4. The permittee shall submit reports within 30 days following the end of each calendar quarter to the Regional Air Pollution Control Agency documenting any continuous CO monitoring system downtime while the emissions unit was on line (date, time, duration and reason) along with any corrective action(s) taken. The permittee shall provide the emissions unit operating time during the reporting period and the date, time, reason and corrective action(s) taken for each time period of emissions unit and control equipment malfunctions. The total operating time of the emissions unit and the total operating time of the continuous CO monitoring system while the emissions unit was on line shall also be included in the quarterly report.
5. The permittee shall submit annual reports to the Director (the appropriate Ohio EPA District Office or local air agency) which specify the total annual CO emissions from this emissions unit. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

#### V. Testing Requirements

1. Compliance with the emission limitation(s) in section A.I.1. of these terms and conditions shall be determined in accordance with the following method(s):
  - a. Emission Limitation

**Issued: To be entered upon final issuance**

360 lbs/day carbon monoxide

## Applicable Compliance Method

This emissions limitation was developed based upon the maximum oven CO generator rate of 648 lbs/day, 50% capture efficiency and 90% control device destruction efficiency.

$$(648 \text{ lbs/day})(1 - 0.50)(1 - 0.90) + (648 \text{ lbs/day})(1 - 0.50) = 360 \text{ lbs/day CO}$$

Compliance with the 360 lbs/day limitation shall be based upon the records maintained in Sections A.III.3. and A.III.4. and the calculation method given in A.III.6.

- b. Emission Limitation  
65.7 TPY CO

## Applicable Compliance Method

This emissions limitation was developed based upon the maximum daily emission rate of 360 pounds multiplied by 8760 hrs/yr and divided by 2000 lbs/ton. Therefore, if compliance is demonstrated with the hourly emissions limitation, then it is assumed that compliance will be demonstrated with the tons/year.

## 2. Emissions Testing Requirement:

The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

- a. The emission testing shall be conducted within three months of the issuance of the permit.
- b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rate for CO and the overall control efficiency limitation for CO and to establish the combustion gas flow rate, in cubic feet/hr.
- c. The following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): for CO, Method 10 of 40 CFR Part 60 Appendix A. The test method(s) which must be employed to demonstrate compliance with the overall control efficiency limitation for CO are specified below. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.
- d. The capture efficiency shall be determined using Methods 204 through 204F, as specified

Emissions Unit ID: P021

in 40 CFR Part 51, Appendix M, or the permittee may request to use an alternative method or procedure for the determination of capture efficiency in accordance with the USEPA's "Guidelines for Determining Capture Efficiency," dated January 9, 1995. (The Ohio EPA will consider the request, including an evaluation of the applicability, necessity, and validity of the alternative, and may approve the use of the alternative if such approval does not contravene any other applicable requirement.) The control efficiency (i.e., the percent reduction in mass emissions between the inlet and outlet of the control system) shall be determined in accordance with the test methods and procedures specified in the mass balance protocol approved on 10/25/95. The test methods and procedures selected shall be based on a consideration of the diversity of the pollutants present and their total concentration, and on a consideration of the potential presence of interfering gases.

- e. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

## VI. Miscellaneous Requirements

None

Ameri  
PTI A

Emissions Unit ID: P021

**Issued: To be entered upon final issuance**

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property,<br/>and/or Equipment</u>  | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control<br/>Measures</u> |
|--|--------------------------------------|--|
| P021 - C-108, CO<br>Generated Natural Gas Fired<br>Blackening Oven with<br>Catalytic Incinerator | None                                 | None   |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Recordkeeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

31

**American Matsushita Electronics Company**

**PTI Application: 08 04110**

**Issued**

**Facility ID: 0855140417**

Emissions Unit ID: P021