



State of Ohio Environmental Protection Agency

RE: FINAL PERMIT TO INSTALL CERTIFIED MAIL
MONTGOMERY COUNTY

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 08-04253

DATE: 5/15/2001

Techmetals Inc
Renee Gray
PO Box 1266 345 Springfield St
Dayton, OH 454030000

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

RAPCA



Permit To Install

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

FINAL PERMIT TO INSTALL 08-04253

Application Number: 08-04253
APS Premise Number: 0857043032
Permit Fee: **\$200**
Name of Facility: Techmetals Inc
Person to Contact: Renee Gray
Address: PO Box 1266 345 Springfield St
Dayton, OH 454030000

Location of proposed air contaminant source(s) [emissions unit(s)]:
345 Springfield St
Dayton, Ohio

Description of proposed emissions unit(s):
chrome automation.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Techmetals Inc

PTI Application: 08-04253

Issued: 5/15/2001

Facility ID: 0857043032

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

Techmetals Inc
 PTI Application: 08-04253
 Issued: 5/15/2001

Facility ID: 0857043032

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Chrome	0

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P031 - Hard Chromium Electroplating with Emission Elimination Device - Tank 560-CR1; Ford Line (Tanks 106 through 126)	OAC rule 3745-31-05(A)(3) 40 CFR Part 63, Subpart N	Application of an emission elimination device ("EED"), an alternative control technology. The permittee shall not allow the concentration of total chromium in the exhaust gases discharged to the atmosphere to exceed 0.015 milligrams of total chromium per dry standard cubic meter ("mg/dscm") of ventilation air (6.6 x 10 ⁻⁰⁶ grains per dry standard cubic foot ["gr/dscf"]).

2. Additional Terms and Conditions

- 2.a None

B. Operational Restrictions

- 1. At all times, including periods of startup, shutdown, and malfunction, the permittee shall operate and maintain any chromium electroplating or anodizing tank, including associated emission elimination devices (EEDs) and monitoring equipment, in a manner consistent with the operation and maintenance plan required by these terms and conditions.
- 2. Malfunctions shall be corrected as soon as practicable after their occurrence in accordance with

the operation and maintenance plan.

3. Determination of whether acceptable operation and maintenance procedures are being used will be based on information available to the Regional Air Pollution Control Agency, which may include, but is not limited to, monitoring results; review of the operation and maintenance plan, procedures, and records; and inspection of the emission unit. Based on this information, the Regional Air Pollution Control Agency may require that the permittee make changes to the operation and maintenance plan if that plan:
 - a. does not address a malfunction that has occurred;
 - b. fails to provide for the operation of the emissions units, the air pollution control techniques, or the control system and process monitoring equipment during a malfunction in a manner consistent with good air pollution control practices; or,
 - c. does not provide adequate procedures for correcting malfunctioning process equipment, air pollution control techniques, or monitoring equipment as quickly as possible.
4. The permittee prepare an operation and maintenance plan to be implemented upon startup. The plan shall be incorporated by reference into the Title V permit, if and when a Title V permit is required, and shall include the following elements:
 - a. the operation and maintenance criteria for the affected source, the EEDs , and the process and control system monitoring equipment, and shall include a standardized checklist to document the operation and maintenance of the equipment;
 - b. work practice standards for the EEDs as outlined in the USEPA approval letter dated September 4, 1996, resulting from a submittal required under section 63.342 (f)(3)(c) and section 63.343 (d) of 40 CFR Part 63, Subpart N, for an air pollution control device not listed. These work practice standards shall include the following:
 - i. drain the air-inlet (purge air) valves each time the seal of the EED is to be broken (at the end of plating run), prior to the seal of the EED being broken (this requirement is more stringent than the daily requirement as stated in the September 4, 1996, USEPA approval letter);
 - ii. perform weekly visual inspections of access door seals and membranes on the EED for integrity;
 - iii. drain the evacuation units, weekly, into the plating tank or into the rinse tanks (for recycle into the plating tank);

- iv. perform monthly visual inspections of membranes for perforations using a light source that adequately illuminates the membrane (e.g., Grainger model No. 6X971 Fluorescent Hand Lamp);
 - v. perform monthly visual inspections of all clamps for proper operation and replace as needed;
 - vi. monthly cleaning or replacement of filters on the evacuation unit;
 - vii. perform quarterly inspections of the evacuation unit and the piping to and from the unit to ensure that there are no leaks and no evidence of chemical attack; and,
 - viii. replace access door seals, membranes evacuation unit filters, and purge air inlet check valves in accordance with manufacturer's recommendations.
- c. procedures to be followed to ensure that equipment or process malfunctions due to poor maintenance or other preventable conditions do not occur;
 - d. a systematic procedure for identifying malfunctions of process equipment, EEDs, and process and control system monitoring equipment, and for implementing corrective actions to address such malfunctions;
 - e. if the operation and maintenance plan fails to address or inadequately addresses an event that meets the characteristics of a malfunction at the time the plan is initially developed, the permittee shall revise the operation and maintenance plan within 45 days after such an event occurs;
 - f. if actions taken by the permittee during periods of malfunctions are inconsistent with the procedures specified in the operation and maintenance plan, the permittee shall record the actions taken for that event and shall report such actions within 2 working days after the commencing actions inconsistent with the plan (This report shall be followed by a letter within 7 working days after the end of the event, unless the permittee makes alternative reporting arrangements, in advance, with the Regional Air Pollution Control Agency.);
 - g. the permittee shall keep the written operation and maintenance plan on record, and it shall be made available for inspection upon request by the Regional Air Pollution Control Agency for the life of the emissions unit (If the operation and maintenance plan is revised, the permittee shall keep previous versions of the plan on record to be made available for inspection, upon request by the Regional Air Pollution Control Agency, for a period of five years after each revision to the plan.); and,

- h. the permittee may use applicable standard operating procedure (SOP) manuals, Occupational Safety and Health Administration (OSHA) plans, or other existing plans to meet the operation and maintenance plan requirements as long as the alternative plans meet the requirements.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall follow the continuous compliance monitoring program as outlined in the USEPA approval letter of September 4, 1996, including the following:
 - a. beginning on the date of the initial performance test, the permittee shall monitor the continued integrity of the EED seals and membranes using the following methods (Compliance monitoring shall occur once each day that the affected source is operating using both of the following methods, unless no evacuation/purge cycle is performed. The absence of the evacuation/purge cycle shall be recorded and only the first method shall be used to determine compliance on that day.);
 - i. verify the positive pressure on the EED membrane(s) when the electroplating tank is in operation and parts are being plated by inducing an external pressure to the membrane, which should be bulged slightly upward (This can be done by manually tapping the membrane downwards. By inducing external pressure on a segment of membrane, the balance of positive pressure is shifted to other part of the same membrane and/or to the other membrane(s). This should result in a movement at this and/or the other membrane(s) when the system is adequately sealed and the membrane(s) are intact. Absence of such movement or rebound of the membrane indicates lack of adequate seal or lack of membrane integrity.); and when applicable,
 - ii. verify the presence of negative pressure on the EED membrane(s) during an evacuation/purge cycle (Negative pressure is demonstrated by movement of the membrane(s) toward the electroplating solution. The absence of inward movement of the membrane(s) during evacuation indicates lack of adequate seal or lack of membrane integrity.);
 - b. beginning on the date of the initial performance testing, the permittee shall record the results of the daily EED integrity testing.

Operation of the emissions unit with the lack of adequate seals or membrane integrity shall constitute noncompliance with the standards.

2. The permittee shall fulfill all record keeping requirements in the General Provisions to 40 CFR Part 63, according to the applicability of Subpart A.
3. The permittee shall maintain the following records:

Emissions Unit ID: **P031**

- a. inspection records for the EEDs and monitoring equipment, to document that the inspection and maintenance required by the work practice standards of this permit have taken place (The record can take the form of a checklist and should identify the device inspected, the date of inspection, and any actions taken to correct deficiencies found during the inspection.);
 - b. records of all maintenance performed on the emissions unit, EEDs, and monitoring equipment;
 - c. records of the occurrence, duration, and cause (if known) of each malfunction of process, EEDs, and monitoring equipment;
 - d. records of actions taken during periods of malfunction when such actions are inconsistent with the operation and maintenance plan;
 - e. other records, which may take the form of checklists, necessary to demonstrate consistency with the provisions of the operation and maintenance plan;
 - f. test reports documenting results of all performance tests;
 - g. all measurements as may be necessary to determine the conditions of performance tests;
 - h. records of monitoring data, including those required in 1.b above, that are used to demonstrate compliance with the standard including the data and time the data are collected;
 - i. the specific identification (i.e., the date and time of commencement and completion) of each period of excess emissions, as indicated by monitoring data, that occurs during malfunction of the process, EEDs, or monitoring equipment;
 - j. the specific identification (i.e., the date and time of commencement and completion) of each period of excess emissions, as indicated by monitoring data, that occurs during periods other than malfunction of the process, EEDs, or monitoring equipment;
 - k. the total process operating time of the emissions unit during the reporting period; and,
 - l. all documentation supporting the notifications and reports as outlined in the Reporting Requirements of this permit and sections 63.9 and 63.10 of 40 CFR Part 63, Subpart A.
4. All records of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support

information shall include, but not be limited to, all calibration and recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

D. Reporting Requirements

1. The permittee shall fulfill all reporting requirements as outlined in 40 CFR Part 63, Subpart A. These reports shall be made to the Regional Air Pollution Control Agency and shall be sent by U.S. mail, fax, or by another courier.
 - a. Submittals sent by U.S. mail shall be postmarked on or before the specified date.
 - b. Submittals sent by other methods shall be received by the Regional Air Pollution Control Agency on or before the specified date.
2. The permittee shall submit to the Regional Air Pollution Control Agency an initial notification report that contains the following information:
 - a. the date when construction or reconstruction was commenced, no later than 30 calendar days after such date; and,
 - b. the actual date of startup of the emissions unit within 30 calendar days after such date.
3. The permittee shall submit a Notification of Performance Test to the Regional Air Pollution Control Agency at least 60 calendar days before the performance test is scheduled. In the event that the permittee is unable to conduct the performance test as scheduled, the provisions of 40 CFR Part 63, Subpart A, Section 63.7 (b)(2), shall apply.
4. The permittee shall report to the Regional Air Pollution Control Agency the results of any performance test conducted. The report shall be submitted no later than 90 days following the completion of the performance test.
5. The permittee shall submit a Notification of Compliance Status to the Regional Air Pollution Control Agency 90 days after the performance test is completed, signed by the responsible official who shall certify its accuracy, attesting to whether the affected emissions unit is in compliance. The notification shall list for each affected emissions unit:
 - a. the applicable emission limitations and the methods that were used to determine compliance with this limitation;

- b. the test report documenting the results of the performance test, which includes the elements required in the Testing Section of this permit;
 - c. for each monitored parameter for which a compliant value was established, the specific operating parameter value, or range of values, that corresponds to compliance with the applicable emission limit;
 - d. the methods that will be used to determine continuous compliance;
 - e. a description of the air pollution control technique used for each emission point;
 - f. a statement that the permittee has completed and has on file the operation and maintenance plan as required by the work practice standards; and,
 - g. a statement by the owner or operator as to whether the emissions unit is in compliance.
6. The permittee shall prepare an ongoing compliance status report annually (unless a request to reduce frequency of ongoing compliance status reports has been approved) to the Regional Air Pollution Control Agency to document the ongoing compliance status of the emissions unit. This report shall include the following:
- a. the company name and address of the emissions unit;
 - b. an identification of the operating parameter that is monitored for compliance determination;
 - c. the relevant emission limitation for the emissions unit, and the operating parameter value, or range of values, that correspond to compliance with this emission limitation as determined by the most recent performance test;
 - d. a description of the type of process performed in the emissions unit;
 - e. the beginning and ending dates of the reporting period;
 - f. the total operating time of the emissions unit during the reporting period;
 - g. a summary of operating parameter values, including the total duration of excess emissions during the reporting period as indicated by those values, the total duration of excess emissions expressed as a percent of the total emissions unit operating time during that reporting period, and a breakdown of the total duration of excess emissions during the

reporting period into those that are due to process upsets, control equipment malfunctions, other known causes, and known causes;

- h. a certification by a responsible official that the work practice standards in this permit were followed in accordance with the operation and maintenance plan for the emissions unit;
 - i. if the operation and maintenance plan required by this permit was not followed, an explanation of the reasons for not following the provisions, an assessment of whether any excess emission and/or parameter monitoring exceedances are believed to have occurred, and a copy of the reports required by the work practices in this permit;
 - j. a description of any changes in monitoring, processes, or controls since the last reporting period;
 - k. the name, title, and signature of the responsible official who is certifying accuracy of the report; and,
 - l. the date of the report.
7. The permittee shall submit semiannual reports if the following conditions are met:
- a. the total duration of excess emissions is one percent or greater of the total operating time for the reporting period; and,
 - b. the total duration of malfunctions of the air pollution control device and monitoring equipment is 5 percent or greater of the total operating time.
8. Once the permittee reports an exceedance meeting the criterion in D.7 above, ongoing compliance status reports shall be submitted semiannually.
9. The Regional Air Pollution Control Agency may determine on a case-by-case basis that the summary report shall be completed more frequently and submitted instead of being retained on site, if these measures are necessary to accurately assess the compliance status of the emissions unit.
10. The permittee who is required to submit ongoing compliance status reports on a semiannual (or more frequent) basis, or is required to submit its annual report instead of retaining it on site, may reduce the frequency of reporting to annual and/or be allowed to maintain the annual report on site once all of the following conditions are met:

Emissions Unit ID: **P031**

- a. for 1 full year (e.g., 2 semiannual or 4 quarterly reporting periods), the ongoing compliance status reports demonstrate that the affected emissions unit is in compliance with the relevant emission limit;
 - b. the permittee continues to comply with all applicable record keeping and monitoring requirements of 40 CFR Part 63, Subpart A and this permit; and,
 - c. the Regional Air Pollution Control Agency does not object to a reduced reporting frequency. The frequency of submitting ongoing compliance status reports may be reduced if the following requirements are met:
 - i. the permittee notifies the Regional Air Pollution Control Agency in writing of its intentions to make such a change (The Regional Air Pollution Control Agency may review information concerning the facility's previous performance history during the 5-year record keeping period prior to the intended change, or the record keeping period since the emissions unit's compliance date, whichever is shorter. Records subject to review include performance test results, monitoring data, and evaluations of the permittee's conformance with emission limitations and work practice standards. If the permittee's request is disapproved, the Regional Air Pollution Control Agency will notify the permittee in writing within 45 days after receiving notice. In the absence of a notice of disapproval within 45 days, approval is automatically granted.); and,
 - ii. if monitoring data show that the emissions unit is not in compliance with the relevant emission limit, the frequency of reporting shall revert to semiannual, and the permittee shall state this exceedance in the ongoing compliance status report for the next reporting period. After demonstrating ongoing compliance with the relevant emission limit for another full year, the permittee may again request approval to reduce the reporting frequency.
11. The permittee shall submit a notification of reconstruction as soon as practicable before the reconstruction has commenced to the Regional Air Pollution Control Agency which includes the following:
- a. the permittee's name, title, and address;
 - b. the address (i.e., physical location) or proposed address of the affected emissions units if different from the permittee's;
 - c. a notification of intention to make any physical or operational changes to an affected emissions unit that may meet or has been determined to meet the criteria for a

- reconstruction as defined in 40 CR Part 63.2;
- d. an identification of 40 CFR Part 63, Subpart N as the basis for the notification;
 - e. the expected commencement and completion dates of the reconstruction;
 - f. the anticipated date of the reconstructed unit's initial startup;
 - g. the type of process operation to be performed (hard or decorative chromium electroplating or chromium anodizing);
 - h. a description of the air pollution control technique to be used to control emissions, such as preliminary design drawings and design capacity; and,
 - i. an estimate of emissions based on engineering calculations and vendor information on control device efficiency, expressed in units consistent with the emissions limits of 40 CFR Part 63, Subpart N. Calculations of emission estimates should be in sufficient detail to permit assessment of the validity of the calculations.
12. The permittee shall notify the Regional Air Pollution Control Agency of any daily compliance test record which indicates the lack of adequate seals or membrane integrity. The notification shall include a copy of such record and shall be sent to the Regional Air Pollution Control Agency within 90 days after the test date.

E. Testing Requirements

1. Compliance with the emission limitation(s) in this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:
0.015 mg/dscm (6.6×10^6 gr/dscf)

Applicable Compliance Method:

- i. Compliance shall be initially demonstrated through a qualitative performance test method as outlined and approved in USEPA's letter of August 9, 1996, addressed to Techmetals, Incorporated, and outlined as follows:

A smoke generating device, capable of generating 500 to 1000 cubic feet of smoke per 20 square feet of tank surface area, shall be placed in a small container. The small container shall be placed on a stable and flat area at the center of the EED. Upon lighting the smoke device, the access door to the tank shall be quickly closed to avoid smoke from escaping. The smoke device shall be allowed to completely burn, filling the space under the EED. Once the area under the EED is filled with smoke, each seal, joint, and membrane of the EED shall be checked, from the outside, for signs of smoke leaking through.

Any observed leaks in the EED shall be considered indications of noncompliance with the Chrome Plating NESHAP.

When all seals, joints, and membranes have been observed, the evacuation unit shall be turned on to remove the smoke from the EED.

After initial performance testing of the emissions unit has been completed, future performance testing of this type shall be completed at the request of the Regional Air Pollution Control Agency.

and:

- ii. Compliance shall be demonstrated on a daily basis, on each day the emissions unit is in use, through the testing as described in Section C.1. Should the daily demonstration indicate a lack of an adequate seal, or lack of membrane integrity, the emissions unit shall be considered to be operating in noncompliance with the standard.

2. Performance test results shall be documented in complete test reports that contain the following information:
 - a. a brief process description;
 - b. sampling location description(s);
 - c. a description of sampling and analytical procedures and any modifications to standard procedures;
 - d. test results;
 - e. quality assurance procedures and results;
 - f. records of operating conditions during testing, preparation of standards, and calibration procedure;
 - g. raw data sheets for field sampling and field and laboratory analyses;
 - h. documentation of calculations; and,
 - i. any other information required by the test method.
3. The permittee may use a performance test to demonstrate compliance if:
 - a. the test methods and procedures identified in this permit were used during the performance test;
 - b. the performance test was conducted under representative operating conditions;
 - c. the performance test report contains the elements of paragraph E.2.a. through E.2.i. in this section; and
 - d. the permittee has sufficient data to establish the operating parameter value that corresponds to compliance as required for continuous compliance monitoring.

F. Miscellaneous Requirements

20

Techn

PTI A

Issued: 5/15/2001

Emissions Unit ID: **P031**

None

NEW SOURCE REVIEW FORM B

PTI Number: 08-04253 Facility ID: 0857043032

FACILITY NAME Techmetals Inc

FACILITY DESCRIPTION chrome automation. CITY/TWP Dayton

SIC CODE 3471 SCC CODE 3-09-010-18 EMISSIONS UNIT ID P031

EMISSIONS UNIT DESCRIPTION Hard Chromium Electroplating with Emission Elimination Device; Ford Line - Tank 560-CR1

DATE INSTALLED after PTI issued

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter					
PM ₁₀					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics	chrome	0	0	0	0

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? - Subpart N - PSD? OFFSET POLICY?
 Chrome Plating

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination BAT is compliance with the applicable OAC rule, applicable MACT requirements, and the use of an alternative control devices to eliminate all chrome emissions to the atmosphere.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No, because a MACT source.

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES X NO

IDENTIFY THE AIR CONTAMINANTS:

NEW SOURCE REVIEW FORM B

PTI Number: 08-04253

Facility ID: 0857043032

FACILITY NAME Techmetals Inc

FACILITY DESCRIPTION chrome automation.

CITY/TWP Dayton

Ohio EPA Permit to Install Information Form Please describe below any documentation which is being submitted with this recommendation (must be sent the same day). Electronic items should be submitted with the e-mail transmitting the PTI terms, and in software that CO can utilize. If mailing any hard copy, this section must be printed as a cover page. All items must be clearly labeled indicating the PTI name and number. Submit **hard copy items to Pam McGraner, AQM&P, DAPC, Central Office, and electronic files to airpti@epa.state.oh.us**

Please fill out the following. If the checkbox does not work, replace it with an 'X'

	<u>Electronic</u>	<u>Additional information File Name Convention (your PTI # plus this letter)</u>	<u>Hard Copy</u>	<u>None</u>
<u>Calculations (required)</u>	<input checked="" type="checkbox"/>	0000000c.wpd	<input type="checkbox"/>	
<u>Modeling form/results</u>	<input type="checkbox"/>	0000000s.wpd	<input type="checkbox"/>	<input type="checkbox"/>
<u>PTI Application (complete or partial)*</u>	<input type="checkbox"/>	0000000a.wpd	<input type="checkbox"/>	<input type="checkbox"/>
<u>BAT Study</u>	<input type="checkbox"/>	0000000b.wpd	<input type="checkbox"/>	<input type="checkbox"/>
<u>Other/misc.</u>	<input type="checkbox"/>	0000000t.wpd	<input type="checkbox"/>	<input type="checkbox"/>

* Mandatory for netting, PSD, nonattainment NSR, 112(g), 21-07(G)(9)(g) and 21-09(U)(2)(f) - 2 complete copies.

Please complete (see comment bubble to the left for additional instructions):

NSR Discussion

PTI # 08-04253 is for the installation of one new chromium electroplating tank and one rinse tank in Building #5 at Techmetals, Inc. to the existing Ford Line which was determined to be "de minimis" in PTI # 08-04161 in March 2000. Techmetals, currently has many contracts with the automotive industries to do the plating for all the automotive parts. This facility is a minor source for HAPs and considered a large facility for greater than 60 million ampere-hrs/yr. This facility is located in Montgomery County which is currently in attainment for all pollutants.

Techmetals is to install the chrome tank with an emission elimination device (EED) which were approved as an alternative control devices for the MACT Subpart N, by USEPA in 1996. The EEDs are membranes placed over the chromium plating tanks and are designed to only allow hydrogen and oxygen to be released to the atmosphere, while forcing the water vapor and chromium mist back into solution. Also, the USEPA established alternative testing and monitoring/record keeping requirements when using the EEDs. The alternative requirements have been incorporated into the Terms and Conditions of this permit. With the use of the EEDs, no emissions are released to the atmosphere and therefore no quantitative emissions can be calculated or tested. Therefore, no emission limitations have been established other than the MACT standard, (which is 0.015 mg/dscm because the tanks are new at a large facility) which will be tested qualitatively.

No other limitations were established for other pollutants because the pollutants fall below the 10 lbs/day or 1 TPY for HAPs threshold to be "de minimis." Please refer to the calculation page for all the tanks in the "Ford Line" and which pollutants are present in each tank.

Also to note, the term in Section B.4.b.i. is different than most permits that have been written because the tank is an automatic line. This language is slightly different to what was approved by the USEPA. However, this is more stringent than what the USEPA approved and was also used in P016 and P018 which are the only other automatic chrome plating

NEW SOURCE REVIEW FORM B

PTI Number: 08-04253

Facility ID: 0857043032

FACILITY NAME Techmetals Inc

FACILITY DESCRIPTION chrome automation.

CITY/TWP Dayton

tanks at Techmetals.

The applicable rules are OAC rule 3745-31-05(A)(3) and the MACT standard, 40 CFR Part 63, Subpart N. BAT is compliance with the applicable OAC rule, applicable MACT requirements, and the use of an alternative control devices to eliminate all chrome emissions to the atmosphere.

Prepared By: Maria Cruset

Date: 01/18/01

Please complete for these type permits (For PSD/NSR Permit, place mouse over this text):

Synthetic Minor Determination and/or Netting Determination
Permit To Install ENTER PTI NUMBER HERE

A. **Source Description**B. **Facility Emissions and Attainment Status**C. **Source Emissions**D. **Conclusion**

PLEASE PROVIDE ADDITIONAL NOTES OR COMMENTS AS NECESSARY:

NONE

Please complete:

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Chrome	0