

1

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

### **GENERAL PERMIT CONDITIONS**

#### **TERMINATION OF PERMIT TO INSTALL**

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

#### **NOTICE OF INSPECTION**

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

#### **CONSTRUCTION OF NEW SOURCES**

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as

2

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet applicable standards.

### **PERMIT TO INSTALL FEE**

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 30 days of the effective date of this permit to install.

### **PUBLIC DISCLOSURE**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

### **APPLICABILITY**

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

### **BEST AVAILABLE TECHNOLOGY**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

### **PERMIT TO OPERATE APPLICATION**

A Permit to Operate application must be submitted to the appropriate field office for each air contaminant source in this Permit to Install. In accordance with OAC Rule 3745-35-02, the application shall be filed no later than thirty days after commencement of operation.

### **SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION**

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws and regulations.

4

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

| <u>Ohio EPA Source Number</u> | <u>Source Identification Number</u> | <u>BAT Determination</u> | <u>Applicable Federal &amp; OAC Rules</u> | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u> |
|-------------------------------|-------------------------------------|--------------------------|---|--|
|-------------------------------|-------------------------------------|--------------------------|---|--|

AIR EMISSION SUMMARY

The air contaminant emissions units listed below comprise the Permit to Install for **Scott Equity Exchange-Van Wert Branch** located in **Van Wert** County. The emissions units listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

| <u>Ohio EPA Source Number</u> | <u>Source Identification</u> | <u>Source Description</u>   | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>                       |
|-------------------------------|------------------------------|---|--|
|                               | F003                         |   | (L-0 and L-3),<br>new conveyors<br>(C-1, C-2, and<br>C-3) and<br>increased<br>storage capacity |
| F001<br>(Mod)                 |                              | Grain<br>elevator<br>including truck<br>dump pits no. 1,<br>5, and 17<br>(17,000 bu/hr<br>total capacity),<br>21,000 bu/hr<br>transferring and<br>conveying<br>operations, and<br>7,000 bu/hr<br>screening and<br>cleaning<br>operations- | 10,000 bu/hr<br>railcar load-out   |
| F001<br>(Mod)<br>Cont'd       | F004                         |   |  |
| F002                          |                              | Modification to<br>allow the<br>installation of<br>2 new dump pits<br>(no. 1 and no.<br>5), new legs  | 2,000 bushel/hr<br>column grain  |

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

| Ohio<br>EPA<br>Source<br><u>Number</u>             | Source<br>Identification<br><u>Number</u>   | BAT<br><u>Determination</u>   | Applicable Federal<br>& OAC Rules           | Permit Allowable Mass<br>Emissions and/or<br>Control/Usage<br><u>Requirements</u> |
|--|---|---|---|---|
| dryer  | BAT<br><u>Determination</u>   | than 0.094 inch<br>and compliance<br>with the terms<br>and conditions<br>of this permit                                   | Applicable<br>Federal &<br><u>OAC Rules</u> | 3745-31-05  |
| 2,500<br>bushel/<br>hr<br>column<br>grain<br>dryer | Use of 3-sided<br>enclosures on<br>grain dump<br>pits no. 1 and<br>5 and total<br>enclosures<br>around<br>material<br>transferring,<br>conveying,<br>screening, and<br>cleaning and<br>compliance<br>with the terms<br>and conditions<br>of this permit | Use of telescopic<br>chutes and<br>compliance with the<br>terms and conditions<br>of this permit                          |   |   |
|  |   | Column plate<br>perforations less<br>than 0.094 inch and<br>compliance with the<br>terms and conditions<br>of this permit |   |   |
|  |   | Column plate<br>perforations less   |   |   |

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

| <u>Ohio EPA Source Number</u> | <u>Source Identification Number</u>   | <u>BAT Determination</u>  | <u>Applicable Federal &amp; OAC Rules</u> | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u> |
|-------------------------------|---|---|---|--|
|                               |   | emissions of fugitive dust shall not exceed 0 percent opacity                                 |   |  |
|                               | Permit Allowable Mass Emissions and/or Control/Usage Requirements   | Screening and Cleaning:   |   |  |
|                               | <u>Grain Receiving-Dump Pits No. 1 and 5:</u>   | 0.0044 TPY fugitive PE, visible emissions of fugitive dust shall not exceed 0 percent opacity |   |  |
| 3745-31-05                    | 2.38 TPY fugitive Particulate Emissions (PE), visible emissions of fugitive dust shall not exceed 5 percent opacity | 0.17 TPY fugitive PE  |   |  |
| 3745-31-05                    | <u>Grain Receiving Dump Pit No. 17:</u>   | Visible emissions of fugitive dust shall not exceed 20 percent opacity, as a 3-minute average |   |  |
|                               | 0.81 TPY fugitive PE  | 0.86 TPY fugitive PE  |   |  |
|                               | <u>Transferring and Conveying:</u>  | Visible emissions of fugitive dust shall not exceed 20 percent opacity, as a 3-minute average |   |  |
| 3745-31-05                    | 0.23 TPY fugitive PE, visible   |   |   |  |

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

SUMMARY

TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

| <u>Pollutant</u> | <u>Tons/Year</u> |
|------------------|------------------|
| PE               | 7.26*            |

\* The modification of F001 has resulted in an increase of 6.44 TPY in allowable emissions over what was previously permitted.

**REPORTING REQUIREMENTS**

Unless otherwise specified, reports required by the Permit to Install need only be submitted to **Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402.**

**WASTE DISPOSAL**

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

**MAINTENANCE OF EQUIPMENT**

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

**MALFUNCTION/ABATEMENT**

In accordance with OAC RULE 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the **Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402.**

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

#### **AIR POLLUTION NUISANCES PROHIBITED**

The air contaminant source(s) identified in this permit may not cause a public nuisance in violation of OAC Rule 3745-15-07.

#### **ADDITIONAL SPECIAL TERMS AND CONDITIONS**

##### **Introduction**

The purpose of this Permit to Install (PTI) is to correct permitting deficiencies and allow for the installation of a grain dryer at the Scott Equity Exchange Company-Van Wert Branch. The permit will correct the deficiencies and establish permit allowable limitations for emissions units F001, F002, F003 and F004.

##### **A. Applicable Emission Limitations and/or Control Requirements**

1. No additional emission limitations and/or control requirements other than those identified in the Air Emission Summary section of this permit.

##### **B. Operational Restrictions**

1. The maximum annual throughput for emissions unit F001 shall not exceed 161,760 tons of grain.
2. The maximum annual throughput for emissions unit F002 shall not exceed 51,936 tons of grain.
3. The maximum annual throughput for emissions unit F003 shall not exceed 23,400 tons of grain.
4. The maximum annual throughput for emissions unit F004 shall not exceed 7800 tons of grain.

##### **C. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall maintain monthly records of grain throughput for emissions units F001, F002, F003 and F004.

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

2. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings, if a strip-chart recorder is employed, for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

**D. Reporting Requirements**

1. The permittee shall submit annual written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA, Northwest District Office. If no deviations occurred during a calendar year, the permittee shall submit an annual report, which states that no deviations occurred during that year. The reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

**E. Testing Requirements/Compliance Methods Requirements**

1. Compliance with the emission limitations listed in the Air Emission Summary of this PTI for emission unit F001 shall be determined in accordance with the following methods:
  - a. Emission Limitation-Grain Receiving-Dump Pits No.1 and 5
    - i. 2.38 TPY fugitive PE; and,
    - ii. visible particulate emissions of fugitive dust shall not exceed 5 percent opacity.

Applicable Compliance Method

Calculations, using AP-42, Section 9.9.1 emission factors (revised 5/98), the actual annual throughput of the emission unit, and the percent of the total capacity handled by the dump pits (88 percent)

11

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

shall be performed to quantify fugitive PE. Compliance with the fugitive visible emission limitation shall be determined by visible emissions evaluations performed using the methods and procedures specified in USEPA Method 9.

b. Emission Limitation-Grain Receiving-Dump Pit No. 17

0.81 TPY fugitive PE

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

Applicable Compliance Method

Calculations, using AP-42, Section 9.9.1 emission factors (revised 5/98), the actual annual throughput of the emission unit, and the percent of the total capacity handled by the dump pit (12 percent) shall be performed to quantify fugitive PE.

c. Emission Limitation-Transferring and Conveying

- i. 0.23 TPY fugitive PE; and,
- ii. visible particulate emissions of fugitive dust shall not exceed 0 percent opacity.

Applicable Compliance Method

Calculations, using AP-42, Section 9.9.1 emission factors (revised 5/98) and the actual annual throughput of the emission unit shall be performed to quantify fugitive PE. Compliance with the fugitive visible emission limitation shall be determined by visible emissions evaluations performed using the methods and procedures specified in USEPA Method 9.

d. Emission Limitation-Screening and Cleaning

- i. 0.23 TPY fugitive PE; and,
- ii. visible particulate emissions of fugitive dust shall not exceed 0 percent opacity.

Applicable Compliance Method

Calculations, using AP-42, Section 9.9.1 emission factors (revised 5/98) and the actual annual throughput of the emission unit shall be performed to quantify fugitive PE. Compliance with the fugitive visible emission limitation shall be determined by visible emissions evaluations performed using the methods and procedures specified in USEPA Method 9.

- 2. Compliance with the emission limitations listed in the Air Emission Summary of this PTI for emission unit F002 shall be determined in accordance with the following methods:

a. Emission Limitation

0.17 TPY fugitive PE

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

Applicable Compliance Method

Calculations, using AP-42, Section 9.9.1 emission factors (revised 5/98) and the actual annual throughput of the emission unit shall be performed to quantify fugitive PE.

b. Emission Limitation

Visible particulate emissions of fugitive dust shall not exceed 5 percent opacity.

Applicable Compliance Method

Compliance shall be determined by visible emissions evaluations using the methods and procedures specified in USEPA Method 9 of 40 CFR Part 60, Appendix A.

3. Compliance with the emission limitations listed in the Air Emission Summary of this PTI for emission unit F003 shall be determined in accordance with the following methods:

a. Emission Limitation

2.57 TPY fugitive PE

Applicable Compliance Method

Calculations, using AP-42, Section 9.9.1 emission factors and the actual annual throughput of the emission unit shall be performed to quantify fugitive PE.

b. Emission Limitation

Visible particulate emissions of fugitive dust shall not exceed 20 percent opacity as a 3-minute average.

Applicable Compliance Method

Compliance shall be determined by visible emissions evaluations using the methods and procedures specified in USEPA Method 22

14

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

of 40 CFR Part 60, Appendix A.

4. Compliance with the emission limitations listed in the Air Emission Summary of this PTI for emission unit F004 shall be determined in accordance with the following methods:

Facility Name: **Scott Equity Exchange-Van Wert Branch**

Application Number: **03-3032**

Date: **February 18, 1999**

a. Emission Limitation

0.86 TPY fugitive PE

Applicable Compliance Method

Calculations, using AP-42, Section 9.9.1 emission factors and the actual annual throughput of the emission unit shall be performed to quantify fugitive PE.

b. Emission Limitation

Visible particulate emissions of fugitive dust shall not exceed 20 percent opacity as a 3-minute average.

Applicable Compliance Method

Compliance shall be determined by visible emissions evaluations using the methods and procedures specified in USEPA Method 22 of 40 CFR Part 60, Appendix A.

**F. Miscellaneous Requirements**

1. None.