



State of Ohio Environmental Protection Agency

Street Address:

1800 WaterMark Drive  
Columbus, OH 43215-1099

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

P.O. Box 1049  
Columbus, OH 43216-1049

**Seneca County**

**RE: Final Permit to Install**

Application No: **03-3149**

DATE: May 12, 1999

**MGQ, Inc. - Carmeuse Ohio, Inc.**  
**Lynn Radabaugh**  
**P.O. Box 136**  
**Old Fort, OH 44861**

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
236 East Town Street, Room 300  
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: USEPA

Ohio EPA, Northwest District Office, DAPC





Permit to Install  
**Terms and Conditions**

---

Application Number: 03-3149

APS Premise Number: 0374000155

Permit Fee: **\$1,000.00**

Name of Facility: MGQ, Inc. - Carmeuse Ohio, Inc.

Person to Contact: Lynn Radabaugh

Address: P.O. Box 136

Old Fort, OH 44861

Location of proposed air contaminant source(s) [emissions unit(s)]:

**1967 W. COUNTY ROAD #42**

**TIFFIN, OHIO**

Description of proposed emissions unit(s):

**1,100 AGGREGATE PROCESSING PLANT.**

Date of Issuance: **May 12, 1999**

Effective Date: **May 12, 1999**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

---

Director

## **Part I - GENERAL TERMS AND CONDITIONS**

### **A. Permit to Install General Terms and Conditions**

#### **1. Compliance Requirements**

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

#### **2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

#### **3. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

#### **4. Inspections and Information Requests**

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the

Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

#### **5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

#### **6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

#### **7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

#### **8. Termination of Permit to Install**

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

#### **9. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed

sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

**10. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**11. Applicability**

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

**12. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**13. Source Operation and Operating Permit Requirements After Completion of Construction**

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

**14. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions

of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**15. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

**B. Permit to Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)  
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<b><u>Pollutant</u></b>	<b><u>Tons Per Year</u></b>
Fugitive PE	23.88
Fugitive PM <sub>10</sub>	13.11

---

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
1100 TPH Aggregate Processing Plant	OAC rule 3745-31-05	23.88 TPY fugitive PE 13.11 TPY fugitive PM <sub>10</sub>  20% opacity, as a 3-minute average for truck unloading (See A.I.2.d)  Use of reasonably available control measures (RACM) (See A.2.I.a)
	OAC rule 3745-17-07(B)	None (See A.I.2.b)
	OAC rule 3745-17-08(B)	None (See A.I.2.c)
	40 CFR Part 60, Subpart OOO	10% opacity for transfer points and screening operations (See A.I.2.d)  15% opacity for primary and secondary crushers (See A.I.2.d)

2. **Additional Terms and Conditions**

- 2.a The permittee shall employ reasonably available control measures to minimize or eliminate visible emissions of fugitive dust from emissions unit F001. If the inherent moisture in the stone is not sufficient to comply with the opacity restrictions of this permit, the permittee shall install equipment to apply water, or any other suitable dust suppressant, at appropriate locations on the line.
- 2.b This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).

- 2.c** The MGQ, Inc. - Carmeuse, Ohio, Inc. facility is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emission unit is exempt from the requirements of OAC rule 3745-17-08(B).
- 2.d** Visible particulate emissions from the aggregate processing equipment included under this permit shall not exceed the following opacity restrictions:

<b>Emissions Point (Company ID)</b>	<b>Equipment Type</b>	<b>Opacity Limit</b>	<b>Regulatory Basis for Limit</b>
Grizzly Feeder 64" x 20'	Truck Unloading	20%	3745-31-05
Grizzley Feeder 64" x 20'	Screen	10%	NSPS, Subpart 000
Grizzly to Belt	Transfer pt.	10%	NSPS, Subpart 000
3055 Jaw Crusher	Primary Crusher	15%	NSPS, Subpart 000
Crusher to Belt	Transfer pt.	10%	NSPS, Subpart 000
Re-circulating Load Discharger	Transfer pt.	10%	NSPS, Subpart 000
Belt to Screen	Transfer pt.	10%	NSPS, Subpart 000
2 Deck 8' x 20' Vibra King	Screen	10%	NSPS, Subpart 000
Fines to Stock Pile Belt	Transfer pt.	10%	NSPS, Subpart 000
Fines Belt to Stock Pile	Transfer pt.	10%	NSPS, Subpart 000
Screen to Secondary Belt	Transfer pt.	10%	NSPS, Subpart 000
Secondary Belt to Crusher	Transfer pt.	10%	NSPS, Subpart 000
Gyrasphere Crusher	Secondary Crusher	15%	NSPS, Subpart 000
Gyrasphere to Belt	Transfer pt.	10%	NSPS, Subpart 000
Gyrasphere Belt to Screen	Transfer pt.	10%	NSPS, Subpart 000

2 Deck Scalper Screen 6 x 12	Screen	10%	NSPS, Subpart OOO
Top Deck Scalper to Belt	Transfer pt.	10%	NSPS, Subpart OOO
Scalper Fines to Belt	Transfer pt.	10%	NSPS, Subpart OOO
Belt to Product Screen	Transfer pt.	10%	NSPS, Subpart OOO
3 Deck Product Screen 8 x 20	Screen	10%	NSPS, Subpart OOO
Top Deck Scalper to Belt	Transfer pt.	10%	NSPS, Subpart OOO
2nd Deck Scalper to Belt	Transfer pt.	10%	NSPS, Subpart OOO
2nd Belt to Pile	Transfer pt.	10%	NSPS, Subpart OOO
3rd Deck Scalper to Belt	Transfer pt.	10%	NSPS, Subpart OOO
3rd Belt to Pile	Transfer pt.	10%	NSPS, Subpart OOO
Fines to Recycle Belt	Transfer pt.	10%	NSPS, Subpart OOO
Recycle Change Direction	Transfer pt.	10%	NSPS, Subpart OOO

\*Note: Compliance with the opacity restrictions for these emission points shall be achieved on and after the sixtieth day after achieving the maximum production rate at which the affected facility will be operated, but not later than 180 days after initial startup.

**B. Operational Restrictions**

1. The permittee shall not exceed 4,576,000 tons per year of aggregate processed in emissions unit F001. This restriction is based on the stone throughput of the primary crusher.
2. The permittee shall maintain at least a 1.5%, by weight, moisture content in the aggregate processed by emissions unit F001.

**C. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall maintain monthly records of the amount (tons per month and total tons, to date, for the calendar year) of aggregate processed through the primary crusher of emissions unit F001.

**D. Reporting Requirements**

None.

**E. Testing Requirements**

1. Compliance Methods Requirements:

a. Emission Limitation:

23.88 TPY fugitive PE  
13.11 TPY fugitive PM<sub>10</sub>

Applicable Compliance Method:

Compliance with the emissions limitations shall be determined in accordance with the record keeping specified in section C above and emissions factors in AP42 Table 11.19.2-2.

b. Emission Limitation:

10% opacity for transfer points and screens

Applicable Compliance Method:

Method 9 of 40 CFR Part 60, Appendix A

c. Emission Limitation:

15% opacity for primary and secondary crushers

Applicable Compliance Method:

Method 9 of 40 CFR Part 60, Appendix A

d. Emission Limitation:

20% opacity for truck unloading

Applicable Compliance Method:

Method 9 of 40 CFR Part 60, Appendix A

2. Emission Testing Requirements:

The permittee shall conduct, or have conducted, emission testing for all transfer points, screens, primary crushers and secondary crushers of emissions unit F001.

Testing shall be conducted in accordance with the provisions of 40 CFR Part 60, Subpart A, Section 60.8 and 40 CFR Part 60, Subpart OOO, Section 60.675.

The emission testing shall be conducted within 60 days after achieving the maximum production rate at which the affected facility will be operated, but not later than 180 days after initial startup of such facility and at such other times as may be required by the Ohio Environmental Protection Agency, Division of Air Pollution Control. The emission testing shall be conducted to demonstrate compliance with the allowable visible emission rates for particulate emissions.

The following test methods shall be employed to demonstrate compliance with the allowable visible emissions rates:

- a. Method 9 of 40 CFR Part 60, Appendix A shall be used to determine opacity.

The tests shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the Ohio Environmental Protection Agency, Division of Air Pollution Control. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio Environmental Protection Agency, Division of Air Pollution Control. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operation parameters, the times and dates of the tests, and the person(s) who will be conducting the tests. Failure to submit such notification for review and approval prior to the tests may result in the Ohio EPA District Office's air agency's refusal to accept the results of the emission tests.

Personnel from the Ohio EPA District Office's air agency shall be permitted to witness the test, examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions unit and /or the performance of the control equipment. A comprehensive written report on the emissions tests shall be signed by the person or persons responsible for the tests and submitted to the Ohio Environmental Protection Agency, Division of Air Pollution Control within 30 days following completion of the tests.

**F. Miscellaneous Requirements**

None.