

Facility ID: 0666010063 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0666010063 Emissions Unit ID: F001 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Lime storage silo with fabric filter	OAC rule 3745-31-05(A)(3) (PTI #06-06087)	Stack emissions of particulate matter shall not exceed 0.030 grains per dry standard cubic foot of exhaust gases, or, no visible emissions whichever is less stringent.
	OAC rule 3745-17-11	Particulate emissions shall not exceed 2 tons per year. The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-17-07(A)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

**2. Additional Terms and Conditions**

- (a) The permittee shall employ best available control measures on the lime silo for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee shall vent emissions to a fabric filter baghouse. Nothing in this paragraph shall prohibit the permittee from employing additional control measures to ensure compliance.

**B. Operational Restrictions**

1. The pressure drop across the baghouse shall be maintained within the range of 3.0 - 5.0 inches of water while the emissions unit is in operation.

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a daily basis.

**D. Reporting Requirements**

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified above.

**E. Testing Requirements**

1. Compliance with the emission limitations identified above shall be determined in accordance with the following methods:  
Emissions Limitation:

Stack emissions of particulate matter shall not exceed 0.030 grains per dry standard cubic foot of exhaust gases

Applicable Compliance Method:

If required, the following test methods shall be employed to demonstrate compliance with the allowable mass emission rate: for particulates, Methods 1 through 5 of 40 CFR Part 60, Appendix A. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.

## Emission Limitation:

No visible emissions

## Applicable Compliance Method:

If required, compliance shall be determined through visible emissions observations performed in accordance with 40 CFR Part 60, Appendix A, Method 22.

## Emission Limitation

Particulate emissions shall not exceed 2 tons per year.

## Applicable Compliance Method

Compliance shall be demonstrated by using a one time calculation of the emission unit's potential to emit as follows:

$0.030 \text{ gr/dscf} * 1750 \text{ cf/min} * 60 \text{ min/hr} * 1/7000 \text{ lb/gr} * 8760 \text{ hr/yr} * 0.0005 \text{ T/lb} = 2.0 \text{ TPY}$

F. **Miscellaneous Requirements**

1. None