



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

10/3/2013

John Nisley
Millcreek Lumber
33844 CR 126
Millersburg, OH 44654

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE

Facility ID: 0238000216
Permit Number: P0115445
Permit Type: Initial Installation
County: Holmes

Certified Mail

| | |
|----|------------------------------------|
| No | TOXIC REVIEW |
| No | SYNTHETIC MINOR TO AVOID MAJOR NSR |
| No | CEMS |
| No | MACT/GACT |
| No | NSPS |
| No | NESHAPS |
| No | NETTING |
| No | MODELING SUBMITTED |
| No | SYNTHETIC MINOR TO AVOID TITLE V |
| No | FEDERALLY ENFORCABLE PTIO (FEPTIO) |
| No | SYNTHETIC MINOR TO AVOID MAJOR GHG |

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA) Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**

How to appeal this permit

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

How to save money, reduce pollution and reduce energy consumption

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: www.ohioairquality.org/clean_air

How to give us feedback on your permitting experience

Please complete a survey at www.epa.ohio.gov/survey.aspx and give us feedback on your permitting experience. We value your opinion.

How to get an electronic copy of your permit

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

If you have any questions, please contact Ohio EPA DAPC, Northeast District Office at (330)425-9171 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,



Michael W. Ahern, Manager

Permit Issuance and Data Management Section, DAPC

Cc: Ohio EPA-NEDO



FINAL

**Division of Air Pollution Control
Permit-to-Install and Operate
for
Millcreek Lumber**

| | |
|----------------|----------------------|
| Facility ID: | 0238000216 |
| Permit Number: | P0115445 |
| Permit Type: | Initial Installation |
| Issued: | 10/3/2013 |
| Effective: | 10/3/2013 |
| Expiration: | 12/19/2022 |



**Division of Air Pollution Control
Permit-to-Install and Operate**

for
Millcreek Lumber

Table of Contents

| | |
|---|----|
| Authorization | 1 |
| A. Standard Terms and Conditions | 3 |
| 1. What does this permit-to-install and operate ("PTIO") allow me to do?..... | 4 |
| 2. Who is responsible for complying with this permit? | 4 |
| 3. What records must I keep under this permit? | 4 |
| 4. What are my permit fees and when do I pay them?..... | 4 |
| 5. When does my PTIO expire, and when do I need to submit my renewal application? | 4 |
| 6. What happens to this permit if my project is delayed or I do not install or modify my source? | 5 |
| 7. What reports must I submit under this permit? | 5 |
| 8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? | 5 |
| 9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ... | 5 |
| 10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? | 6 |
| 11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? | 6 |
| 12. What happens if one or more emissions units operated under this permit is/are shut down permanently? | 6 |
| 13. Can I transfer this permit to a new owner or operator?..... | 7 |
| 14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? | 7 |
| 15. What happens if a portion of this permit is determined to be invalid? | 7 |
| B. Facility-Wide Terms and Conditions..... | 8 |
| C. Emissions Unit Terms and Conditions | 10 |
| 1. P007, John Deere 4SLB stationary RICE 250 HP | 11 |
| 2. P008, Cummins 4SLB stationary RICE 250 HP | 16 |
| 3. P009, Waukesha 4SLB stationary RICE 440 HP..... | 21 |



Final Permit-to-Install and Operate
Millcreek Lumber
Permit Number: P0115445
Facility ID: 0238000216
Effective Date: 10/3/2013

Authorization

Facility ID: 0238000216
Application Number(s): A0048828
Permit Number: P0115445
Permit Description: Installation of three 4SLB natural gas stationary spark ignition RICE for powering debarking, chipping and milling processes at Millcreek Lumber LLC.
Permit Type: Initial Installation
Permit Fee: \$600.00
Issue Date: 10/3/2013
Effective Date: 10/3/2013
Expiration Date: 12/19/2022
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

Millcreek Lumber
1617 TR 106
Millersburg, OH 44654

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.


Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northeast District Office
2110 East Aurora Road
Twinsburg, OH 44087
(330)425-9171

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Scott J. Nally
Director



Authorization (continued)

Permit Number: P0115445

Permit Description: Installation of three 4SLB natural gas stationary spark ignition RICE for powering debarking, chipping and milling processes at Millcreek Lumber LLC.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

| | |
|-----------------------------------|-----------------------|
| Emissions Unit ID: | P007 |
| Company Equipment ID: | Natural Gas Engine #1 |
| Superseded Permit Number: | |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | P008 |
| Company Equipment ID: | Natural Gas Engine #2 |
| Superseded Permit Number: | |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | P009 |
| Company Equipment ID: | Natural Gas Engine #3 |
| Superseded Permit Number: | |
| General Permit Category and Type: | Not Applicable |



Final Permit-to-Install and Operate

Millcreek Lumber

Permit Number: P0115445

Facility ID: 0238000216

Effective Date: 10/3/2013

A. Standard Terms and Conditions



1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is



very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.



10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Ohio EPA DAPC, Northeast District Office in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting¹ a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

¹Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).



13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



Final Permit-to-Install and Operate

Millcreek Lumber

Permit Number: P0115445

Facility ID: 0238000216

Effective Date: 10/3/2013

B. Facility-Wide Terms and Conditions



Final Permit-to-Install and Operate

Millcreek Lumber

Permit Number: P0115445

Facility ID: 0238000216

Effective Date: 10/3/2013

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.
2. The Ohio EPA has determined that this facility may be subject to the requirements of an area source MACT/GACT rule that the Ohio EPA does not have the delegated authority to implement. Although Ohio EPA has determined that an area source MACT (also known as the GACT) may apply, at this time Ohio EPA does not have the authority to enforce this standard. Instead, U.S. EPA has the authority to enforce this standard. Please be advised that all requirements associated with these rules are in effect and are enforceable by U.S. EPA. For more information on the area source rules, please refer to the following U.S. EPA website: <http://www.epa.gov/ttn/atw/area/arearules.html>.



Final Permit-to-Install and Operate

Millcreek Lumber

Permit Number: P0115445

Facility ID: 0238000216

Effective Date: 10/3/2013

C. Emissions Unit Terms and Conditions



1. P007, John Deere 4SLB stationary RICE 250 HP

- a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - (1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - a. None.
 - (2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - a. None.
- b) Applicable Emissions Limitations and/or Control Requirements
 - (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| | Applicable Rules/Requirements | Applicable Emissions Limitations/Control Measures |
|----|---|---|
| a. | OAC rule 3745-31-05(A)(3), as effective 11/30/01 | Carbon monoxide (CO) emissions shall not exceed 0.00529 pound per horsepower hour (lb/hp-hr). Nitrogen oxides (NOx) emissions shall not exceed 0.00485 lb/hp-hr. Organic compounds (OC) emissions shall not exceed 0.00904 lb/hp-hr. See b(2)a. – b. |
| b. | OAC rule 3745-31-05(A)(3)(a)(ii), as effective 12/01/06 | See b)(2)c. |
| c. | OAC rule 3745-17-07(A)(1) | Visible particulate emissions from the exhaust stacks serving these emission units shall not exceed twenty (20) percent opacity, as a six-minute average, except as specified by rule. |
| d. | OAC rule 3745-17-11(B)(5)(a) | Particulate emissions (PE) shall not exceed 0.310 lb/MMBtu of actual heat input |



| | Applicable Rules/Requirements | Applicable Emissions Limitations/Control Measures |
|----|--|--|
| e. | OAC rule 3745-18-06(A) | Exempt. See b)(2)d. |
| f. | OAC rule 3745-110-03(K) | Exempt. See b)(2)e. |
| g. | 40 CFR Part 60, Subpart JJJJ, 60.4230(a)(4)(iii) | Exempt. See b)(2)f. |

(2) Additional Terms and Conditions

- a. The permittee shall complete the following requirements for this engine as noted below:
 - i. Change oil and filter every 1,440 hours of operation or annually, whichever comes first;
 - ii. Inspect spark plugs every 1,440 hours of operation or annually, whichever comes first, and replace as necessary; and
 - iii. Inspect all hoses and belts every 1,440 hours of operation or annually, whichever comes first, and replace as necessary.
- b. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to the Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 changes), such that BAT is no longer required by State regulations for National Ambient Air Quality Standards (NAAQS) pollutant(s) less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05, then these emission limitations/control measures no longer apply.
- c. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

The BAT requirements under OAC rule 3745-31-05 (A)(3) do not apply to the emissions of CO, NOx and OC from this air contaminant source since the uncontrolled potential to emit for the emissions of CO, NOx and OC is less than 10 tons per year.
- d. Fuel burning equipment that burns only natural gas is exempt from the requirements of OAC rule 3745-18-06.
- e. Pursuant to OAC rule 3745-110-03(J)(3), any stationary internal combustion engine having an energy output capacity of less than two thousand horsepower is exempt from the requirements of this rule.



- f. Engine is exempt since it was manufactured before July 1, 2008 and has not been modified or reconstructed after June 12, 2006

- c) Operational Restrictions
 - (1) The stationary internal combustion engine shall be installed, operated, and maintained according to the manufacturer's specifications, written instructions, and procedures over the entire life of the engine.
 - (2) The permittee shall burn only natural gas in this emissions unit.

- d) Monitoring and/or Recordkeeping Requirements
 - (1) The permittee shall maintain records demonstrating compliance with Section b)(2)a. of this permit.
 - (2) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

- e) Reporting Requirements
 - (1) The permittee shall submit an annual Permit Evaluation Report (PER) to Ohio EPA's Northeast District Office by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit. It is recommended that the PER is submitted electronically through the Ohio EPA's "e-Business Center: Air Services" although PERs can be submitted via U.S. postal service or can be hand delivered.
 - (2) The permittee shall identify the following information in the annual permit evaluation report in accordance with the Additional Terms and Conditions in term number b)(2)a. above:
 - a. Noncompliance with the requirement to change oil and filter every 1,440 hours of operation or annually, whichever comes first;
 - b. Noncompliance with the requirement to inspect spark plugs every 1,440 hours of operation or annually, whichever comes first, and replace as necessary; and
 - c. Noncompliance with the requirement to inspect all hoses and belts every 1,440 hours of operation or annually, whichever comes first, and replace as necessary.
 - (3) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.



f) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

Carbon monoxide (CO) emissions shall not exceed 0.00529 lb/hp-hr.

Applicable Compliance Method:

The CO emissions factor of 0.00529 lb/hp-hr was supplied by the engine manufacturer.

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and either 10 or 10B, as appropriate. Alternative EPA-approved test methods may be used with prior approval from the Ohio EPA.

b. Emission Limitation:

Nitrogen oxides (NO_x) emissions shall not exceed 0.00485 lb/hp-hr.

Applicable Compliance Method:

The NO_x emissions factor of 0.00485 lb/hp-hr was supplied by the engine manufacturer.

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 7. Alternative EPA-approved test methods may be used with prior approval from the Ohio EPA.

c. Emission Limitation:

Organic compounds (OC) emissions shall not exceed 0.00904 lb/hp-hr.

Applicable Compliance Method:

The OC emissions factor of 0.00904 lb/hp-hr is taken from AP-42, Table 3.2-2.

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and either 25 or 25A, as appropriate.

d. Emission Limitation:

Visible particulate emissions from the exhaust stack serving this emissions unit shall not exceed twenty (20) percent opacity, as a six-minute average, except as specified by rule.



Applicable Compliance Method:

If required, compliance shall be determined through visible emission observations performed in accordance with U.S. EPA Reference Method 9 in 40 CFR, Part 60, Appendix A.

e. Emission Limitation:

Particulate emissions (PE) shall not exceed 0.310 lb/MMBtu of actual heat input.

Applicable Compliance Method:

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and either 25 or 25A, as appropriate.

g) Miscellaneous Requirements

(1) None.



2. P008, Cummins 4SLB stationary RICE 250 HP

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) **Applicable Emissions Limitations and/or Control Requirements**

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| | Applicable Rules/Requirements | Applicable Emissions Limitations/Control Measures |
|----|---|--|
| a. | OAC rule 3745-31-05(A)(3), as effective 11/30/01 | Carbon monoxide (CO) emissions shall not exceed 0.00198 lb/hp-hr. Nitrogen oxides (NOx) emissions shall not exceed 0.00397 lb/hp-hr Organic compounds (OC) emissions shall not exceed 0.00301 lb/hp-hr. See b(2)a. – b. |
| b. | OAC rule 3745-31-05(A)(3)(a)(ii), as effective 12/01/06 | See b)(2)c. |
| c. | OAC rule 3745-17-07(A)(1) | Visible particulate emissions from the exhaust stacks serving these emission units shall not exceed twenty (20) percent opacity, as a six-minute average, except as specified by rule. |
| d. | OAC rule 3745-17-11(B)(5)(a) | Particulate emissions (PE) shall not exceed 0.310 lb/MMBtu of actual heat input |
| e. | OAC rule 3745-18-06(A) | Exempt. See b)(2)d. |
| f. | OAC rule 3745-110-03(K) | Exempt. See b)(2)e. |
| g. | 40 CFR Part 60, Subpart JJJJ, 60.4230(a)(4)(iii) | Exempt. See b)(2)f. |



(2) Additional Terms and Conditions

- a. The permittee shall complete the following requirements for this engine as noted below:
 - i. Change oil and filter every 1,440 hours of operation or annually, whichever comes first;
 - ii. Inspect spark plugs every 1,440 hours of operation or annually, whichever comes first, and replace as necessary; and
 - iii. Inspect all hoses and belts every 1,440 hours of operation or annually, whichever comes first, and replace as necessary.
- b. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to the Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 changes), such that BAT is no longer required by State regulations for National Ambient Air Quality Standards (NAAQS) pollutant(s) less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05, then these emission limitations/control measures no longer apply.
- c. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

The BAT requirements under OAC rule 3745-31-05 (A)(3) do not apply to the emissions of CO, NO_x and OC from this air contaminant source since the uncontrolled potential to emit for the emissions of CO, NO_x and OC is less than 10 tons per year.
- d. Fuel burning equipment that burns only natural gas is exempt from the requirements of OAC rule 3745-18-06.
- e. Pursuant to OAC rule 3745-110-03(J)(3), any stationary internal combustion engine having an energy output capacity of less than two thousand horsepower is exempt from the requirements of this rule.
- f. Engine is exempt since it was manufactured before July 1, 2008 and has not been modified or reconstructed after June 12, 2006

c) Operational Restrictions

- (1) The stationary internal combustion engine shall be installed, operated, and maintained according to the manufacturer's specifications, written instructions, and procedures over the entire life of the engine.



(2) The permittee shall burn only natural gas in this emissions unit.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall maintain records demonstrating compliance with Section b)(2)a. of this permit.

(2) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

e) Reporting Requirements

(1) The permittee shall submit an annual Permit Evaluation Report (PER) to Ohio EPA's Northeast District Office by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit. It is recommended that the PER is submitted electronically through the Ohio EPA's "e-Business Center: Air Services" although PERs can be submitted via U.S. postal service or can be hand delivered.

(2) The permittee shall identify the following information in the annual permit evaluation report in accordance with the Additional Terms and Conditions in term number b)(2)a. above:

a. Noncompliance with the requirement to change oil and filter every 1,440 hours of operation or annually, whichever comes first;

b. Noncompliance with the requirement to inspect spark plugs every 1,440 hours of operation or annually, whichever comes first, and replace as necessary; and

c. Noncompliance with the requirement to inspect all hoses and belts every 1,440 hours of operation or annually, whichever comes first, and replace as necessary.

(3) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

f) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

Carbon monoxide (CO) emissions shall not exceed 0.00198 lb/hp-hr.



Applicable Compliance Method:

The CO emissions factor of 0.00198 lb/hp-hr was supplied by the engine manufacturer.

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and either 10 or 10B, as appropriate. Alternative EPA-approved test methods may be used with prior approval from the Ohio EPA.

b. Emission Limitation:

Nitrogen oxides (NO_x) emissions shall not exceed 0.00397 lb/hp-hr.

Applicable Compliance Method:

The NO_x emissions factor of 0.00397 lb/hp-hr was supplied by the engine manufacturer.

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 7. Alternative EPA-approved test methods may be used with prior approval from the Ohio EPA.

c. Emission Limitation:

Organic compounds (OC) emissions shall not exceed 0.00301 lb/hp-hr.

Applicable Compliance Method:

The OC emissions factor of 0.00301 lb/hp-hr is taken from AP-42, Table 3.2-2.

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and either 25 or 25A, as appropriate.

d. Emission Limitation:

Visible particulate emissions from the exhaust stack serving this emissions unit shall not exceed twenty (20) percent opacity, as a six-minute average, except as specified by rule.

Applicable Compliance Method:

If required, compliance shall be determined through visible emission observations performed in accordance with U.S. EPA Reference Method 9 in 40 CFR, Part 60, Appendix A.



e. Emission Limitation:

Particulate emissions (PE) shall not exceed 0.310 lb/MMBtu of actual heat input.

Applicable Compliance Method:

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and either 25 or 25A, as appropriate.

g) Miscellaneous Requirements

(1) None.



3. P009, Waukesha 4SLB stationary RICE 440 HP

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) **Applicable Emissions Limitations and/or Control Requirements**

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| | Applicable Rules/Requirements | Applicable Emissions Limitations/Control Measures |
|----|---|--|
| a. | ORC 3704.03(T) | Nitrogen oxides (NOx) emissions shall not exceed 11.05 tons per year. Organic compounds (OC) emissions shall not exceed 21.24 tons per year. |
| b. | OAC rule 3745-31-05(A)(3), as effective 11/30/01 | Carbon monoxide (CO) emissions shall not exceed 0.00386 lb/hp-hr. See b(2)a. – b. |
| c. | OAC rule 3745-31-05(A)(3)(a)(ii), as effective 12/01/06 | See b)(2)c. |
| d. | OAC rule 3745-17-07(A)(1) | Visible particulate emissions from the exhaust stacks serving these emission units shall not exceed twenty (20) percent opacity, as a six-minute average, except as specified by rule. |
| e. | OAC rule 3745-17-11(B)(5)(a) | Particulate emissions (PE) shall not exceed 0.310 lb/MMBtu of actual heat input |
| f. | OAC rule 3745-18-06(A) | Exempt. See b)(2)d. |
| g. | OAC rule 3745-110-03(K) | Exempt. See b)(2)e. |
| h. | 40 CFR Part 60, Subpart JJJJ, 60.4230(a)(4)(iii) | Exempt. See b)(2)f. |



(2) Additional Terms and Conditions

- a. The permittee shall complete the following requirements for this engine as noted below:
 - i. Change oil and filter every 1,440 hours of operation or annually, whichever comes first;
 - ii. Inspect spark plugs every 1,440 hours of operation or annually, whichever comes first, and replace as necessary; and
 - iii. Inspect all hoses and belts every 1,440 hours of operation or annually, whichever comes first, and replace as necessary.
- b. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to the Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 changes), such that BAT is no longer required by State regulations for National Ambient Air Quality Standards (NAAQS) pollutant(s) less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05, then these emission limitations/control measures no longer apply.
- c. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

The BAT requirements under OAC rule 3745-31-05 (A)(3) do not apply to the emissions of CO from this air contaminant source since the uncontrolled potential to emit for the emissions of CO is less than 10 tons per year.
- d. Fuel burning equipment that burns only natural gas is exempt from the requirements of OAC rule 3745-18-06.
- e. Pursuant to OAC rule 3745-110-03(J)(3), any stationary internal combustion engine having an energy output capacity of less than two thousand horsepower is exempt from the requirements of this rule.
- f. Engine is exempt since it was manufactured before July 1, 2008 and has not been modified or reconstructed after June 12, 2006

c) Operational Restrictions

- (1) The stationary internal combustion engine shall be installed, operated, and maintained according to the manufacturer's specifications, written instructions, and procedures over the entire life of the engine.



(2) The permittee shall burn only natural gas in this emissions unit.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall maintain records demonstrating compliance with Section b)(2)a. of this permit.

(2) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

e) Reporting Requirements

(1) The permittee shall submit an annual Permit Evaluation Report (PER) to Ohio EPA's Northeast District Office by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit. It is recommended that the PER is submitted electronically through the Ohio EPA's "e-Business Center: Air Services" although PERs can be submitted via U.S. postal service or can be hand delivered.

(2) The permittee shall identify the following information in the annual permit evaluation report in accordance with the Additional Terms and Conditions in term number b)(2)a. above:

a. Noncompliance with the requirement to change oil and filter every 1,440 hours of operation or annually, whichever comes first;

b. Noncompliance with the requirement to inspect spark plugs every 1,440 hours of operation or annually, whichever comes first, and replace as necessary; and

c. Noncompliance with the requirement to inspect all hoses and belts every 1,440 hours of operation or annually, whichever comes first, and replace as necessary.

(3) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

f) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

Carbon monoxide (CO) emissions shall not exceed 0.00386 lb/hp-hr.



Applicable Compliance Method:

The CO emissions factor of 0.00386 lb/hp-hr was supplied by the engine manufacturer.

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and either 10 or 10B, as appropriate. Alternative EPA-approved test methods may be used with prior approval from the Ohio EPA.

b. Emission Limitation:

Nitrogen oxides (NO_x) emissions shall not exceed 11.05 tons per year.

Applicable Compliance Method:

The annual emissions limit was established by multiplying the NO_x emissions factor of 0.00573 lb/hp-hr [Manufactured Supplied Data] by the emissions unit's maximum rated capacity of 440 HP then multiplying by 8760 hrs/yr then dividing by 2000 lbs/ton. Therefore, compliance with the annual emissions limitation shall be ensured provided compliance is maintained with hourly allowable NO_x emissions limitation.

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 7. Alternative EPA-approved test methods may be used with prior approval from the Ohio EPA.

c. Emission Limitation:

Organic compounds (OC) emissions shall not exceed 21.24 tons per year.

Applicable Compliance Method:

The annual emissions limit was established by multiplying the OC emissions factor of 0.0110 lb/hp-hr [AP-42, Table 3.2-2] by the emissions unit's maximum rated capacity of 440 HP then multiplying by 8760 hrs/yr then dividing by 2000 lbs/ton. Therefore, compliance with the annual emissions limitation shall be ensured provided compliance is maintained with hourly allowable OC emissions limitation.

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and either 25 or 25A, as appropriate.

d. Emission Limitation:

Visible particulate emissions from the exhaust stack serving this emissions unit shall not exceed twenty (20) percent opacity, as a six-minute average, except as specified by rule.



Final Permit-to-Install and Operate

Millcreek Lumber

Permit Number: P0115445

Facility ID: 0238000216

Effective Date: 10/3/2013

Applicable Compliance Method:

If required, compliance shall be determined through visible emission observations performed in accordance with U.S. EPA Reference Method 9 in 40 CFR, Part 60, Appendix A.

e. Emission Limitation:

Particulate emissions (PE) shall not exceed 0.310 lb/MMBtu of actual heat input.

Applicable Compliance Method:

If required, compliance with the hourly emissions limitation shall be determined in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and either 25 or 25A, as appropriate.

g) Miscellaneous Requirements

(1) None.