



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
MONTGOMERY COUNTY**

CERTIFIED MAIL

Street Address:

50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 08-04836

Fac ID: 0857083299

DATE: 5/15/2007

ATK Space Systems, Inc.
Tom Szweda
3975 Research Blvd.
Dayton, OH 45430

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

RAPCA



**Permit To Install
Terms and Conditions**

**Issue Date: 5/15/2007
Effective Date: 5/15/2007**

FINAL PERMIT TO INSTALL 08-04836

Application Number: 08-04836
Facility ID: 0857083299
Permit Fee: **\$400**
Name of Facility: ATK Space Systems, Inc.
Person to Contact: Tom Szweda
Address: 3975 Research Blvd.
Dayton, OH 45430

Location of proposed air contaminant source(s) [emissions unit(s)]:
**5016 Hempstead Station Dr.
Kettering, Ohio**

Description of proposed emissions unit(s):
Mixing equipment, spray booth, tank and oven.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

ATK Space Systems, Inc.
PTI Application: 08-04836
Issued: 5/15/2007

Facility ID: 0857083299

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

ATK Space Systems, Inc.
PTI Application: 08-04836
Issued: 5/15/2007

Facility ID: 0857083299

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

ATK Space Systems, Inc.
 PTI Application: 08-04836
 Issued: 5/15/2007

Facility ID: 0857083299

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
organic compound	12.97

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R001) - Honeycomb Coating Tank installed post Aug. 3, 2006.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	The organic compound (OC) emissions from this emissions unit shall not exceed 11.0 pounds per hour excluding cleanup and 11.45 tons per year including cleanup.
OAC rule 3745-21-07(G)(9)	See A.2.b.

2. Additional Terms and Conditions

- 2.a The hourly emission limitation was established to reflect potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.
- 2.b This emissions unit currently does not employ photochemically reactive materials as defined in OAC rule 3745-21-01(C)(5). It is, therefore, exempt from all emission limitations and control requirements contained in OAC rule 3745-21-07(G)(2).

B. Operational Restrictions

None

C. Monitoring and/or Record keeping Requirements

- 1. The permittee shall collect and record the following information each month for this emissions unit.
 - a. The name and identification of each coating and cleanup material employed.

Issued: 5/15/2007

- b. The volume, in gallons of each coating and cleanup material employed.
- c. The OC content of each coating and cleanup material employed, in pounds per gallon.
- d. The total OC emissions rate for all the coating and cleanup materials, in tons, [i.e., summation of (b x c)/2,000 lbs/ton].

D. Reporting Requirements

1. Prior to employing any photochemically reactive material in this emissions unit, the permittee shall provide written notification to the Director (the appropriate District Office or local air agency). Such notification shall include information sufficient to determine compliance with the emission limits and/or control requirements specified in OAC rule 3745-21-07(G).
2. The permittee shall submit annual reports that specify the actual total OC emissions from the emissions unit for the previous calendar year. The reports shall be submitted by January 31 of each year.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1. of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation:
The OC emissions from this emissions unit shall not exceed 11.0 pounds per hour excluding cleanup.

Applicable Compliance Method:
Compliance with the hourly allowable OC emission limitation may be determined by multiplying the maximum OC content of all the coatings (lbs/gallon) by the maximum coatings usage rate (gallons/hr).
 - b. Emissions Limitation:
The OC emissions from this emissions unit shall not exceed 11.45 tons per year including cleanup.

Applicable Compliance Method:
Compliance shall be based upon the record keeping specified in Section C.1.d.

Issued: 5/15/2007

and shall be the sum of the 12 monthly emissions rates for the calendar year.

2. Formulation data or USEPA Method 24 shall be used to determine the OC contents of the coatings and cleanup materials.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R002) - Touch-up Coating Booth installed post Aug 3, 2006

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(C) (voluntary restriction to avoid BAT, State only enforceable)	See A.2.a.
OAC rule 3745-21-09(U)(2)(e)(i)	On the days when coating metal parts the maximum daily coating usage from this emissions unit shall not exceed 8 gallons of coating in any one day.
OAC rule 3745-21-07(G)(2)	On the days when coating non-metal parts the organic compound (OC) emissions from this emissions unit shall not exceed 8 pounds per hour and 40 pounds per day.

2. Additional Terms and Conditions

- 2.a Permit to Install 08-04836 for this air contaminant source takes into account the following voluntary restrictions (including the use of any applicable air pollution control equipment) as proposed by the permittee for the purpose of avoiding Best Available Technology (BAT) requirements under OAC rule 3475-31-05(A)(3):
 - i. To limit the potential organic compound (OC) emissions to less than 1.52 tons per year.
- 2.b All the coatings and cleanup materials employed (when coating nonmetal parts) in this emissions unit are photochemically reactive materials. Therefore, no record keeping requirements are necessary to document whether the coatings and/or cleanup materials are photochemically reactive materials.

B. Operational Restrictions

Issued: 5/15/2007

None

C. Monitoring and/or Record keeping Requirements

1. The permittee shall collect and record the following information each day for this emissions unit.
 - a. The name and identification of each coating employed (including whether it is used for metal or nonmetal parts) and cleanup material employed.
 - b. On the days when coating non-metals, the total volume, in gallons of each coating employed for the coating of non-metal parts.
 - c. On the days when coating metal parts, the total volume, in gallons, of all the coatings employed for the coating of metal parts.
 - d. The volume, in gallons of each cleanup material employed.
 - e. The OC content of each coating and cleanup material employed, in pounds per gallon.
 - f. The total OC emissions rate for all coating and cleanup materials employed, (when coating nonmetal parts) [i.e., summation of (b x e) for all coatings plus (d x e) for all cleanup materials], in pounds.
 - g. The total numbers of hours the emissions unit was in operation (when coating nonmetal parts).
 - h. The average hourly OC emissions rate for all coatings and cleanup materials, i.e., (f)/(g), in pounds per hour (average) (when coating non-metal parts).

D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate District Office or local air agency) in writing of any daily record showing that the coating line employed more than the applicable maximum daily coating usage restriction of 8 gallons (when coating metals). The notification shall include a copy of such record and shall be sent to the Director (RAPCA) within 45 days after the exceedance occurs.
2. The permittee shall submit quarterly deviation (excursion) reports that include the

Issued: 5/15/2007

following information:

- a. An identification of each day during which the average hourly OC emissions from the coatings and cleanup materials (when coating non-metals) exceeded 8 pounds per hour, and the actual average hourly OC emissions for each such day.
- b. An identification of each day during which the OC emissions from the coatings and cleanup materials (when coating non-metals) exceeded 40 pounds per day, and the actual OC emissions for each such day.

These quarterly deviation (excursion) reports shall be submitted to the Director (the appropriate District Office or local air agency) by January 31, April 30, July 31 and October 31 of each year and shall cover the previous calendar quarter. If no deviation occurred during a calendar quarter, the permittee shall submit a report which states that no deviation occurred during the calendar quarter.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1. of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation:
On the days when coating metal parts the maximum daily coating usage from this emissions unit shall not exceed 8 gallons of coating in any one day.

Applicable Compliance Method:
Compliance shall be based upon the record keeping specified in Section C.1.c.
 - b. Emissions Limitation:
On the days when coating non-metal parts the OC emissions from this emissions unit shall not exceed 8 pounds per hour and 40 pounds per day.

Applicable Compliance Method:
Compliance shall be based upon the record keeping specified in Section C.1.h. and C.1. f. respectively.
 - c. Emissions Limitation:
The OC emissions shall not exceed 1.52 tons per year.

Applicable compliance Method:

Emissions Unit ID: **R002**

The permittee may demonstrate compliance with the annual allowable OC limitation above by multiplying the actual coating and cleanup usage (gallons) by their respective OC content (lbs/gallon) and dividing by 2000 lbs/ton.

2. US EPA Method 24 or formulation data shall be used to determine the OC contents of the cleanup materials.

F. Miscellaneous Requirements

None