

Synthetic Minor Determination and/or Netting Determination

Permit To Install **08-04572**

A. Source Description

Eurand America, Inc., SIC 2834 is a manufacturing facility that processes pharmaceuticals. Eurand does not manufacture the pharmaceuticals at this site but enhances them. Some of Eurand's enhancements include adding taste-masking and a time extension coating to the drugs. This PTI application is for a Gruenberg Tray Oven (P019); a stand alone powered tray drying oven which will be used to dry solvent based formulations. Eurand will be employing the use of a Megtec packed bed catalytic oxidizer with 98% destruction efficiency to limit the facility-wide organic compound emissions below the Title V threshold of a 100 tons per year. The following sources contribute to Eurand's facility wide organic compound emissions:

ID	Description	PTI	Issued	Allowables		
				lb/hr	TPY	
P001	200, 500 and 1000 gal. Pharm. Microencapsulation systems and dryers	08-04386	8/27/02	3.20	14.00	Syn Min
P008	Glatt Fluid bed coater	08-04603		0.68	2.23	Syn Min
P012	Phar. Processing system	08-04386	8/27/02	5.00	16.80	Syn Min
P013	Pharm. Bead prep rm w/ enclosed granulator, 2 extruders, 2 spheronizers and 4 drying ovens	08-04578		0.15	0.47	Syn Min
P014	Pan coater for pharm.	08-04386	8/27/02	0.66	2.89	Syn Min
P015	Glatt Fluid Bed Coater	08-04386	8/27/02	0.68	2.99	Syn Min
P017	Glatt 120 Pharm. Spray coater	08-04386	8/27/02	5.56	19.50	Syn Min
P019	Gruenberg Tray Oven	08-04572		0.41	1.34	Syn Min
Total Synthetic Minor OC emissions:					60.22	
P018	Pharm. Drying Oven	08-04337	11/8/01	Natural	15.20	
B002	7.74 MMBTU/hr nat. gas fired boiler			T-status	0.37	
P007	Versi-Glatt (R&D only)			T-status	1.00	aqueous only; no solvent
TXX	10,000 gal. Solvent storage tk			de minimis	0.80	
X						
P005	Solvent Recovery System			T-status	0.80	
P006	Lab hoods (R&D)			T-status	1.00	PTI exempt
T005	Solvent storage Area (55 gal drums & smaller)			T-status	negligible	no open containers
Total					79.39	

B. Facility Emissions and Attainment Status

Eurand America, Inc. is located in Montgomery County which is currently in attainment for all criteria pollutants. Eurand has 15 emissions units, of which 8 are permitted as synthetic minors, 1 as a natural minor, 5 on registration status and 1 de minimis. The current facility-wide OC potential to emit (PTE) (permitted allowable) is 79.39 TPY OC from all emission units including those on registration status. Those emission units covered by synthetic minor permits to install contribute 60.22 TPY OC to the facility wide OC PTE.

C. Source Emissions

Uncontrolled potential to emit from P019 is 66.78 TPY OC. This permit will be issued in draft and will have federally enforceable rolling, 12-month limitations of 1.34 TPY OC. The short term and annual OC emission limitation is based on the potential to emit of this emissions unit with control. OC emissions will be controlled by a catalytic oxidizer with 98% overall OC removal efficiency. Parametric monitoring and daily record keeping of the catalytic oxidizer will also be federally enforceable.

D. Conclusion

A PTI is recommended for this emission unit. Federal enforceability of the synthetic minor emission limitation for P019 will be achieved through parametric monitoring of the control device through daily record keeping and rolling, 12-month limitations on OC emissions.



State of Ohio Environmental Protection Agency

Street Address:

Mailing Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Lazarus Gov.
Center

**RE: DRAFT PERMIT TO INSTALL
MONTGOMERY COUNTY
Application No: 08-04572**

CERTIFIED MAIL

DATE: 5/20/2004

Eurand America Inc
Dane Marsee
845 Center Dr
Vandalia, OH 453770000

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43266-0149.

A Permit to Install may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install a fee of **\$200** will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Very truly yours,

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

RAPCA

KY

IN

MONTGOMERY COUNTY

PUBLIC NOTICE
ISSUANCE OF DRAFT PERMIT TO INSTALL 08-04572 FOR AN AIR CONTAMINANT SOURCE FOR
EURAND AMERICA INC

On 5/20/2004 the Director of the Ohio Environmental Protection Agency issued a draft action of a Permit To Install an air contaminant source for **Eurand America Inc**, located at **845 Center Dr, Vandalia**, Ohio.

Installation of the air contaminant source identified below may proceed upon final issuance of Permit To Install 08-04572:

Gruenberg tray oven.

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

John Paul, Regional Air Pollution Control Agency, 117 South Main Street, Dayton, OH 45422-1280
[(937)225-4435]



**Permit To Install
Terms and Conditions**

**Issue Date: To be entered upon final issuance
Effective Date: To be entered upon final issuance**

DRAFT PERMIT TO INSTALL 08-04572

Application Number: 08-04572
APS Premise Number: 0857171794
Permit Fee: **To be entered upon final issuance**
Name of Facility: Eurand America Inc
Person to Contact: Dane Marsee
Address: 845 Center Dr
Vandalia, OH 453770000

Location of proposed air contaminant source(s) [emissions unit(s)]:

**845 Center Dr
Vandalia, Ohio**

Description of proposed emissions unit(s):

Gruenberg tray oven.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Eurand America Inc

Facility ID: 0857171794

PTI Application: 08-04572

Issued: To be entered upon final issuance

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any

Eurand America Inc
PTI Application: 08-04572

Facility ID: 0857171794

Issued: To be entered upon final issuance

information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may

Eurand America Inc

PTI Application: 08-04572

Issued: To be entered upon final issuance

lead to such sanctions

Facility ID: 0857171794

Eurand America Inc
PTI Application: 08-04572

Facility ID: 0857171794

Issued: To be entered upon final issuance

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete

Eurand America Inc
PTI Application: 08-04572

Facility ID: 0857171794

Issued: To be entered upon final issuance

Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).

- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only) TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
OC	1.34

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P019 - Gruenberg Tray Oven	OAC rule 3745-31-05(A)(3)	The organic compound (OC) emissions from this emissions unit shall not exceed 0.41 pound per hour (lb/hr).
	OAC rule 3745-35-07(B) (synthetic minor to avoid Title V)	The requirements of this rule also include compliance with the requirements of OAC rules 3745-35-07(B).
	OAC rule 3745-21-07(G)(2) OAC rule 3745-21-07(G)(6)	See Section A.2.a and b below for emission control measures.
		The requirements specified by these rules are less stringent than the requirements established pursuant to OAC rule 3745-31-05(A).

2. Additional Terms and Conditions

- 2.a The OC emissions from this emissions unit shall be controlled through the application of a

Issued: To be entered upon final issuance

catalytic oxidizer system, operating at a minimum of 98% overall OC removal/destruction efficiency. [This catalytic oxidizer system is a common OC control device for emissions units P001, P008, P013, P014, P015, P017 and P019].

- 2.b** The total allowable emissions of organic compounds (OC) from emissions units P001 (200, 500 and 1,000 gallon pharmaceutical microencapsulation systems and dryers), P012 (pharmaceutical processing system), P014 (pan coater for pharmaceuticals), P015 (glatt fluid bed coater) and P017 (glatt 120 pharmaceutical spray coater) permitted in 08-04386; P008 (Glatt fluid bed coater) permitted in 08-4603, P013 (pharmaceutical bead preparation room with enclosed granulator 2 extruders, 2 spheronizers and 4 drying ovens) permitted in 08-04578; P019 (gruenberg tray oven) along with the following emissions units P018, permitted in 08-04337; B002, P007, P005, P006, T005, and other deminimis emissions units shall not exceed 79.39 TPY OC. Compliance with the above limitation shall be based on a rolling-12-month summation.

B. Operational Restrictions

1. The average temperature of the exhaust gases immediately before the catalyst bed, for any 24-hour averaging period, when the emissions unit is in operation, shall not be more than 50 degrees Fahrenheit below the average temperature during the most recent emission test that demonstrated the emissions unit was in compliance.
2. The average temperature difference across the catalyst bed, for any 24-hour averaging period, when the emissions unit is in operation, shall not be less than 80 percent of the average temperature difference during the most recent emission test that demonstrated the emissions unit was in compliance.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall operate and maintain temperature monitors and recorders which measure and record the temperature immediately upstream and downstream of the oxidizer's catalyst bed at least every 15 minutes during which the emissions unit is in operation. Units shall be in degrees Fahrenheit. The monitoring and recording devices shall be capable of accurately measuring the desired parameter. The temperature monitors and recorders shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, with any modifications deemed necessary by the permittee.

The permittee shall collect and record the following information each day:

- a. All 24-hour averaging periods (when the emissions unit was in operation) during which

Emissions Unit ID: **P019**

the average temperature of the exhaust gases immediately before the catalyst bed was more than 50 degrees Fahrenheit below the average temperature during the most recent emission test that demonstrated the emissions unit was in compliance.

- b. All 24-hour averaging periods (when the emissions unit was in operation) during which the average temperature difference across the catalyst bed was less than 80 percent of the average temperature difference during the most recent emission test that demonstrated the emissions unit was in compliance.
- c. A log of the downtime for the capture (collection) system, control device, and monitoring equipment, when the associated emissions unit was in operation.

Issued: To be entered upon final issuance

2. The permittee shall collect and record the following information each month:
 - a. The number of batches.
 - b. The number of gallons of each organic compound solvent material employed in each batch.
 - c. The density of each organic compound solvent material employed, in pounds per gallon.
 - d. The pounds of organic compound solvent material employed in each batch, i.e., (b) X (c).
 - e. The total number of hours the unit was in operation.
 - f. The average hourly controlled organic compound emission rate, in pounds per hour (average), i.e., (d)/(e).
3. The permittee shall maintain monthly records of the following information:
 - a. The OC emissions for each month (summation of term C.2.d divided by 2000 lbs/ton), in tons.
 - b. The rolling, 12-month summation of the monthly OC emissions.
4. The permit to install for this emissions unit P019 was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application, for P019. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration from the use of the SCREEN 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: Cyclohexane

TLV (mg/m³): 344

Maximum Hourly Emission Rate (lbs/hr): 0.42

Eurand America Inc
PTI A
Issued

Facility ID: 0857171794

Emissions Unit ID: **P019**

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 19.64

MAGLC (ug/m3): 3,442

Issued: To be entered upon final issuance

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. Changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled.
- b. Changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled.
- c. Physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01(VV)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition (other than (VV)(1)(a)(ii)), then the permittee shall obtain a final permit to install prior to the change.

5. The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy":
 - a. A description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.).
 - b. Documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy".
 - c. Where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

Euran

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P019**

D. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports, in accordance with paragraph A.2. of the General Terms and Conditions of this permit, that include the following information:

Issued: To be entered upon final issuance

- a. An identification of each day during which the average hourly controlled organic compound emissions rate exceeded 0.41 lbs/hr, and the actual average hourly controlled organic compound emissions for each such day.
 - b. An identification of all 24-hour averaging periods when the emissions unit was in operation during which the average temperature of the exhaust gases immediately before the catalyst bed was more than 50 degrees Fahrenheit below the average temperature during the most recent emission test that demonstrated the emissions unit was in compliance.
 - d. An identification of all 24-hour averaging periods when the emissions unit was in operation during which the average temperature difference across the catalyst bed was less than 80 percent of the average temperature difference during the most recent emission test that demonstrated the emissions unit was in compliance.
 - e. An identification of any exceedance of the rolling, 12-month summation of monthly OC emissions.
2. The permittee shall submit quarterly summaries which include a log of the downtime for the capture (collection) system, control device, and monitoring equipment, when the associated emissions unit was in operation.
 3. The permittee shall submit annual reports which specify the total organic compound emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.

E. Testing Requirements

1. Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation-
The organic compound (OC) emissions from this emissions unit shall not exceed 0.41 pound per hour (lbs/hr).

Applicable Compliance Method-
Compliance shall be determined by performance testing as specified in Section E.2 of this permit and record keeping as specified in Section C.2 of this permit.

- b. Emission Limitation-
The organic compound (OC) emissions from this emissions unit shall not exceed 1.34 tons per year (TPY), based on a rolling, 12-month summation.
- Applicable Compliance Method-
Compliance shall be determined by the record keeping as specified in Section C.3 of this permit.
2. The permittee shall conduct, or have conducted, emissions testing on this emissions unit in accordance with the following requirements:
- a. The emissions testing shall be conducted within ninety days after permit issuance.
- b. The emissions testing shall be conducted to demonstrate compliance with the allowable mass emission rate and overall control efficiency of 98% for organic compounds.
- c. The following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): Method 18 of 40 CFR Part 60, Appendix A, as well as Method 25 or 25 A of 40 CFR Part 60, Appendix A, as appropriate, and the test method(s) which must be employed to demonstrate compliance with the overall control efficiency limitation for organic compounds. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.
- The control efficiency (i.e., the percent reduction in mass emissions between the inlet and outlet of the control system) shall be determined in accordance with the test methods and procedures specified in OAC rule 3745-21-10 of the approved alternative test protocol (e.g., "the mass balance protocol approved on 10/25/95")
- d. The test(s) shall be conducted while all emissions units (P001, P014, P015, P017 and P019) controlled by this common control device are operating at or near their maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

Not later than 30 days prior to the proposed test date(s), this facility shall submit an "Intent to Test" notification. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the tests, and the person(s) who will be conducting the tests. Failure to submit such notification for review and approval prior to the tests may result in the Ohio EPA District Office's or Local Air Agency's refusal to accept the results of the emission tests.

Euran**PTI A**Emissions Unit ID: **P019****Issued: To be entered upon final issuance**

Personnel from the appropriate Ohio EPA District Office or Local Air Agency shall be permitted to witness the tests, examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions tests shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

Euran

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P019**

F. Miscellaneous Requirements

1. The following terms and conditions are federally enforceable: Sections A.1 (only the requirements associated with OAC 3745-35-07(B)), A.2.a, B.1 and 2, C.1 thru 3, D.1, D.2, E.1.b, and E.2.