



State of Ohio Environmental Protection Agency

Street Address:

Mailing Address:

TELE: (614) 644-3020 FAX: (614) 644-2329

09/17/98

CERTIFIED MAIL

01-80-01-0107

RE: Final Chapter 3745-35 Permit To Operate

GI Plastek, Inc. Dec-Rite Plant
Horace McConnell
692 Clymer Road
P.O. Box 270
Marysville, OH 43040-9488

Dear Horace McConnell:

The enclosed Permit(s) to Operate allow you to operate the described emissions unit(s) in the manner indicated in the Permit(s). Because each permit contains several terms and conditions, I urge you to read them carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. It is also requested by the Director that a copy of the appeal be served upon the Environmental Enforcement Section of the Office of the Attorney General. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street
Room 300
Columbus, Ohio 43215

If you have any questions, please contact the Central District Office at (614) 728-3778.

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: Central District Office
Jim Orlemann, DAPC Engineering
Becky Castle, DAPC PMU



PERMIT TO OPERATE AN EMISSIONS UNIT

Effective Date: 09/17/98

Facility ID: 01-80-01-0107

Expiration Date: 09/17/03

FINAL ISSUE

This document constitutes issuance for:

GI Plastek, Inc. Dec-Rite Plant
692 Clymer Road
P.O. Box 270
Marysville, OH 43040-9488

of a permit to operate for:

R002 (Paint Booth #1)
Spray Booth No. 1

PART I General Terms & Conditions

1. Compliance Requirements

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

2. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These

quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

4. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of three years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

5. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

6. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

7. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

8. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

9. Permit Renewal

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency. It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.


The following Ohio EPA District Office or local air agency has jurisdiction in the area in which the facility is located:

Central District Office
3232 Alum Creek Drive
PO Box 1049
Columbus, OH 43216-1049
(614) 728-3778

You will be contacted approximately six months prior to expiration date regarding the renewal of this permit. If you are not contacted, please contact the Central District Office.

10. The permittee is also subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY



Director

Part II: Special Terms and Conditions

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Paint Spray Booth #1	OAC Rule 3745-21-07(G)(2) OAC Rule 3745-35-07	Emissions of organic compounds shall not exceed 8 pounds per hour and 40 pounds per day. Total HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 24.9 tons per rolling 12-month period; Individual HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 9.9 tons per rolling 12-month period.

2. Additional Terms and Conditions

None

B. Operational Restrictions

None

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information for each day for this coating operation:
 - a. The company identification for each coating and photochemically reactive cleanup material employed.
 - b. The number of gallons of each coating and photochemically reactive cleanup material employed.
 - c. The organic compound content of each coating and photochemically reactive cleanup material, in pounds per gallon.
 - d. The total organic compound emission rate for all coatings and photochemically reactive cleanup materials, in pounds per day.
 - e. The total number of hours the emissions unit was in operation.
 - f. The average hourly organic compound emission rate for all coatings and photochemically reactive cleanup materials, i.e., d./e., in pounds per hour (average).

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definitions of "photochemically reactive" and "nonphotochemically reactive" are based upon OAC rule 3745-21-01(C)(5).]

C. Monitoring and/or Record Keeping Requirements (continued)

2. The permittee shall collect and record the following information each month for K001, and R002 through R006:
 - a. The name and identification number of each coating, thinner, and cleanup material employed.
 - b. The total volume, in gallons, of each coating, thinner, and cleanup material employed.
 - c. The individual HAP content of each coating, thinner, and cleanup material, in pounds per gallon.
 - d. The total HAP emissions from all coatings, thinners, and cleanup materials employed, in pounds or tons.
 - e. The total emissions of each individual HAP from all coatings, thinners, and cleanup materials employed, in pounds or tons.
 - f. The rolling, 12-month summations of the data required in each of the items d. and e. above.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly organic compound emissions from the coatings and photochemically reactive cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - b. An identification of each day during which the organic compound emissions from the coatings and photochemically reactive cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall notify the Director of any monthly record showing emissions in excess of the rolling, 12-month limitations specified in A.1. These reports are due by the dates described in Part 1 -General Terms and Conditions of this permit under section A.1.
3. The permittee shall also submit annual reports which include the following information:
 - a. The total HAP emissions from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.
 - b. The total emissions of each individual HAP from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.

These reports shall be submitted by January 31 of each year and shall include information for each month during the previous calendar year.

E. Testing Requirements

1. Compliance with the rolling, 12-month emission limitations in Section A. of these terms and conditions shall be determined in accordance with the following method:

Monthly records shall be maintained of the coating, thinner, and cleanup material usages (as required in Section C.2.) and the hazardous air pollutant (HAP) content of each coating, thinner, and cleanup material. Formulation data shall be used to determine the HAP contents of the coatings, thinners, and cleanup materials. The individual HAP emission rates for each coating, thinner, and cleanup material shall be calculated by multiplying the volume of material employed by the appropriate HAP content determined for that material. The individual HAP and total HAP emission rates for each month shall be calculated by adding the emission rates for all coatings, thinners, and cleanup materials employed during that time. The rolling, 12-month summations for individual HAP and total HAPs shall be calculated each month by adding the emission rate for that month to the emission rate for the previous 11 calendar months.
2. Compliance with the organic compound emission limitations in Section A.I. of these terms and conditions shall be determined in accordance with the following method:

Daily records shall be maintained of the coating and cleanup material usages, organic compound content of each coating and cleanup material, and operating hours per day. Formulation data or USEPA Method 24 shall be used to determine the organic compound contents of the coatings and cleanup material.

F. Miscellaneous Requirements

1. In accordance with the provisions of OAC Rule 3745-35-07, the following special terms and conditions of this permit to operate are federally enforceable: A - F.



PERMIT TO OPERATE AN EMISSIONS UNIT

Effective Date: 09/17/98

Facility ID: 01-80-01-0107

Expiration Date: 09/17/03

FINAL ISSUE

This document constitutes issuance for:

GI Plastek, Inc. Dec-Rite Plant
692 Clymer Road
P.O. Box 270
Marysville, OH 43040-9488

of a permit to operate for:

R004 (Paint Booth #3)
Spray Booth No. 3

PART I General Terms & Conditions

1. Compliance Requirements

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

2. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These

quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

4. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of three years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

5. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

6. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

8. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

9. Permit Renewal

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency. It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.


The following Ohio EPA District Office or local air agency has jurisdiction in the area in which the facility is located:

Central District Office
3232 Alum Creek Drive
PO Box 1049
Columbus, OH 43216-1049
(614) 728-3778

You will be contacted approximately six months prior to expiration date regarding the renewal of this permit. If you are not contacted, please contact the Central District Office.

10. The permittee is also subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY



Director

Part II: Special Terms and Conditions

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Paint Spray Booth #3	OAC Rule 3745-21-07(G)(2) OAC Rule 3745-35-07	Emissions of organic compounds shall not exceed 8 pounds per hour and 40 pounds per day. Total HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 24.9 tons per rolling 12-month period; Individual HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 9.9 tons per rolling 12-month period.

2. Additional Terms and Conditions

None

B. Operational Restrictions

None

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information for each day for this coating operation:
 - a. The company identification for each coating and photochemically reactive cleanup material employed.
 - b. The number of gallons of each coating and photochemically reactive cleanup material employed.
 - c. The organic compound content of each coating and photochemically reactive cleanup material, in pounds per gallon.
 - d. The total organic compound emission rate for all coatings and photochemically reactive cleanup materials, in pounds per day.
 - e. The total number of hours the emissions unit was in operation.
 - f. The average hourly organic compound emission rate for all coatings and photochemically reactive cleanup materials, i.e., d./e., in pounds per hour (average).

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definitions of "photochemically reactive" and "nonphotochemically reactive" are based upon OAC rule 3745-21-01(C)(5).]

C. Monitoring and/or Record Keeping Requirements (continued)

2. The permittee shall collect and record the following information each month for K001 and R002 through R003:
 - a. The name and identification number of each coating, thinner, and cleanup material employed.
 - b. The total volume, in gallons, of all of the coatings, thinner, or cleanup material employed.
 - c. The individual HAP content of each coating, thinner, and cleanup material, in pounds per gallon.
 - d. The total HAP emissions from all coatings, thinners, and cleanup materials employed, in pounds or tons.
 - e. The total emissions of each individual HAP from all coatings, thinners, and cleanup materials employed, in pounds or tons.
 - f. The rolling, 12-month summations of the data required in each of the items d. and e. above.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly organic compound emissions from the coatings and photochemically reactive cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - b. An identification of each day during which the organic compound emissions from the coatings and photochemically reactive cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall notify the Director of any monthly record showing emissions in excess of the rolling, 12-month limitations specified in A.1. These reports are due by the dates described in Part 1 -General Terms and Conditions of this permit under section A.1.
3. The permittee shall also submit annual reports which include the following information:
 - a. The total HAP emissions from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.
 - b. The total emissions of each individual HAP from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.

These reports shall be submitted by January 31 of each year and shall include information for each month during the previous calendar year.

E. Testing Requirements

1. Compliance with the rolling, 12-month emission limitations in Section A. of these terms and conditions shall be determined in accordance with the following method:

Monthly records shall be maintained of the coating, thinner, and cleanup material usages (as required in Section C.2.) and the hazardous air pollutant (HAP) content of each coating, thinner, and cleanup material. Formulation data shall be used to determine the HAP contents of the coatings, thinners, and cleanup materials. The individual HAP emission rates for each coating, thinner, and cleanup material shall be calculated by multiplying the volume of material employed by the appropriate HAP content determined for that material. The individual HAP and total HAP emission rates for each month shall be calculated by adding the emission rates for all coatings, thinners, and cleanup materials employed during that time. The rolling, 12-month summations for individual HAP and total HAPs shall be calculated each month by adding the emission rate for that month to the emission rate for the previous 11 calendar months.
2. Compliance with the organic compound emission limitations in Section A.I. of these terms and conditions shall be determined in accordance with the following methods:

Daily records shall be maintained of the coating usage, organic compound content of each coating and cleanup materials, and operating hours per day. Formulation data or USEPA Method 24 shall be used to determine the organic compound contents of the coatings and cleanup materials.

F. Miscellaneous Requirements

1. In accordance with the provisions of OAC Rule 3745-35-07, the following special terms and conditions of this permit to operate are federally enforceable: A - F.



PERMIT TO OPERATE AN EMISSIONS UNIT

Effective Date: 09/17/98

Facility ID: 01-80-01-0107

Expiration Date: 09/17/03

FINAL ISSUE

This document constitutes issuance for:

GI Plastek, Inc. Dec-Rite Plant
692 Clymer Road
P.O. Box 270
Marysville, OH 43040-9488

of a permit to operate for:

R003 (Paint Booth #2)
Spray Booth No. 2

PART I General Terms & Conditions

1. Compliance Requirements

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These

quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

4. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of three years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

5. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

6. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

7. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

8. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

9. Permit Renewal

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency. It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.


The following Ohio EPA District Office or local air agency has jurisdiction in the area in which the facility is located:

Central District Office
3232 Alum Creek Drive
PO Box 1049
Columbus, OH 43216-1049
(614) 728-3778

You will be contacted approximately six months prior to expiration date regarding the renewal of this permit. If you are not contacted, please contact the Central District Office.

10. The permittee is also subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY



Director

Part II: Special Terms and Conditions

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Paint Spray Booth #2	OAC Rule 3745-21-07(G)(2) OAC Rule 3745-35-07	Emissions of organic compounds shall not exceed 8 pounds per hour and 40 pounds per day. Total HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 24.9 tons per rolling 12-month period; Individual HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 9.9 tons per rolling 12-month period.

2. Additional Terms and Conditions

None

B. Operational Restrictions

None

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information for each day for this coating operation:
 - a. The company identification for each coating and photochemically reactive cleanup material employed.
 - b. The number of gallons of each coating and photochemically reactive cleanup material employed.
 - c. The organic compound content of each coating and photochemically reactive cleanup material, in pounds per gallon.
 - d. The total organic compound emission rate for all coatings and photochemically reactive cleanup materials, in pounds per day.
 - e. The total number of hours the emissions unit was in operation.
 - f. The average hourly organic compound emission rate for all coatings and photochemically reactive cleanup materials, i.e., d./e., in pounds per hour (average).

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definitions of "photochemically reactive" and "nonphotochemically reactive" are based upon OAC rule 3745-21-01(C)(5).]

C Monitoring and/or Record Keeping Requirements (continued)

2. The permittee shall collect and record the following information each month for K001 and R002 through R006:
 - a. The name and identification number of each coating, thinner, and cleanup material employed.
 - b. The total volume, in gallons, of each coating, thinner, and cleanup material employed.
 - c. The individual HAP content of each coating, thinner, and cleanup material, in pounds per gallon.
 - d. The total HAP emissions from all coatings, thinners, and cleanup materials employed, in pounds or tons.
 - e. The total emissions of each individual HAP from all coatings, thinners, and cleanup materials employed, in pounds or tons.

The rolling, 12-month summations of the data required in each of the items d. and e. above.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly organic compound emissions from the coatings and photochemically reactive cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - b. An identification of each day during which the organic compound emissions from the coatings and photochemically reactive cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall notify the Director of any monthly record showing emissions in excess of the rolling, 12-month limitations specified in A.1. These reports are due by the dates described in Part 1 -General Terms and Conditions of this permit under section A.1.
3. The permittee shall also submit annual reports which include the following information:
 - a. The total HAP emissions from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.
 - b. The total emissions of each individual HAP from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.

These reports shall be submitted by January 31 of each year and shall include information for each month during the previous calendar year.

E. Testing Requirements

Compliance with the rolling, 12-month emission limitations in Section A. of these terms and conditions shall be determined in accordance with the following method:

Monthly records shall be maintained of the coating, thinner, and cleanup material usages (as required in Section C.2.) and the hazardous air pollutant (HAP) content of each coating, thinner, and cleanup material. Formulation data shall be used to determine the HAP contents of the coatings, thinners, and cleanup materials. The individual HAP emission rates for each coating, thinner, and cleanup material shall be calculated by multiplying the volume of material employed by the appropriate HAP content determined for that material. The individual HAP and total HAP emission rates for each month shall be calculated by adding the emission rates for all coatings, thinners, and cleanup materials employed during that time. The rolling, 12-month summations for individual HAP and total HAPs shall be calculated each month by adding the emission rate for that month to the emission rate for the previous 11 calendar months.

2. Compliance with the organic compound emission limitations in Section A.1. of these terms and conditions shall be determined in accordance with the following methods:

Daily records shall be maintained of the coating and cleanup material usages, organic compound content of each coating and cleanup material, and operating hours per day. Formulation data or USEPA Method 24 shall be used to determine the organic compound contents of the coatings and cleanup material.

F. Miscellaneous Requirements

1. In accordance with the provisions of OAC Rule 3745-35-07, the following special terms and conditions of this permit to operate are federally enforceable: A - F.



PERMIT TO OPERATE AN EMISSIONS UNIT

Effective Date: 09/17/98

Facility ID: 01-80-01-0107

Expiration Date: 09/17/03

FINAL ISSUE

This document constitutes issuance for:

GI Plastek, Inc. Dec-Rite Plant
692 Clymer Road
P.O. Box 270
Marysville, OH 43040-9488

of a permit to operate for:

R006 (Paint Booth #5)
Spray Booth No. 5

PART I General Terms & Conditions

1. Compliance Requirements

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

2. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These

quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of three years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

5. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

6. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

7. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

8. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

9. Permit Renewal

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency. It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.


The following Ohio EPA District Office or local air agency has jurisdiction in the area in which the facility is located:

Central District Office
3232 Alum Creek Drive
PO Box 1049
Columbus, OH 43216-1049
(614) 728-3778

You will be contacted approximately six months prior to expiration date regarding the renewal of this permit. If you are not contacted, please contact the Central District Office.

10. The permittee is also subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY

A handwritten signature in cursive script, reading "Donald R. Schreyer", is written over a horizontal line.

Director

Part II: Special Terms and Conditions

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Paint Spray Booth #5	OAC Rule 3745-21-07(G)(2) OAC Rule 3745-35-07	Emissions of organic compounds shall not exceed 8 pounds per hour and 40 pounds per day. Total HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 24.9 tons per rolling 12-month period; Individual HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 9.9 tons per rolling 12-month period.

2. Additional Terms and Conditions

None

B. Operational Restrictions

None

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information for each day for this coating operation:
 - a. The company identification for each coating and photochemically reactive cleanup material employed.
 - b. The number of gallons of each coating and photochemically reactive cleanup material employed.
 - c. The organic compound content of each coating and photochemically reactive cleanup material, in pounds per gallon.
 - d. The total organic compound emission rate for all coatings and photochemically reactive cleanup materials, in pounds per day.
 - e. The total number of hours the emissions unit was in operation.
 - f. The average hourly organic compound emission rate for all coatings and photochemically reactive cleanup materials, i.e., d./e., in pounds per hour (average).

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definitions of "photochemically reactive" and "nonphotochemically reactive" are based upon OAC rule 3745-21-01(C)(5).]

C. Monitoring and/or Record Keeping Requirements (continued)

2. The permittee shall collect and record the following information each month for K001 and R002 through R006
 - a. The name and identification number of each coating, thinner, and cleanup material employed
 - b. The total volume, in gallons, of each coating, thinner, and cleanup material employed
 - c. The individual HAP content of each coating, thinner, and cleanup material, in pounds per gallon
 - d. The total HAP emissions from all coatings, thinners, and cleanup materials employed, in pounds or tons.
 - e. The total emissions of each individual HAP from all coatings, thinners, and cleanup materials employed, in pounds or tons.

The rolling, 12-month summations of the data required in each of the items d. and e. above.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly organic compound emissions from the coatings and photochemically reactive cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - b. An identification of each day during which the organic compound emissions from the coatings and photochemically reactive cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall notify the Director of any monthly record showing emissions in excess of the rolling, 12-month limitations specified in A.1. These reports are due by the dates described in Part 1 -General Terms and Conditions of this permit under section A.1.
3. The permittee shall also submit annual reports which include the following information:
 - a. The total HAP emissions from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.
 - b. The total emissions of each individual HAP from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.

These reports shall be submitted by January 31 of each year and shall include information for each month during the previous calendar year.

E. Testing Requirements

Compliance with the rolling, 12-month emission limitations in Section A.I. of these terms and conditions shall be determined in accordance with the following method:

Monthly records shall be maintained of the coating, thinner, and cleanup material usages (as required in Section C.2.) and the hazardous air pollutant (HAP) content of each coating, thinner, and cleanup material. Formulation data shall be used to determine the HAP contents of the coatings, thinners, and cleanup materials. The individual HAP emission rates for each coating, thinner, and cleanup material shall be calculated by multiplying the volume of material employed by the appropriate HAP content determined for that material. The individual HAP and total HAP emission rates for each month shall be calculated by adding the emission rates for all coatings, thinners, and cleanup materials employed during that time. The rolling, 12-month summations for individual HAP and total HAPs shall be calculated each month by adding the emission rate for that month to the emission rate for the previous 11 calendar months.

2. Compliance with the organic compound emission limitations in Section A.I. of these terms and conditions shall be determined in accordance with the following method:

Daily records shall be maintained of the coating and cleanup material usages, organic compound content of each coating and cleanup material, and operating hours per day. Formulation data or USEPA Method 24 shall be used to determine the organic compound contents of the coatings and cleanup material.

F. Miscellaneous Requirements

1. In accordance with the provisions of OAC Rule 3745-35-07, the following special terms and conditions of this permit to operate are federally enforceable: A - F.



PERMIT TO OPERATE AN EMISSIONS UNIT

Effective Date: 09/17/98

Facility ID: 01-80-01-0107

Expiration Date: 09/17/03

FINAL ISSUE

This document constitutes issuance for:

GI Plastek, Inc. Dec-Rite Plant
692 Clymer Road
P.O. Box 270
Marysville, OH 43040-9488

of a permit to operate for:

R005 (Paint Booth #4)
Spray Booth No. 4

PART I General Terms & Conditions

1. Compliance Requirements

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

2. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These

quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

4. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of three years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

5. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

6. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

8. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

9. Permit Renewal

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency. It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.


The following Ohio EPA District Office or local air agency has jurisdiction in the area in which the facility is located:

Central District Office
3232 Alum Creek Drive
PO Box 1049
Columbus, OH 43216-1049
(614) 728-3778

You will be contacted approximately six months prior to expiration date regarding the renewal of this permit. If you are not contacted, please contact the Central District Office.

10. The permittee is also subject to the attached special terms and conditions

OHIO ENVIRONMENTAL PROTECTION AGENCY

A handwritten signature in cursive script, reading "Donald R. Schreyer", is written over a horizontal line.

Director

Part II: Special Terms and Conditions

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Paint Spray Booth #4	OAC Rule 3745-21-07(G)(2) OAC Rule 3745-35-07	Emissions of organic compounds shall not exceed 8 pounds per hour and 40 pounds per day. Total HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 24.9 tons per rolling 12-month period; Individual HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 9.9 tons per rolling 12-month period.

2. Additional Terms and Conditions

None

B. Operational Restrictions

None

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information for each day for this coating operation
 - a. The company identification for each coating and photochemically reactive cleanup material employed.
 - b. The number of gallons of each coating and photochemically reactive cleanup material employed.
 - c. The organic compound content of each coating and photochemically reactive cleanup material, in pounds per gallon.
 - d. The total organic compound emission rate for all coatings and photochemically reactive cleanup materials, in pounds per day.
 - e. The total number of hours the emissions unit was in operation.
 - f. The average hourly organic compound emission rate for all coatings and photochemically reactive cleanup materials, i.e., d./e., in pounds per hour (average).

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit. Also, the definitions of "photochemically reactive" and "nonphotochemically reactive" are based upon OAC rule 3745-21-01(C)(5).]

C. Monitoring and/or Record Keeping Requirements (continued)

2. The permittee shall collect and record the following information each month for K001 and R002 through R006:
 - a. The name and identification number of each coating, thinner, and cleanup material employed.
 - b. The total volume, in gallons, of each coating, thinner, and cleanup material employed.
 - c. The individual HAP content of each coating, thinner, and cleanup material, in pounds per gallon.
 - d. The total HAP emissions from all coatings, thinners, and cleanup materials employed, in pounds or tons.
 - e. The total emissions of each individual HAP from all coatings, thinners, and cleanup materials employed, in pounds or tons.
 - f. The rolling, 12-month summations of the data required in each of the items d. and e. above.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly organic compound emissions from the coatings and photochemically reactive cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - b. An identification of each day during which the organic compound emissions from the coatings and photochemically reactive cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall notify the Director of any monthly record showing emissions in excess of the rolling, 12-month limitations specified in A.1. These reports are due by the dates described in Part 1 -General Terms and Conditions of this permit under section A.1.
3. The permittee shall also submit annual reports which include the following information:
 - a. The total HAP emissions from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.
 - b. The total emissions of each individual HAP from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.

These reports shall be submitted by January 31 of each year and shall include information for each month during the previous calendar year.

E. Testing Requirements

1. Compliance with the rolling, 12-month emission limitations in Section A.I. of these terms and conditions shall be determined in accordance with the following method:

Monthly records shall be maintained of the coating, thinner, and cleanup material usages (as required in Section C.2.) and the hazardous air pollutant (HAP) content of each coating, thinner, and cleanup material. Formulation data shall be used to determine the HAP contents of the coatings, thinners, and cleanup materials. The individual HAP emission rates for each coating, thinner, and cleanup material shall be calculated by multiplying the volume of material employed by the appropriate HAP content determined for that material. The individual HAP and total HAP emission rates for each month shall be calculated by adding the emission rates for all coatings, thinners, and cleanup materials employed during that time. The rolling, 12-month summations for individual HAP and total HAPs shall be calculated each month by adding the emission rate for that month to the emission rate for the previous 11 calendar months.
2. Compliance with the emission limitations in Section A.I. of these terms and conditions shall be determined in accordance with the following methods:

Daily records shall be maintained of the coating and cleanup material usages, organic compound content of each coating and cleanup materials, and operating hours per day. Formulation data or USEPA Method 24 shall be used to determine the organic compound contents of the coatings and cleanup material.

F. Miscellaneous Requirements

1. In accordance with the provisions of OAC Rule 3745-35-07, the following special terms and conditions of this permit to operate are federally enforceable: A - F.



PERMIT TO OPERATE AN EMISSIONS UNIT

Effective Date: 09/17/98

Facility ID: 01-80-01-0107

Expiration Date: 09/17/03

FINAL ISSUE

This document constitutes issuance for:

GI Plastek, Inc. Dec-Rite Plant
692 Clymer Road
P.O. Box 270
Marysville, OH 43040-9488

of a permit to operate for:

K001 (Coating Line)
Rotary Spray Coating Machine

PART I General Terms & Conditions

1. Compliance Requirements

The above-described emissions unit is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.

2. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

3. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These

quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

4. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of three years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

5. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

6. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions unit or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this emissions unit(s) that is (are) served by such control system(s).

7. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permittee. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

8. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

9. Permit Renewal

Approximately six months prior to the expiration date of this permit, a notice regarding the renewal of this permit will be sent to the permittee's designated facility contact. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency. It is the permittee's responsibility to renew this permit even if no notice of its expiration is received.


The following Ohio EPA District Office or local air agency has jurisdiction in the area in which the facility is located:

Central District Office
3232 Alum Creek Drive
PO Box 1049
Columbus, OH 43216-1049
(614) 728-3778

You will be contacted approximately six months prior to expiration date regarding the renewal of this permit. If you are not contacted, please contact the Central District Office.

10. The permittee is also subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY



Director

Part II: Special Terms and Conditions

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Rotary Spray Coating Machine/Coating line and Oven	OAC Rule 3745-21-09(U)(2)(e)(ii) OAC Rule 3745-35-07	Exempt from the requirements of OAC Rule 3745-21-09(U)(1) - see B.1. Total HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 24.9 tons per rolling 12-month period. Individual HAP emissions from R002, R003, R004, R005, R006, and K001 shall not exceed 9.9 tons per rolling 12-month period.

2. Additional Terms and Conditions

None

B. Operational Restrictions

1. The permittee shall not employ more than 10 gallons of coatings per day in this emissions unit.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each day for this coating line:
 - a. The name and identification number of each coating employed.
 - b. The volume, in gallons, of each coating employed.
 - c. The total volume, in gallons, of all of the coatings employed.
2. The permittee shall collect and record the following information each month for K001, and R002 through R006:
 - a. The name and identification number of each coating employed, thinner, and cleanup material employed.
 - b. The total volume, in gallons, of each coating, thinner, and cleanup material employed.
 - c. The individual HAP content of each coating, thinner, and cleanup material in pounds per gallon.
 - d. The total HAP emissions from all coatings, thinners, and cleanup materials employed, in pounds or tons.
 - e. The total emissions of each individual HAP from all coatings, thinners, and cleanup materials employed, in pounds or tons.

The rolling, 12-month summations of the data required in each of the items d. and e. above.

D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the coating line employs more than the applicable maximum daily coating usage limit. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the exceedance occurs.

D. Reporting Requirements (continued)

2. The permittee shall notify the Director of any monthly record showing emissions in excess of the rolling, 12-month limitations specified in A.1. These reports are due by the dates described in Part 1 -General Terms and Conditions of this permit under section A.1.
3. The permittee shall also submit annual reports which include the following information:
 - a. The total HAP emissions from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.
 - b. The total emissions of each individual HAP from the coatings, thinners, and cleanup materials employed in K001, R002, R003, R004, R005, and R006, in tons, for each month and each rolling 12-month period.

These reports shall be submitted by January 31 of each year and shall include information for each month during the previous calendar year.

E. Testing Requirements

1. Compliance with the rolling, 12-month emission limitations in Section A. of these terms and conditions shall be determined in accordance with the following method:

Monthly records shall be maintained of the coating, thinner, and cleanup material usages (as required in Section C.2. and the hazardous air pollutant (HAP) content of each coating, thinner, and cleanup material. Formulation data shall be used to determine the HAP contents of the coatings, thinners, and cleanup materials. The individual HAP emission rates for each coating, thinner, and cleanup material shall be calculated by multiplying the volume of material employed by the appropriate HAP content determined for that material. The individual HAP and total HAP emission rates for each month shall be calculated by adding the emission rates for all coatings, thinners, and cleanup materials employed during that time. The rolling, 12-month summations for individual HAP and total HAPs shall be calculated each month by adding the emission rate for that month to the emission rate for the previous 11 calendar months.

F. Miscellaneous Requirements

1. In accordance with the provisions of OAC Rule 3745-35-07, the following special terms and conditions of this permit to operate are federally enforceable: A - F.