



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
PREBLE COUNTY**

CERTIFIED MAIL

Street Address:

50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 08-04862

Fac ID: 0868030155

DATE: 9/20/2007

Neaton Auto Products Mfg Inc
Cheryl White
975 S Franklin St
Eaton, OH 45320-0000

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

RAPCA



**Permit To Install
Terms and Conditions**

**Issue Date: 9/20/2007
Effective Date: 9/20/2007**

FINAL PERMIT TO INSTALL 08-04862

Application Number: 08-04862
Facility ID: 0868030155
Permit Fee: **\$200**
Name of Facility: Neaton Auto Products Mfg Inc
Person to Contact: Cheryl White
Address: 975 S Franklin St
Eaton, OH 45320-0000

Location of proposed air contaminant source(s) [emissions unit(s)]:
**975 S Franklin St
Eaton, Ohio**

Description of proposed emissions unit(s):
Finisher Paint System.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

Neaton Auto Products Mfg Inc
PTI Application: 08-04862
Issued: 9/20/2007

Facility ID: 0868030155

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit-To-Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written

Neaton Auto Products Mfg Inc
PTI Application: 08-04862
Issued: 9/20/2007

Facility ID: 0868030155

reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.9 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
 - iv. If this permit is for an emissions unit located at a Title V facility, then each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.
- d. The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

Neaton Auto Products Mfg Inc
PTI Application: 08-04862
Issued: 9/20/2007

Facility ID: 0868030155

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

Neaton Auto Products Mfg Inc
PTI Application: 08-04862
Issued: 9/20/2007

Facility ID: 0868030155

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.

Neaton Auto Products Mfg Inc
PTI Application: 08-04862
Issued: 9/20/2007

Facility ID: 0868030155

- iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit-To-Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this permit is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

12. Air Pollution Nuisance

8

Neaton Auto Products Mfg Inc
PTI Application: 08-04862
Issued: 9/20/2007

Facility ID: 0868030155

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Neaton Auto Products Mfg Inc
PTI Application: 08-04862
Issued: 9/20/2007

Facility ID: 0868030155

13. Permit-To-Install

A permit-to-install must be obtained pursuant to OAC Chapter 3745-31 prior to "installation" of "any air contaminant source" as defined in OAC rule 3745-31-01, or "modification", as defined in OAC rule 3745-31-01, of any emissions unit included in this permit.

B. State Only Enforceable Permit-To-Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing

Neaton Auto Products Mfg Inc
PTI Application: 08-04862
Issued: 9/20/2007

Facility ID: 0868030155

of any transfer of this permit.

Neaton Auto Products Mfg Inc
PTI Application: 08-04862
Issued: 9/20/2007

Facility ID: 0868030155

4. Authorization To Install or Modify

If applicable, authorization to install or modify any new or existing emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

5. Construction of New Sources(s)

This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

6. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

7. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

8. Construction Compliance Certification

Neaton Auto Products Mfg Inc
 PTI Application: 08-04862
 Issued: 9/20/2007

Facility ID: 0868030155

If applicable, the applicant shall provide Ohio EPA with a written certification (see enclosed form if applicable) that the facility has been constructed in accordance with the permit-to-install application and the terms and conditions of the permit-to-install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly (i.e., postmarked), by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit-To-Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
OC	5.42

Neaton Auto Products Mfg Inc
PTI Application: 08-04862
Issued: 9/20/2007

Facility ID: 0868030155

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R003) - 2- stage automated robotic coating application line installed Post Aug 3, 2006 with permanent total enclosure venting to a regenerative thermal oxidizer (RTO #2) shared with K016.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
ORC 3704.03(T)(4)	See A.2.a.
OAC rule 3745-31-05(C) (voluntary restriction to avoid BAT, State only)	See A.2.d.
OAC rule 3745-21-07(G)(2)	The emissions of organic compounds shall be reduced by at least eighty-five percent (85%), by weight, as an overall control efficiency.
OAc rule 3745-21-07(G)(6)	The OC emissions shall be reduced by incineration provided that ninety percent or more of the carbon in the organic material being incinerated is oxidized to carbon dioxide.
OAC rule 3745-17-11(B)(1) (Based on Table I)	The PE from this emissions unit shall not exceed 0.551 lb/hour from any stack associated with this emissions unit.
OAC rule 3745-17-07(A)	Visible PE from any stack shall not exceed 20% opacity, as a six-minute average, except as specified by rule.

2. Additional Terms and Conditions

- 2.a The Best Available Technology (BAT) requirements under OAC rule 3745-31-5(A)(3) do not apply to the particulate emissions (PE) from this air contaminant source since the uncontrolled potential to emit for PE is less than ten tons per year.
- 2.b OAC rule 3745-21-07(G)(2) limits organic compound (OC) emissions to 8 pounds per hour and 40 pounds per day or requires an 85% reduction in OC emissions. The Regenerative Thermal Oxidizer (RTO) is employed to comply with the requirement to achieve an 85% reduction in OC emissions instead of complying with the OC emission limits of 8 pounds per hour and 40 pounds per day.

Emissions Unit ID: R003

- 2.c** The organic compound (OC) emissions from this emissions unit, shall be controlled through the application of a permanent total enclosure for 100 percent capture and a RTO system, operating at a minimum of 95% overall OC removal/destruction efficiency.
- 2.d** The Permit to Install 08-04862 for this air contaminant source takes into account the use of a RTO, whenever this air contaminant source is in operation with a minimum control efficiency of 85%, by weight for OC and an OC emissions limitation of 5.42 tons per year as voluntary restrictions as proposed by the permittee. These voluntary restrictions allow the permittee to avoid Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3).
- 2.e** The permanent total enclosure shall be constructed to totally enclose the application stations, coating reservoirs, and all areas from the application station to the oven and the control device. If it can be demonstrated that there is no leakage between the coating application, the oven, and the control device and that the oven and control device are operated under negative pressure, they do not need to be enclosed.

The permanent total enclosure shall be maintained under negative pressure whenever the emissions unit is in operation, and shall be designed and maintained to have an average facial velocity of air through each natural draft opening of at least 200 feet per minute (3,600 m/hr). Compliance with the average facial velocity shall be demonstrated during the compliance test, by either using an air flow monitor or a differential pressure gauge at each natural draft opening, and maintaining the required facial velocity or the corresponding negative pressure. The permanent total enclosure shall meet all of the following criteria if the capture efficiency of the enclosure and control device is to be assumed to be 100%:

- a. any natural draft opening shall be at least four equivalent opening diameters, or 4 times the diameter of the opening, from each VOC emitting point;
- b. the total area of all natural draft openings shall not exceed 5 percent of the surface area of the enclosure's four walls, floor, and ceiling;
- c. the direction of air flow through all natural draft openings shall be into the enclosure, with an average facial velocity of no less than 200 feet per minute (3,600 m/hr) or a pressure drop of 0.013 mm Hg (0.007 in. H₂O);
- d. all access doors and windows to the enclosure that do not meet the requirements of a natural draft opening and whose surface areas are not included in the 5 percent surface area determination in "b", shall be completely closed to any air movement during process operations; and

Emissions Unit ID: R003

- e. all VOC emissions shall be captured and contained for discharge through the control device.
- 2.f The permanent total enclosure (PTE) serving this emissions unit shall be maintained in such a manner as to meet the criteria established for a permanent total enclosure in 40 CFR, Part 51, Appendix M, Reference Method 204, and shall capture all of the VOC emissions from this emissions unit.

II. Operational Restrictions

1. The permanent total enclosure shall be maintained under negative pressure, at a minimum pressure differential that is not less than 0.013 mm Hg (0.007 in. H₂O), whenever the emissions unit is in operation.

III. Monitoring and/or Record keeping Requirements

1. In order to maintain compliance with the applicable limitations contained in this permit, the acceptable average combustion temperature within the thermal incinerator, for any 3-hour block of time when the emissions unit is in operation, shall not be more than 50 degrees Fahrenheit below the average temperature maintained during the most recent emissions test that demonstrated the emissions unit to be in compliance.
2. The permittee shall install, operate, and maintain a continuous temperature monitor and recorder which measures and records the combustion temperature within the thermal incinerator when the emissions unit is in operation. Units shall be in degrees Fahrenheit. The accuracy for each thermocouple, monitor, and recorder shall be guaranteed by the manufacturer to be within ± 1 percent of the temperature being measured or ± 5 degrees Fahrenheit, whichever is greater. The temperature monitor and recorder shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and the operating manuals, with any modifications deemed necessary by the permittee. The permittee shall collect and calculate the average combustion temperature within the thermal incinerator, each of the eight, 3-hour blocks of time during each day of operation, and shall record and maintain the following information each day:
 - a. all 3-hour blocks of time, when the emissions unit was in operation, during which the average combustion temperature within the thermal incinerator was more than 50 degrees Fahrenheit below the average temperature maintained during the most recent emissions test that demonstrated the emissions unit to be in compliance; and
 - b. a log of the downtime for the capture (collection) system, thermal incinerator, and monitoring equipment when the associated emissions unit was in operation.

These records shall be maintained at the facility for a period of five years.

Issued: 9/20/2007

3. Whenever the monitored average combustion temperature within the thermal incinerator deviates from the range specified in this permit, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation:

Issued: 9/20/2007

- a. the date and time the deviation began;
 - b. the magnitude of the deviation at that time;
 - c. the date the investigation was conducted;
 - d. the name(s) of the personnel who conducted the investigation; and
 - e. the findings and recommendations.
4. In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable range specified in this permit, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken:
- a. a description of the corrective action;
 - b. the date corrective action was completed;
 - c. the date and time the deviation ended;
 - d. the total period of time (in minutes) of the deviation;
 - e. the temperature readings immediately after the corrective action was implemented; and
 - f. the name(s) of the personnel who performed the work.

Investigation and records required by this paragraph do not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

The temperature range is effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or local air agency. The permittee may request revisions to the permitted temperature range based upon information obtained during future VOC emission tests that demonstrate compliance with the allowable VOC emission rate for this emissions unit. In addition, approved revisions to the temperature range will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of a minor permit modification.

5. The permittee shall measure, document/calculate, and maintain a permanent record of the following information for the permanent total enclosure, which may be the same record documented during the compliance test(s):
- a. the measured diameter of each natural draft opening;
 - b. the distance measured from each natural draft opening to each VOC emitting

Emissions Unit ID: R003

point;

- c. the total calculated surface area of all natural draft openings and the surface area of the enclosure's four walls, floor, and ceiling;
 - d. the calculation or demonstration that the distance from each VOC emitting point to each natural draft opening is at least 4 times the diameter of the opening; and
 - e. the calculation demonstrating that the sum of the surface areas of all of the natural draft openings to the enclosure is not more than 5 percent of the sum of the surface areas of the enclosure's four walls, floor, and ceiling.
6. The permittee shall install, operate, and maintain monitoring devices and a recorder that continuously monitor and record the differential pressure between the inside and outside of the permanent total enclosure when the emissions unit is in operation. The monitoring and recording devices shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals, with any modifications deemed necessary by the permittee.

The permittee shall collect and record the following information each day:

- a. all three-hour blocks of time during which the difference in pressure between the permanent total enclosure and the surrounding areas is not maintained at or above the minimum pressure differential of 0.007 inches of water, as a three-hour average; and
 - b. a log or record of downtime for the capture (collection) system when the emissions unit was in operation.
7. The permittee shall collect and record the following information each day for this emissions unit:
- a. The company identification for each coating and cleanup material employed.
 - b. The volume of each coating and cleanup material employed, in gallons.
 - c. The organic compound content of each coating and cleanup material, in pounds per gallon.
 - d. The total uncontrolled organic compound emission rate for all materials [i.e. the sum of products (b x c) for each coating and cleanup material], in pounds per day.
 - e. The total controlled organic compound emission rate for the paint booth, for all coatings and cleanup materials, in pounds per day (i.e., calculated using the overall control efficiency from the most recent performance test that demonstrated that the emissions unit was in compliance).

Issued: 9/20/2007

IV. Reporting Requirements

1. The permittee shall submit quarterly summaries of the records which identify all 3-hour blocks of time during which the average combustion temperature within the thermal incinerator was more than 50 degrees Fahrenheit below the average temperature maintained during the most recent emissions test that demonstrated the emissions unit to be in compliance and/or any records of downtime for the capture (collection) system, the thermal incinerator, or the monitoring equipment when the emissions unit was in operation. These quarterly reports shall be submitted by April 30, July 31, October 31, and January 31, and shall cover the records for the previous calendar quarters.
2. The permittee shall submit quarterly deviation (excursion) reports that identify all three-hour blocks of time, when the emissions unit was in operation, during which the permanent total enclosure was not maintained at the minimum pressure differential of 0.007 inches of water.
3. The permittee shall submit annual reports which specify the actual total OC emissions from this emissions unit for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including the specific emission data from this emissions unit in the annual Fee Emission Report.

V. Testing Requirements

1. Compliance with the emission limitations in Section A.1 above shall be determined in accordance with the following methods:
 - a. Emission Limitation-
100% capture of OC emissions

Applicable Compliance Method-
The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
 - i. The emission testing shall be conducted within 2.5 years after the Title V permit issuance (Title V issued 04/04/07).
 - ii. The emission testing shall be conducted to demonstrate compliance with the 100% capture efficiency requirement for the permanent total enclosure. The following test methods shall be employed:

Emissions Unit ID: R003

Method 204 from 40 CFR Part 51 Appendix M; and
Method 2 from 40 CFR Part 60, Appendix A.

- iii. During the compliance demonstration for the permanent total enclosure, monitoring devices shall be installed to measure the average facial velocity of the air flow through each natural draft opening.
- iv. Method 2 from 40 CFR Part 60, Appendix A shall be conducted to determine the volumetric flow rate of the exhaust stream(s) exiting the permanent total enclosure, corrected to standard conditions. If the building is being used as the permanent total enclosure, it may be necessary to measure the volumetric flow, corrected to standard conditions, of each gas stream entering the "enclosure" through a forced makeup air duct, using Method 2. The facial velocity (FV) shall be calculated using the following equation:

$$FV = (Q_o - Q_i) / A_n$$

where:

Q_o is the sum of the volumetric flow from all gas streams exiting the enclosure through an exhaust duct or hood;

Q_i is the sum of the volumetric flow from all gas streams into the enclosure through a forced makeup air duct, and is equal to zero if there is no forced makeup air into the enclosure; and

A_n is the total area of all natural draft openings in the enclosure.

- v. If the average facial velocity is measured at greater than 500 feet per minute (9,000 m/hr), the direction of air flow shall be assumed to be inward at all times during the compliance demonstration. If the average facial velocity is measured at less than 500 feet per minute, the continuous inward flow of air shall be verified at least once every 10 minutes for a minimum of 1 hour during the compliance demonstration, either by checking the flow or pressure meter(s) or through the use of streamers, smoke tubes, or tracer gases. All closed access doors and windows that are not considered natural draft openings shall also be checked once during the compliance demonstration for leakage around their perimeters using smoke tubes or tracer gases.
- vi. The permittee shall also measure and record the following information for the permanent total enclosure and each natural draft opening:
 - i. the diameter of each natural draft opening;

Issued: 9/20/2007

- ii. the distance measured from each natural draft opening to each VOC emitting point in the process;
- iii. the distance measured from each exhaust duct or hood in the enclosure to each natural draft opening;
- iv. the total surface area of each natural draft opening and the surface area of the enclosure's four walls, floor, and ceiling; and
- v. the ratio of the total surface area (sum) of all natural draft openings to the total surface area of the permanent total enclosure.

b. Emissions Limitation:

The OC emissions from this emissions unit shall not exceed 5.42 tons per year.

Applicable compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.8. and shall be the summation of the daily OC emission rates for the year, divided by 2000 lbs/ton.

Emissions Unit ID: R003

c. Emission Limitation-

The PE emissions from this emissions unit shall not exceed 0.551 lb/hr

Applicable Compliance Method-

To determine the actual worst case emission rate for PE, the following equation shall be used:

$E = \text{maximum coating solids usage rate (in pounds per hour)} \times (1-TE) \times (1-CE)$

$E = \text{PE rate (lbs/hr)}$

TE = transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used

CE = control efficiency of the control equipment

When requested by Ohio EPA, compliance shall be determined through emission testing performed in accordance with 40 CFR Part 60, Appendix A, Methods 1-5 and the procedures specified in OAC rule 3745-17-03(B)(10).

d. Emission Limitation-

Visible PE from any stack shall not exceed 20% opacity, as a six minute average, except as specified by rule.

Applicable Compliance Method-

When requested by Ohio EPA, compliance shall be determined through visible emission observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

2. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

a. The emission testing shall be conducted within 2.5 years after the Title V permit issuance (Title V issued 04/04/07).

b. The emission testing shall be conducted to demonstrate compliance with the overall control efficiency limitation for OC and the 90% destruction efficiency requirement for the RTO.

c. The following test method(s) shall be employed to demonstrate compliance with the destruction efficiency requirement for the RTO: Method 25, Method 25A or Method 18 of 40 CFR Part 60, Appendix A.

Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.

Issued: 9/20/2007

The capture efficiency shall be determined using Methods 204 through 204F, as specified in 40 CFR Part 51, Appendix M, or the permittee may request to use an alternative method or procedure for the determination of capture efficiency in accordance with the USEPA's "Guidelines for Determining Capture Efficiency," dated January 9, 1995. (The Ohio EPA will consider the request, including an evaluation of the applicability, necessity, and validity of the alternative, and may approve the use of the alternative if such approval does not contravene any other applicable requirement.)

The control efficiency (i.e., the percent reduction in mass emissions between the inlet and outlet of the control system) shall be determined in accordance with the test methods and procedures specified in 3745-21-10 or an alternative test protocol approved by the Ohio EPA. The test methods and procedures selected shall be based on a consideration of the diversity of the organic species present and their total concentration, and on a consideration of the potential presence of interfering gases.

- d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.
- e. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).
- f. Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.
- g. A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the

Neaton Auto Products Mfg Inc
DTI Application: 08 04862

Facility ID: 0868030155

Emissions Unit ID: R003

appropriate Ohio EPA District Office or local air agency.

VI. Miscellaneous Requirements

None

Issued: 9/20/2007

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R003) - spray painting of plastic parts

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05	Limit(s)

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

