

John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

1/7/2014

Certified Mail

Chris King  
Kurz-Kasch, Inc.  
199 E. State St.  
Newcomerstown, OH 43832

No	TOXIC REVIEW
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE

Facility ID: 0679000129  
Permit Number: P0108709  
Permit Type: Renewal  
County: Tuscarawas

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA) Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**

**How to appeal this permit**

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High Street, 17th Floor  
Columbus, OH 43215

## **How to save money, reduce pollution and reduce energy consumption**

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: [www.ohioairquality.org/clean\\_air](http://www.ohioairquality.org/clean_air)

## **How to give us feedback on your permitting experience**

Please complete a survey at [www.epa.ohio.gov/survey.aspx](http://www.epa.ohio.gov/survey.aspx) and give us feedback on your permitting experience. We value your opinion.

## **How to get an electronic copy of your permit**

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, [www.epa.ohio.gov/dapc](http://www.epa.ohio.gov/dapc) by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

If you have any questions, please contact Ohio EPA DAPC, Southeast District Office at (740)385-8501 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,



Michael W. Ahern, Manager

Permit Issuance and Data Management Section, DAPC

Cc: Ohio EPA-SEDO



**FINAL**

**Division of Air Pollution Control  
Permit-to-Install and Operate  
for  
Kurz-Kasch, Inc.**

Facility ID:	0679000129
Permit Number:	P0108709
Permit Type:	Renewal
Issued:	1/7/2014
Effective:	1/7/2014
Expiration:	1/7/2024





**Division of Air Pollution Control  
Permit-to-Install and Operate**

for  
Kurz-Kasch, Inc.

**Table of Contents**

Authorization .....	1
A. Standard Terms and Conditions .....	3
1. What does this permit-to-install and operate ("PTIO") allow me to do?.....	4
2. Who is responsible for complying with this permit? .....	4
3. What records must I keep under this permit? .....	4
4. What are my permit fees and when do I pay them?.....	4
5. When does my PTIO expire, and when do I need to submit my renewal application? .....	4
6. What happens to this permit if my project is delayed or I do not install or modify my source? .....	5
7. What reports must I submit under this permit? .....	5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? .....	5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ...	5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? .....	6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? .....	6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? .....	6
13. Can I transfer this permit to a new owner or operator?.....	7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? .....	7
15. What happens if a portion of this permit is determined to be invalid? .....	7
B. Facility-Wide Terms and Conditions.....	8
C. Emissions Unit Terms and Conditions .....	10
1. R001, Epoxy Dip Station .....	11
2. R002, Epoxy Dip Station .....	18





**Final Permit-to-Install and Operate**  
Kurz-Kasch, Inc.  
**Permit Number:** P0108709  
**Facility ID:** 0679000129  
**Effective Date:** 1/7/2014

## Authorization

Facility ID: 0679000129  
Application Number(s): A0042714  
Permit Number: P0108709  
Permit Description: Renewal PTIO for two epoxy dip stations  
Permit Type: Renewal  
Permit Fee: \$0.00  
Issue Date: 1/7/2014  
Effective Date: 1/7/2014  
Expiration Date: 1/7/2024  
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

Kurz-Kasch, Inc.  
199 E. State St.  
Newcomerstown, OH 43832

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.


Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Southeast District Office  
2195 Front Street  
Logan, OH 43138  
(740)385-8501

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

  
Scott J. Nally  
Director



**Final Permit-to-Install and Operate**  
Kurz-Kasch, Inc.  
**Permit Number:** P0108709  
**Facility ID:** 0679000129  
**Effective Date:** 1/7/2014

## Authorization (continued)

Permit Number: P0108709  
Permit Description: Renewal PTIO for two epoxy dip stations

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

<b>Emissions Unit ID:</b>	<b>R001</b>
Company Equipment ID:	Epoxy Dip Station
Superseded Permit Number:	06-08107
General Permit Category and Type:	Not Applicable
<b>Emissions Unit ID:</b>	<b>R002</b>
Company Equipment ID:	Epoxy Dip Station
Superseded Permit Number:	06-08107
General Permit Category and Type:	Not Applicable



**Final Permit-to-Install and Operate**

Kurz-Kasch, Inc.

**Permit Number:** P0108709

**Facility ID:** 0679000129

**Effective Date:** 1/7/2014

## **A. Standard Terms and Conditions**



**1. What does this permit-to-install and operate ("PTIO") allow me to do?**

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

**2. Who is responsible for complying with this permit?**

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

**3. What records must I keep under this permit?**

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

**4. What are my permit fees and when do I pay them?**

There are two fees associated with permitted air contaminant sources in Ohio:

PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

**5. When does my PTIO expire, and when do I need to submit my renewal application?**

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is



very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

**6. What happens to this permit if my project is delayed or I do not install or modify my source?**

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

**7. What reports must I submit under this permit?**

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

**8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?**

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions of this permit will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

**9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?**

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.



**10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?**

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the [DO/LAA] in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

**11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?**

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

**12. What happens if one or more emissions units operated under this permit is/are shut down permanently?**

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.



**13. Can I transfer this permit to a new owner or operator?**

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

**14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?**

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

**15. What happens if a portion of this permit is determined to be invalid?**

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



**Final Permit-to-Install and Operate**

Kurz-Kasch, Inc.

**Permit Number:** P0108709

**Facility ID:** 0679000129

**Effective Date:** 1/7/2014

## **B. Facility-Wide Terms and Conditions**



**Final Permit-to-Install and Operate**

Kurz-Kasch, Inc.

**Permit Number:** P0108709

**Facility ID:** 0679000129

**Effective Date:** 1/7/2014

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - (1) None.
  - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - (1) None.



**Final Permit-to-Install and Operate**  
Kurz-Kasch, Inc.  
**Permit Number:** P0108709  
**Facility ID:** 0679000129  
**Effective Date:** 1/7/2014

## **C. Emissions Unit Terms and Conditions**



**1. R001, Epoxy Dip Station**

**Operations, Property and/or Equipment Description:**

DTC-EUI epoxy dip station, consisting of a vent hood over a dip pan and flashoff rack, followed by an electric oven

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	Volatile Organic Compounds (VOC) emissions shall not exceed 65.2 lb/day and 11.9 tons per year (TPY).
b.	OAC rule 3745-21-09(U)(2)(e)(iii)	See (2)a. and b. below.

(2) Additional Terms and Conditions

a. The permittee shall not employ more than ten gallons of coating on metal parts per day for this emissions unit. The daily usage limitation for the coating line shall not include coatings applied to parts or products which are not metal.

b. If this emissions unit ever employs more than ten gallons of coating on metal parts on any given day, thereafter, the VOC contents of all metal coatings employed shall not exceed 3.5 pounds of VOC per gallon of coating, excluding water and exempt solvents, as a daily volume-weighted average, pursuant to OAC rule 3745-21-09(U)(1)(c), and the ten gallons per day limitation will no longer be applicable.



- c) Operational Restrictions
  - (1) None.
- d) Monitoring and/or Recordkeeping Requirements
  - (1) Recordkeeping requirements for coatings subject to ten gallon of coating on metal parts per day, b)(2)a. above:
    - a. The permittee shall collect and record the following information each day for the coating line.
      - i. the name and identification number of each coating employed;
      - ii. the volume, in gallons, of each coating employed; and
      - iii. the total volume, in gallons, of all of the coatings employed.
    - b. The permittee shall collect and record the following information on a daily basis for the coating and cleanup materials applied in this emissions unit:
      - i. the number of gallons of each coating applied or all coatings applied during the day;
      - ii. the maximum VOC content for each or the maximum VOC content of all the coatings applied, in pounds per gallon;
      - iii. the total VOC emissions from all coatings applied, i.e., the summation of the products of "a" times "b" for each individual coating applied; or the product of the maximum VOC content of all the coatings applied times the total gallons of coating employed during the day, i.e., "i" times "ii" for worst case coating;
      - iv. the name and identification of each cleanup material employed;
      - v. the VOC content of each cleanup material, in pounds per gallon;
      - vi. the number of gallons of each cleanup material employed;
      - vii. the total VOC emission rate from all cleanup materials, i.e., the summation of the products of "v" times "vi" for all cleanup materials employed; and
      - viii. the total VOC emissions from all coatings and cleanup materials employed, in pounds or tons, the sum of "iii" and "vii".

These daily records shall be maintained for the purpose of determining daily and annual VOC emissions for the emissions unit.



- c. The record keeping requirements contained in this part shall only apply if the emissions unit does not employ more than 10 gallons of coating in any given day. If any record shows that this emissions unit employs more than 10 gallons of coating in any given day, thereafter, the record keeping requirements contained in d)(2) of this permit shall apply and the 10 gallons per day limitation and associated record keeping and reporting will no longer be applicable.
- (2) Recordkeeping requirements for coatings subject to 3.5 pounds of VOC per gallon of coating, b)(2)b. above:
- a. The permittee shall collect and record the following information each month for the coating or printing line and shall maintain this information at the facility for a period of three years:
    - i. the name and identification number of each coating employed;
    - ii. the mass, in pounds, of VOC per gallon of each coating, excluding water and exempt solvents employed;
    - iii. the volume, in gallons, of each coating, excluding water and exempt solvents, employed; and
    - iv. the daily volume-weighted average VOC content of all coatings, as applied, calculated in accordance with the equation specified in OAC rule 3745-21-10(B)(9) for  $C_{VOC,2}$ . See f)(3).
  - b. The permittee shall collect and record the following information on a daily basis for the coating and cleanup materials applied in this emissions unit:
    - i. the number of gallons of coating applied during the day;
    - ii. the VOC content of each coating, in pounds per gallon;
    - iii. the total VOC emissions from all coatings applied during the day, i.e., the product of the "i" times "ii";
    - iv. the name and identification of each cleanup material employed;
    - v. the VOC content of each cleanup material, in pounds per gallon;
    - vi. the number of gallons of each cleanup material employed;
    - vii. the total VOC emission rate from all cleanup materials, in pounds or tons, i.e., the summation of the products of "v" times "vi" for all cleanup materials employed; and
    - viii. the total VOC emissions from all coatings and cleanup materials employed, in pounds or tons, the sum of "iii" and "vii".



These daily records shall be maintained for the purpose of determining daily and annual VOC emissions for the emissions unit.

- c. The recordkeeping requirements contained in d)(2) shall only apply if the ten gallons per day limitation has been exceeded.
- (3) The permittee shall record the total annual VOC emission rate for all coatings and cleanup materials, in tons, calculated as the summation of d)(1)b.viii. and d)(2)b.viii. for all days in the calendar year divided by 2000 lbs/ton.
  - (4) Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:
    - a. changes in the composition of the materials used or the use of new materials, that would result in the emission of a compound or chemical with a lower Threshold Limit Value (TLV) than the lowest TLV previously modeled, as documented in the most current version of the American Conference of Governmental Industrial Hygienists' (ACGIH's) handbook entitled "TLVs and BEIs, Threshold Limit Values for Chemical Substances and Physical Agents, Biological Exposure Indices";
    - b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
    - c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).
  - (5) If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 solely due to the emissions of any type of toxic air contaminant not previously emitted, and a modification of the existing permit to install will not be required, even if the toxic air contaminant emissions are greater than the de minimis level in OAC rule 3745-15-05. If the change(s) meet(s) the definition of a "modification" under other provisions of the rule, then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

- a. description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);



- b. documentation of the evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

e) Reporting Requirements

- (1) Reporting requirements for coatings subject to ten gallon of coating on metal parts per day, b)(2)a. above:

The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the coating line employs more than the applicable maximum daily coating usage limit. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the exceedance occurs.

- (2) Reporting requirements for coatings subject to 3.5 pounds of VOC per gallon of coating, b)(2)b. above:

The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the daily volume-weighted average VOC content exceeds the applicable limitation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the exceedance occurs.

- (3) The reports required by this permit may be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal; or they may be mailed as a hard copy to the appropriate district office or local air agency.
- (4) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA District Office or Local Air Agency by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

- a. Emissions Limitation:

The permittee shall not employ more than ten gallons of coating on metal parts per day for this emissions unit.

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(1)



b. Emissions Limitation:

VOC emissions shall not exceed 65.2 lb/day.

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(1) and (2).

c. Emissions Limitation:

VOC emissions shall not exceed 11.9 TPY.

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(3).

(2) In accordance with OAC rule 3745-21-10, U.S. EPA Method 24 shall be used to determine the VOC content of coatings and cleanup materials, where formulation data is not based on the same method or if it is determined to be necessary by the Director.

(3) If the ten gallon per day coating usage limit is ever exceeded, the permittee shall demonstrate compliance by means of a daily volume-weighted average VOC content. The daily volume-weighted average VOC content of all coatings, as applied, shall be calculated in accordance with the equation specified in paragraph (B)(9) of OAC rule 3745-21-10 for  $C_{VOC,2}$ , as follows:

$$(C_{VOC,2})_A = \frac{\sum_{i=1}^n C_{VOC,2i} L_{Ci} (V_{Si} + V_{VOCi})}{\sum_{i=1}^n L_{Ci} (V_{Si} + V_{VOCi})}$$

where:

$(C_{VOC,2})_A$  is the daily volume-weighted average VOC content of all coatings, as applied.

$C_{VOC,2}$  is the VOC content in pounds of VOC per gallon of coating, excluding water and exempt solvents calculated as follows:

$$C_{VOC,2} = (D_C)(W_{VOC}) / V_S + V_{VOC}$$

$D_C$  = density of coating, in pounds of coating per gallon of coating.

$$W_{VOC} = W_{VM} - W_W - W_{ES}$$

$V_S$  = the volume fraction of solids in coating, in gallons of solids per gallon of coating.

$$V_{VOC} = V_{VM} - V_W - V_{ES}$$



$W_{VM}$  = weight fraction of volatile matter in coating, in pound of volatile matter per pound of coating.

$W_W$  = weight fraction of water in coating, in pound of water per pound of coating.

$W_{ES}$  = weight fraction of exempt solvent in coating, in pound of exempt solvent per pound of coating.

$V_{VM}$  = volume fraction of volatile matter in coating, in gallon of volatile matter per gallon of coating.

$V_W$  = volume fraction of water in coating, in gallon of water per gallon of coating.

$V_{ES}$  = volume fraction of exempt solvent in coating, in gallon of exempt solvent per gallon of coating.

$A$  = subscript denoting that the indicated VOC content is a weighted average of the coatings employed during time period.

$L_C$  = liquid volume of coating employed during time period, in gallons of coating.

$M_C$  = mass of coating employed during the time period, in pounds of coating.

$i$  = subscript denoting a specific coating employed during time period.

$n$  = total number of coatings employed during time period.

$t$  = time period specified for the weighted average VOC content is per day and not included in the calculation.

g) Miscellaneous Requirements

(1) None.



**2. R002, Epoxy Dip Station**

**Operations, Property and/or Equipment Description:**

DTC-PLD epoxy dip station, consisting of a vent hood over a dip pan and flashoff rack, followed by an electric oven

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	Volatile Organic Compounds (VOC) emissions shall not exceed 65.9 lb/day and 12.1 tons per year (TPY).
b.	OAC rule 3745-21-09(U)(2)(e)(iii)	See (2)a. and b. below.

(2) Additional Terms and Conditions

a. The permittee shall not employ more than ten gallons of coating on metal parts per day for this emissions unit. The daily usage limitation for the coating line shall not include coatings applied to parts or products which are not metal.

b. If this emissions unit ever employs more than ten gallons of coating on metal parts on any given day, thereafter, the VOC contents of all metal coatings employed shall not exceed 3.5 pounds of VOC per gallon of coating, excluding water and exempt solvents, as a daily volume-weighted average, pursuant to OAC rule 3745-21-09(U)(1)(c), and the ten gallons per day limitation will no longer be applicable.



- c) Operational Restrictions
  - (1) None.
- d) Monitoring and/or Recordkeeping Requirements
  - (1) Recordkeeping requirements for coatings subject to ten gallon of coating on metal parts per day, b)(2)a. above:
    - a. The permittee shall collect and record the following information each day for the coating line.
      - i. the name and identification number of each coating employed;
      - ii. the volume, in gallons, of each coating employed; and
      - iii. the total volume, in gallons, of all of the coatings employed.
    - b. The permittee shall collect and record the following information on a daily basis for the coating and cleanup materials applied in this emissions unit:
      - i. the number of gallons of each coating applied or all coatings applied during the day;
      - ii. the maximum VOC content for each or the maximum VOC content of all the coatings applied, in pounds per gallon;
      - iii. the total VOC emissions from all coatings applied, i.e., the summation of the products of "a" times "b" for each individual coating applied; or the product of the maximum VOC content of all the coatings applied times the total gallons of coating employed during the day, i.e., "i" times "ii" for worst case coating;
      - iv. the name and identification of each cleanup material employed;
      - v. the VOC content of each cleanup material, in pounds per gallon;
      - vi. the number of gallons of each cleanup material employed;
      - vii. the total VOC emission rate from all cleanup materials, i.e., the summation of the products of "v" times "vi" for all cleanup materials employed; and
      - viii. the total VOC emissions from all coatings and cleanup materials employed, in pounds or tons, the sum of "iii" and "vii".

These daily records shall be maintained for the purpose of determining daily and annual VOC emissions for the emissions unit.



- c. The record keeping requirements contained in this part shall only apply if the emissions unit does not employ more than 10 gallons of coating in any given day. If any record shows that this emissions unit employs more than 10 gallons of coating in any given day, thereafter, the record keeping requirements contained in d)(2) of this permit shall apply and the 10 gallons per day limitation and associated record keeping and reporting will no longer be applicable.
- (2) Recordkeeping requirements for coatings subject to 3.5 pounds of VOC per gallon of coating, b)(2)b. above:
- a. The permittee shall collect and record the following information each month for the coating or printing line and shall maintain this information at the facility for a period of three years:
- i. the name and identification number of each coating employed;
  - ii. the mass, in pounds, of VOC per gallon of each coating, excluding water and exempt solvents employed;
  - iii. the volume, in gallons, of each coating, excluding water and exempt solvents, employed; and
  - iv. the daily volume-weighted average VOC content of all coatings, as applied, calculated in accordance with the equation specified in OAC rule 3745-21-10(B)(9) for  $C_{VOC,2}$ . See f)(3).
- b. The permittee shall collect and record the following information on a daily basis for the coating and cleanup materials applied in this emissions unit:
- i. the number of gallons of coating applied during the day;
  - ii. the VOC content of each coating in pounds per gallon;
  - iii. the total VOC emissions from all coatings applied during the day, i.e., the product of the "i" times "ii";
  - iv. the name and identification of each cleanup material employed;
  - v. the VOC content of each cleanup material, in pounds per gallon;
  - vi. the number of gallons of each cleanup material employed;
  - vii. the total VOC emission rate from all cleanup materials, in pounds or tons, i.e., the summation of the products of "v" times "vi" for all cleanup materials employed; and
  - viii. the total VOC emissions from all coatings and cleanup materials employed, in pounds or tons, the sum of "iii" and "vii".

These daily records shall be maintained for the purpose of determining daily and annual VOC emissions for the emissions unit.



- c. The recordkeeping requirements contained in d)(2) shall only apply if the ten gallons per day limitation has been exceeded.
- (3) The permittee shall record the total annual VOC emission rate for all coatings and cleanup materials, in tons, calculated as the summation of d)(1)b.viii. and d)(2)b.viii. for all days in the calendar year divided by 2000 lbs/ton.
  - (4) Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:
    - a. changes in the composition of the materials used or the use of new materials, that would result in the emission of a compound or chemical with a lower Threshold Limit Value (TLV) than the lowest TLV previously modeled, as documented in the most current version of the American Conference of Governmental Industrial Hygienists' (ACGIH's) handbook entitled "TLVs and BEIs, Threshold Limit Values for Chemical Substances and Physical Agents, Biological Exposure Indices";
    - b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
    - c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).
  - (5) If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 solely due to the emissions of any type of toxic air contaminant not previously emitted, and a modification of the existing permit to install will not be required, even if the toxic air contaminant emissions are greater than the de minimis level in OAC rule 3745-15-05. If the change(s) meet(s) the definition of a "modification" under other provisions of the rule, then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

- a. description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of the evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and



- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

e) Reporting Requirements

- (1) Reporting requirements for coatings subject to ten gallon of coating on metal parts per day, b)(2)a. above:

The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the coating line employs more than the applicable maximum daily coating usage limit. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the exceedance occurs.

- (2) Reporting requirements for coatings subject to 3.5 pounds of VOC per gallon of coating, b)(2)b. above:

The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the daily volume-weighted average VOC content exceeds the applicable limitation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the exceedance occurs.

- (3) The reports required by this permit may be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal; or they may be mailed as a hard copy to the appropriate district office or local air agency.

- (4) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA District Office or Local Air Agency by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

- a. Emissions Limitation:

The permittee shall not employ more than ten gallons of coating on metal parts per day for this emissions unit.

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(1).

- b. Emissions Limitation:

VOC emissions shall not exceed 65.9 lb/day.



Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(1) and (2).

c. Emissions Limitation:

VOC emissions shall not exceed 12.1 TPY.

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(3).

- (2) In accordance with OAC rule 3745-21-10, U.S. EPA Method 24 shall be used to determine the VOC content of coatings and cleanup materials, where formulation data is not based on the same method or if it is determined to be necessary by the Director.
- (3) If the ten gallon per day coating usage limit is ever exceeded, the permittee shall demonstrate compliance by means of a daily volume-weighted average VOC content. The daily volume-weighted average VOC content of all coatings, as applied, shall be calculated in accordance with the equation specified in paragraph (B)(9) of OAC rule 3745-21-10 for  $C_{VOC,2}$ , as follows:

$$(C_{VOC,2})_A = \frac{\sum_{i=1}^n C_{VOC,2i} L_{Ci} (V_{Si} + V_{VOCi})}{\sum_{i=1}^n L_{Ci} (V_{Si} + V_{VOCi})}$$

where:

$(C_{VOC,2})_A$  is the daily volume-weighted average VOC content of all coatings, as applied.

$C_{VOC,2}$  is the VOC content in pounds of VOC per gallon of coating, excluding water and exempt solvents calculated as follows:

$$C_{VOC,2} = (D_C)(W_{VOC}) / V_S + V_{VOC}$$

$D_C$  = density of coating, in pounds of coating per gallon of coating.

$$W_{VOC} = W_{VM} - W_W - W_{ES}$$

$V_S$  = the volume fraction of solids in coating, in gallons of solids per gallon of coating.

$$V_{VOC} = V_{VM} - V_W - V_{ES}$$

$W_{VM}$  = weight fraction of volatile matter in coating, in pound of volatile matter per pound of coating.

$W_W$  = weight fraction of water in coating, in pound of water per pound of coating.



$W_{ES}$  = weight fraction of exempt solvent in coating, in pound of exempt solvent per pound of coating.

$V_{VM}$  = volume fraction of volatile matter in coating, in gallon of volatile matter per gallon of coating.

$V_W$  = volume fraction of water in coating, in gallon of water per gallon of coating.

$V_{ES}$  = volume fraction of exempt solvent in coating, in gallon of exempt solvent per gallon of coating.

$A$  = subscript denoting that the indicated VOC content is a weighted average of the coatings employed during time period.

$L_C$  = liquid volume of coating employed during time period, in gallons of coating.

$M_C$  = mass of coating employed during the time period, in pounds of coating.

$i$  = subscript denoting a specific coating employed during time period.

$n$  = total number of coatings employed during time period.

$t$  = time period specified for the weighted average VOC content is per day and not included in the calculation.

g) Miscellaneous Requirements

(1) None.