



State of Ohio Environmental Protection Agency

Street Address:

Mailing Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Lazarus Gov.
Center

**RE: DRAFT PERMIT TO INSTALL MODIFICATION
CUYAHOGA COUNTY**

CERTIFIED MAIL

Application No: 13-03102

Fac ID: 1318000838

DATE: 3/8/2005

Manufacturers Plating Company
Carl Zappetelli
1859 East 63rd Street
Cleveland, OH 44103

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install modification for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit modification. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit modification should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43266-0149.

A Permit to Install modification may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install modification a fee of **\$ 200** will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

cc: USEPA

CLAA

PA

CUYAHOGA COUNTY

PUBLIC NOTICE

**ISSUANCE OF DRAFT PERMIT TO INSTALL 13-03102 FOR AN AIR CONTAMINANT SOURCE FOR
Manufacturers Plating Company**

On 3/8/2005 the Director of the Ohio Environmental Protection Agency issued a draft action of a Permit To Install an air contaminant source for **Manufacturers Plating Company**, located at **1859 East 63rd Street, Cleveland, Ohio**.

Installation of the air contaminant source identified below may proceed upon final issuance of Permit To Install 13-03102:

Modify P005 (plastic parts decorative chrome plating line employing chemical fume suppressant with wetting agent) to add a Composite Mesh Pad Scrubber as a secondary control.

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

David Hearne, Cleveland City Health Department, Division of the Environment, 1925 St. Clair Avenue, Cleveland, OH 44114 [(216)664-2324]



**Permit To Install
Terms and Conditions**

**Issue Date: To be entered upon final issuance
Effective Date: To be entered upon final issuance**

DRAFT MODIFICATION OF PERMIT TO INSTALL 13-03102

Application Number: 13-03102
Facility ID: 1318000838
Permit Fee: **To be entered upon final issuance**
Name of Facility: Manufacturers Plating Company
Person to Contact: Carl Zappetelli
Address: 1859 East 63rd Street
Cleveland, OH 44103

Location of proposed air contaminant source(s) [emissions unit(s)]:

**1859 East 63rd Street
Cleveland, Ohio**

Description of proposed emissions unit(s):

Modify P005 (plastic parts decorative chrome plating line employing chemical fume suppressant with wetting agent) to add a Composite Mesh Pad Scrubber as a secondary control.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Manufacturers Plating Company

Facility ID: 1318000838

PTI Application: 13-03102

Issued: To be entered upon final issuance

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January

Manufacturers Plating Company

Facility ID: 1318000838

PTI Application: 13-03102

Issued: To be entered upon final issuance

31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See B.9 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions

designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit To Operate Application

Manufacturers Plating Company

Facility ID: 1318000838

PTI Application: 13-03102

Issued: To be entered upon final issuance

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

12. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Manufacturers Plating Company

Facility ID: 1318000838

PTI Application: 13-03102

Issued: To be entered upon final issuance

B. State Only Enforceable Permit To Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

4. Termination of Permit To Install

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

Manufacturers Plating Company

Facility ID: 1318000838

PTI Application: 13-03102

Issued: To be entered upon final issuance

5. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

6. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

7. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

8. Construction Compliance Certification

If applicable, the applicant shall provide Ohio EPA with a written certification (see enclosed form if applicable) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

9. Additional Reporting Requirements When There Are No Deviations of Federally

Manufacturers Plating Company

Facility ID: 1318000838

PTI Application: 13-03102

Issued: To be entered upon final issuance

Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit To Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
Chromium Emissions	0.032 tpy

Manufacturers Plating Company

Facility ID: 1318000838

PTI Application: 13-03102

Issued: To be entered upon final issuance

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Manu:

PTI A

Emissions Unit ID: **P005**

Issued: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

P005 - Plastic Parts Decorative Chrome Plating Line (hexavalent chromium electroplating tank), employing chemical fume suppressant with wetting agent and Composite Mesh Pad Scrubber as a supplemental control. Line consists of various tanks including cleaning operations, acid etching, copper strike, nickel strike, chrome plate, and various rinse tanks.

Modified

Terms in this permit supercede those identified in PTI #13-03102 issued 10/02/96.

Applicable Rules/Requirements

OAC rule 3745-31-05(A)(3)

40 CFR Part 63, Subpart N

OAC rule 3745-17-07(B)(1)

Manu:**PTI A**Emissions Unit ID: **P005****Issued: To be entered upon final issuance**

	Applicable Emissions <u>Limitations/Control Measures</u>
OAC rule 3745-17-08(B)	Chromium Emissions shall not exceed 0.032 tpy.
OAC rule 3745-17-07(A)	There shall be no visible particulate emissions from the stack serving this emissions unit at any time.
OAC rule 3745-17-11(B)	There shall be no visible emissions of fugitive dust from the non-stack egress points at any time.
	See Additional Terms and Conditions, Section 2.a below.
	The visible fugitive dust limitation specified by this rule is less stringent than the visible fugitive dust limitation established pursuant to OAC rule 3745-31-05(A)(3).
	The control measures specified by this rule are less stringent than the control measures established pursuant to 40 CFR Part 63, Subpart N.
	The visible emission limitation specified by this rule is less stringent than the visible emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	The emission limitation specified by this rule is less stringent than the control requirements established pursuant to 40 CFR Part 63, Subpart N.

Emissions Unit ID: **P005**

2.

**Additional
Terms
and
Conditions**

- 2.a** The permittee shall control chromium emissions discharged to the atmosphere by not allowing the surface tension of the electroplating or anodizing bath to exceed 45 dynes per centimeter (3.1x10⁻³ pound-force per foot) at any time during operation of the tank.
- 2.b** While both a chemical fume suppressant with wetting agent and a composite mesh pad scrubber are

Manu:**PTI A****Issued: To be entered upon final issuance**Emissions Unit ID: **P005**

employed,
compliance
shall be demonstrated
on the basis of the
chemical fume suppressant
with wetting agent
requirement
as per 40 CFR
Part 63,
Subpart N.

II. Operational Restrictions

1. At all times, including periods of startup, shutdown, and malfunction, the permittee shall operate and maintain any chromium electroplating or anodizing tank, including associated air pollution control devices and monitoring equipment, in a manner consistent with the operation and maintenance plan required by these terms and conditions.
2. Malfunctions shall be corrected as soon as practicable after their occurrence in accordance with the operation and maintenance plan.
3. Determination of whether acceptable operation and maintenance procedures are being used will be based on information available to the Cleveland Division of Air Quality (Cleveland DAQ), which may include, but is not limited to, monitoring results; review of the operation and maintenance plan, procedures, and records; and inspection of the emission unit. Based on this

Issued: To be entered upon final issuance

information, the Cleveland DAQ may require that the permittee make changes to the operation and maintenance plan if that plan:

- a. does not address a malfunction that has occurred;
- b. fails to provide for the operation of the emission units, the air pollution control techniques, or the control system and process monitoring equipment during a malfunction in a manner consistent with good air pollution practices; or
- c. does not provide adequate procedures for correcting malfunctioning process equipment, air pollution control techniques, or monitoring equipment

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

ent as
quickly
as
practic
able.

4. The permittee shall prepare an operation and maintenance plan to be implemented no later than the startup of the emission unit. The plan shall include the following elements:

Manu:

PTI A

Emissions Unit ID: **P005**

Issued: To be entered upon final issuance

- a. The plan shall specify the operation and maintenance criteria for the affected source, the add-on air pollution control device (if such a device is used to comply with the emissions limits), and the process and control system monitoring equipment, and shall include a standardized checklist to document the operation and maintenance

of the
equipm
ent.

- b. If a stalagmometer is used for monitoring, follow the manufacturer's recommendations.
- c. The plan shall specify procedures to be followed to ensure that equipment or process malfunctions due to poor maintenance or other preventable conditions do not occur.
- d. The plan shall include a systematic procedure for identifying malfunctions of process equipment, add-on air pollution control devices, and process and control system monitoring equipment, and for

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

implem
enting
correct
ive
actions
to
address
such
malfun
ctions.

- e. If the operation and maintenance plan fails to address or inadequately addresses an event that meets the characteristics of a malfunction at the time the plan is initially developed, the permittee shall revise the operation and maintenance plan within 45 days after

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

such an event occurs.

- f. If actions taken by the permittee during periods of malfunction are inconsistent with the procedures specified in the operation and maintenance plan, the permittee shall record the actions taken for that event and shall report such actions within 2 working days after commencing actions inconsistent with the plan.

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

This report shall be followed by a letter within 7 working days after the end of the event, unless the permittee makes alternative reporting arrangements, in advance, with the Cleveland DAQ.

- g. The permittee shall keep the written operation and maintenance plan on record after it is developed to be made available for inspect

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

ion,
upon
request
, by the
Clevela
nd
DAQ
for the
life of
the
emissio
ns unit.
If the
operati
on and
mainte
nance
plan is
revised
, the
permitt
ee shall
keep
previo
us
version
s of the
plan on
record
to be
made
availabl
e for
inspect
ion,
upon
request
, by the
Clevela
nd
DAQ

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

for a period of five years after each revision to the plan.

- h. The permittee may use applicable standard operating procedure (SOP) manuals, Occupational Safety and Health Administration (OSHA) plans, or other existing plans to meet the operation and maintenance plan requirements as long as the alternative plans meet

Emissions Unit ID: **P005**
the
require
ments.

III. Monitoring and/or Recordkeeping Requirements

1. The surface tension shall be monitored according to the following schedule:
 - a. The surface tension shall be measured once every four hours during operation of the tank with a stalagmometer or a tensiometer as specified in Method 306B of 40CFR Part 63, Subpart N.
 - b. The time between monitoring can be increased if there have been no exceedances. The surface tension shall be measured once every four hours of tank operation for the first 40 hours of tank

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

operati
on
after
the
compli
ance
date.
Once
there
are no
exceed
ances
during
40
hours
of tank
operati
on,
surface
tension
measur
ement
may be
conduc
ted
once
every 8
hours
of tank
operati
on.
Once
there
are no
exceed
ances
during
40
hours
of tank
operati

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

on,
surface
tension
measur
ement
may be
conduc
ted
once
every
40
hours
of tank
operati
on on
an
ongoin
g basis,
until an
exceed
ance
occurs.
The
minimu
m
frequen
cy of
monito
ring
allowe
d is
once
every
40
hours
of tank
operati
on.

- c. Once an exceedance occurs, as indicated through surface tension monitoring, the original monito

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

ring
schedul
e of
once
every
four
hours
must
be
resume
d. A
subseq
uent
decreas
e in
frequen
cy shall
follow
the
schedul
e in
paragra
ph (b)
above.

d. Once a bath solution is drained from the affected tank and a new solution added, the

original
monito
ring
schedul
e of
once
every
four
hours
must
be
resume
d, with
a
decreas

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

e in
monito
ring
frequen
cy
allowe
d as in
paragra
ph (b)
above.

2. The permittee shall fulfill all recordkeeping requirements in the General Provisions to 40 CFR Part 63, according to the applicability of subpart A.

3. The permittee also shall maintain the following records:

- a. Inspection records for the add-on air pollution control device, if such a device is used, and
monito
ring
equipm
ent, to
docum
ent that
the
inspect
ion and
mainte
nance
require
d by
the
work
practic
e
standar
ds of
this
permit
have
taken
place.

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

The record can take the form of a checklist and should identify the device inspected, the date of inspection, a brief description of the working condition of the device during the inspection, and any actions taken to correct deficiencies found

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

- b. Records of all maintenance performed on the emissions unit, add-on air pollution control device, and monitoring equipment; during the inspection.
- c. Records of the occurrence, duration, and cause (if known) of each malfunction of process, add-on air pollution control device, and monitoring equipment;
- d. Records of actions taken during periods of malfunction when such actions are inconsistent with the operation and maintenance plan;
- e. Other records, which may take the form of checklists, necessary to demonstrate consistence with the provisi

Manu:**PTI A****Issued: To be entered upon final issuance**Emissions Unit ID: **P005**

- ons of
the
operati
on and
mainte
nance
plan;
- f. Test reports documenting results of all performance tests;
 - g. All measurements as may be necessary to determine the conditions of performance tests;
 - h. Records of monitoring data that are used to demonstrate compliance with the standard including the date and time the data are collected;
 - i. The specific identification (i.e., the date and time of commencement and completion) of each period of excess emissions, as indicated by monitoring data, that occurs during malfunction

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

of the
process
,
add-on
air
polluti
on
control
device,
or
monito
ring
equipm
ent;

- j. The specific identification (i.e., the date and time of commencement and completion) of each period of excess emissions, as indicated by monitoring data, that occurs during periods other than malfunction of the process, add-on air polluti

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: P005

on control device, or monitoring equipment;

- k. The total process operating time of the emission unit during the reporting period;
- l. All documentation supporting the notifications and reports as outlined in the Reporting Requirements of this permit and §63.9 and §63.10 of 40 CFR Part 63, subpart A; and
- m. Records of the date and time that the fume suppressants are added to the electroplating or anodizing bath.

4. All records shall be maintained for a period of five years.

IV. Reporting Requirements

1. The permittee shall fulfill all reporting requirement as outlined in 40 CFR Part 63 Subpart A. These reports shall be made to the Cleveland DAQ and shall be sent by U.S. mail, fax or by another courier.

a. Submittals sent by U.S. mail shall be postmarked on or before the specified date.

- b. Submittals sent by other methods shall be received by the Cleveland DAQ on or before the specified date.
2. The permittee shall submit to the Cleveland DAQ an initial notification report that contains the following information:
 - a. The name, title, and address of the owner or operator;
 - b. The address (i.e., physical location) of the emissions unit;
 - c. Identification of the applicable emission limitations and compliance date;
 - d. A statement of whether the affected emissions unit is located at a major source or at an area source; and
 - e. A brief description of each affected emission unit, including the type of process operation performed.
3. The permittee shall submit a Notification of Compliance Status to Cleveland DAQ signed by the responsible official who shall certify its accuracy, attesting to whether the affected emissions unit is in compliance. The notification shall list for each affected emissions unit:
 - a. The applicable emission limitations and the methods that were used to determine compliance with this limitation;
 - b. If a performance test is required, the test report documenting the results of the performance test, which includes the elements

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

required in the Test Requirements section of this permit, including measurements and calculations to support special compliance provisions for multiple emissions units controlled by a common add-on air pollution control device;

- c. The type and quantity of hazardous air pollutants emitted by the emissions unit reported in mg/dsc

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

m or
mg/hr
if the
emissio
ns unit
is using
the
special
provisi
ons for
multipl
e
emissio
ns
units
control
led by
a
commo
n
add-on
air
polluti
on
control
device
(For
emissio
ns
units
not
require
d to
conduc
t a
perfor
mance
test,
the
surface
tension

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

measur
ement
may
fulfill
this
require
ment.)

- d. For each monitored parameter for which a compliant value was established, the specific operating parameter value, or range of values, that corresponds to compliance with the applicable emission limit;
- e. The methods that will be used to determine continuous compliance;
- f. A description of the air pollution control technique used for each emission point;
- g. A statement that the permittee has completed and has on file the operation and maintenance plan as required by the

Issued: To be entered upon final issuance

work
practic
e
standar
ds; and

- h. A statement by the owner or operator as to whether the emissions unit is in compliance.
4. The permittee shall report to the Cleveland DAQ the results of any performance test conducted. The report shall be submitted no later than 90 days following the completion of the performance test, and shall be submitted as part of the notification of compliance status report required by this section.
 5. The permittee shall prepare an ongoing compliance status report annually (unless a request to reduce frequency of ongoing compliance status reports has been approved) to the Cleveland DAQ to document the ongoing compliance status of the emissions unit. This report shall include the following:
 - a. The company name and address of the emissions unit;
 - b. An identification of the operating parameter that is monitored for compliance
determi
nation;
 - c. The relevant emission limitation for the emissions unit, and the operating parameter value,
or
range
of
values,
that
corresp
ond to
compli
ance
with
this
emissio
n
limitati
on as
specifie

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

d in the
Notific
ation
of
Compli
ance
Status
require
d by
this
section
;

- d. The beginning and ending dates of the reporting period;
- e. The total operating time of the emissions unit during the reporting period;
- f. A summary of operating parameter values, including the total duration of excess emissions during the reporting period as indicated by those values, the total duration of excess emissions expressed as a percent of the total emissio

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

ns unit
operati
ng time
during
that
reporti
ng
period,
and a
breakd
own of
the
total
duratio
n of
excess
emissio
ns
during
the
reporti
ng
period
into
those
that are
due to
process
upsets,
control
equipm
ent
malfun
ctions,
other
known
causes,
and
unkno
wn
causes;

- g. A certification by a responsible official that the work practice standards in this permit were followed in accordance with the operation and maintenance plan for the emissions unit;
- h. If the operation and maintenance plan required by this permit was not followed, an explanation of the reasons for not following the provisions, an assessment of whether any excess emission and/or parameter monitoring exceedances are believe

Manufacturers Plating Company
PTI A
Issued

Facility ID: 1318000838

Emissions Unit ID: **P005**

d to
have
occurred, and
a copy
of the
reports
required by
the
work
practices in
this
permit;

- i. A description of any changes in monitoring, processes, or controls since the last reporting period;
 - j. The name, title, and signature of the responsible official who is certifying the accuracy of the report;
 - k. The date of the report; and
 - l. The report shall be completed annually and retained on site, and made available to the Cleveland and DAQ upon request.
6. The permittee shall submit semiannual reports if the following conditions are met:
- a. the total duration of excess emissions is one percent or greater of the total operating time for the reporting period; and
 - b. the total duration of malfunctions of the add-on air pollution control device and monito

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: P005

ring
equipm
ent is 5
percent
or
greater
of the
total
operati
ng
time.

- 7. Once the permittee reports an exceedance, ongoing compliance status reports shall be submitted semiannually until a request to reduce reporting frequency is approved.
- 8. The Cleveland DAQ may determine on a case-by-case basis that the summary report shall be completed more frequently and submitted, or that the annual report shall be submitted instead of being retained on site, if these measures are necessary to accurately assess the compliance status of the emissions unit.
- 9. The permittee who is required to submit ongoing compliance status reports on a semiannual (or more frequent) basis, or is required to submit its annual report instead of retaining it on site, may reduce the frequency of reporting to annual and/or be allowed to maintain the annual report on site if all of the following conditions are met:
 - a. For 1 full year (e.g., 2 semiannual or 4 quarterly reporting periods), the ongoing

compli
ance
status
reports
demon
strate
that the
affecte
d
emissio
ns unit
is in
compli
ance
with

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: P005

the relevant emission limit.

b. The permittee continues to comply with all applicable recordkeeping and monitoring requirements of 40 CFR Part 63, Subpart A and this permit.

c. The Cleveland DAQ does not object to a reduced reporting frequency. The frequency of submitting ongoing compliance status reports may be reduced if the following requirements are met:

i The permittee

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

notifies
the
Clevela
nd
DAQ
in
writing
of its
intentio
ns to
make
such a
change
. The
Clevela
nd
DAQ
may
review
inform
ation
concer
ning
the
facility'
s
previo
us
perfor
mance
history
during
the 5-
year
record
keepin
g
period
prior
to the
intende

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

d
change
, or the
record
keepin
g
period
since
the
emissio
n unit's
compli
ance
date,
whiche
ver is
shorter
.
Record
s
subject
to
review
include
perfor
mance
test
results,
monito
ring
data,
and
evaluat
ions of
the
permitt
ee's
confor
mance
with
emissio

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

n
limitati
ons
and
work
practic
e
standar
ds. If
the
permitt
ee's
request
is
disappr
oved,
the
Clevela
nd
DAQ
will
notify
the
permitt
ee in
writing
within
45
days
after
receivi
ng
notice.
This
notifica
tion
will
specify
the
ground
s on

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

which
the
disapproval is
based.
In the
absence of a
notice of
disapproval
within
45
days,
approval is
automatically
granted

- ii. If monitoring data show that the emissions unit is not in compliance with the relevant emission limit, the frequency of reporting shall revert to semianual, and the permittee shall state this exceed

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

ance in
the
ongoin
g
compli
ance
status
report
for the
next
reporti
ng
period.
After
demon
strating
ongoin
g
compli
ance
with
the
relevan
t
emissio
n limit
for
another
full
year,
the
permitt
ee may
again
request
approv
al to
reduce
the
reporti
ng

Issued: To be entered upon final issuance

frequen
cy.

10. The permittee shall submit a notification of construction or reconstruction as soon as practicable before the construction or reconstruction has commenced to the Cleveland DAQ which includes the following:
 - a. The permittee's name, title, and address.
 - b. The address (i.e., physical location) or proposed address of the affected emissions unit if different from the permittee's.
 - c. A notification of intention to construct or make any physical or operational changes to an affected emissions unit that may meet or has been determined to meet the criteria for a reconstruction as defined in 40 CFR part 63.2.

Emissions Unit ID: **P005**

- d. An identification of 40 CFR Part 63, subpart N as the basis for the notification.
- e. The expected commencement and completion dates of the construction or reconstruction.
- f. The anticipated date of (initial) startup.
- g. The type of process operation to be performed (hard or decorative chromium electroplating or chromium anodizing).
- h. A description of the air pollution control technique to be used to control emissions, such as preliminary design drawings and design capacity if an add-on air pollution control device is used.
- i. An estimate of emissions based on engineering calculations and vendor information on control device efficiency, expressed in units consistent with

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

the
emissions
limits
of 40
CFR
Part
63,
subpart
N.
Calculations of
emission
estimates
should
be in
sufficient
detail
to
permit
assessment
of the
validity
of the
calculations.

11. If a reconstruction is to occur, the permittee shall submit as soon as practicable the following information to the Cleveland DAQ:
 - a. A brief description of the affected emissions unit and the components to be replaced.
 - b. A brief description of the present and proposed emission control technique.
 - c. An estimate of the fixed capital cost of the replacements and of constructing a comparable entirely new

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

emissions unit.

- d. The estimated life of the affected emissions unit after the replacements.
- e. A discussion of any economic or technical limitations the emissions unit may have in complying with relevant standards or other requirements after proposed replacements. The discussion shall be sufficiently detailed to demonstrate to the Cleveland DAQ satisfaction that the technical or economic

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: P005

mic
limitati
ons
affecte
d the
emissio
ns unit
ability
to
comply
with
the
relevan
t
standar
d and
how
they do
so.

V. Testing Requirements

1. Method 306B, "Surface Tension Measurement and Recordkeeping for Tanks Used at Decorative Chromium Electroplating and Anodizing Facilities," shall be used to measure the surface tension of electroplating and anodizing baths.

2. Compliance with the emission limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method:

a. Emission Limitation:

Chromi
um
emissio
ns shall
not
exceed
 5.475×10^{-4}
tpy..

Applicable Compliance Method:

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

The following equation (based on AP-42, "Compilation of Air Pollution Emission Factors"

Section 12.20) shall be used:

$$Ea = (Ec \times 100) \times Rc \times (1/7000) \times Hr \times (1/2000)$$

Where:

Ea = actual annual chromium emissions in

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

ton per
year;

Ec =
1.2 x
10⁻⁶
grains/
dscf
(emissi
on
factor
for
decorat
ive
chromi
um
electro
plating
with
fume
suppre
ssant
from
AP-42,
Section
12.20,
Table
12.20-
1)(7/96
);

100 =
conver
sion
factor
for
convert
ing
grains/
dscf to
grains/

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

amp-hr
;

Rc =
rectifie
r
capacit
y in
amps;

1/7000
= 1
pound
per
7000
grains
to
convert
from
grains/
hr to
lbs/hr;

Hr =
hours
per
year of
operati
on of
chromi
um
electro
plating
tank;
and

1/2000
= 1 ton
per
2000
pounds

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

to
convert
from
lbs/yr
to
ton/yr.

b. Emission Limitation:

There shall be no visible particulate emissions from the packed bed scrubber stack at any time.

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

Applicable Compliance Method: If required, compliance shall be determined by visible emission evaluations performed using the methods and procedures specified in USEPA Reference Method 22.

c. Emission Limitation:

There shall be no visible

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

emissions of fugitive dust from any non-stack egress point (e.g., windows, doors, roof monitors, etc.) at any time.

Applicable Compliance Method: If required, compliance shall be determined by visible emission evaluations performed

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

med
using
the
method
s and
proced
ures
specifie
d in
USEP
A
Refere
nce
Metho
d 22.

VI. Miscellaneous Requirements

1. This Permit to Install replaces PTI No.13-03102, issued October 02, 1996, for this emissions unit.
2. The following terms and conditions are federally enforceable: I, II, III, IV, V, and VI.

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>P005 - Plastic Parts Decorative Chrome Plating Line (hexavalent chromium electroplating tank), employing chemical fume suppressant with wetting agent and Composite Mesh Pad Scrubber as a supplemental control. Line consists of various tanks including cleaning operations, acid etching, copper strike, nickel strike, chrome plate, and various rinse tanks.</p> <p>Modified</p> <p>Terms in this permit supercede those identified in PTI #13-03102 issued 10/02/96.</p>		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

66

Manu:

PTI A

Issued: To be entered upon final issuance

Emissions Unit ID: **P005**

V. Testing Requirements

None

VI. Miscellaneous Requirements

None