



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL MODIFICATION
CUYAHOGA COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 13-03102

Fac ID: 1318000838

DATE: 4/28/2005

Manufacturers Plating Company
Carl Zappetelli
1859 East 63rd Street
Cleveland, OH 44103

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

CLAA



**Permit To Install
Terms and Conditions**

**Issue Date: 4/28/2005
Effective Date: 4/28/2005**

FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 13-03102

Application Number: 13-03102
Facility ID: 1318000838
Permit Fee: **\$200**
Name of Facility: Manufacturers Plating Company
Person to Contact: Carl Zappetelli
Address: 1859 East 63rd Street
Cleveland, OH 44103

Location of proposed air contaminant source(s) [emissions unit(s)]:
**1859 East 63rd Street
Cleveland, Ohio**

Description of proposed emissions unit(s):
Modify P005 (plastic parts decorative chrome plating line employing chemical fume suppressant with wetting agent) to add a Composite Mesh Pad Scrubber as a secondary control.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous

calendar quarters. See B.9 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition

declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are

required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

12. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Manufacturers Plating Company
PTI Application: 13-03102
Modification Issued: 4/28/2005

Facility ID: 1318000838

B. State Only Enforceable Permit To Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

4. Termination of Permit To Install

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete

Manufacturers Plating Company
PTI Application: 13-03102
Modification Issued: 4/28/2005

Facility ID: 1318000838

within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

5. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

6. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

7. Applicability

Manufacturers Plating Company
PTI Application: 13-03102
Modification Issued: 4/28/2005

Facility ID: 1318000838

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

8. Construction Compliance Certification

If applicable, the applicant shall provide Ohio EPA with a written certification (see enclosed form if applicable) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

9. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit To Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

Manufacturers Plating Company
PTI Application: 13-03102
Modification Issued: 4/28/2005

Facility ID: 1318000838

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Chromium Emissions	0.032 tpy

Manufacturers Plating Company
PTI Application: 13-03102
Modification Issued: 4/28/2005

Facility ID: 1318000838

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Manufacturers Plating Company
PTI Application: 13-03102
Modif

Facility ID: 1318000838

Emissions Unit ID: **P005**

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

limitati
ons,
and the
listed
control
measur
es shall
be
specifie
d in
narrati
ve
form
followi
ng the
table.

Operations, Property,
and/or Equipment

P005 - Plastic Parts
Decorative Chrome Plating
Line (hexavalent chromium
electroplating tank), employing
chemical fume suppressant
with wetting agent and
Composite Mesh Pad Scrubber
as a supplemental control. Line
consists of various tanks
including cleaning operations,
acid etching, copper strike,
nickel strike, chrome plate,
and various rinse tanks.

Modified

Terms in this permit supercede
those identified in PTI #13-03102
issued 10/02/96.

Applicable Rules/Requirements

OAC rule 3745-31-05(A)(3)

40 CFR Part 63, Subpart N

OAC rule 3745-17-07(B)(1)

OAC rule 3745-17-08(B)

Manu:**PTI A****Modification Issued: 4/28/2005**Emissions Unit ID: **P005**

Applicable Emissions
Limitations/Control Measures

OAC rule 3745-17-07(A)	Chromium Emissions shall not exceed 0.032 tpy.
OAC rule 3745-17-11(B)	There shall be no visible particulate emissions from the stack serving this emissions unit at any time.
	There shall be no visible emissions of fugitive dust from the non-stack egress points at any time.
	See Additional Terms and Conditions, Section 2.a below.
	The visible fugitive dust limitation specified by this rule is less stringent than the visible fugitive dust limitation established pursuant to OAC rule 3745-31-05(A)(3).
	The control measures specified by this rule are less stringent than the control measures established pursuant to 40 CFR Part 63, Subpart N.
	The visible emission limitation specified by this rule is less stringent than the visible emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	The emission limitation specified by this rule is less stringent than the control requirements established pursuant to 40 CFR Part 63, Subpart N.

2.

**Addi
onal
Terms
and
Condit
ions**

- 2.a The permittee shall control chromium emissions discharged to the atmosphere by not allowing the surface tension of the electroplating or anodizing bath to exceed 45 dynes per centimeter (3.1×10^{-3} pound-force per foot) at any time during operation of the tank.

- 2.b** While both a chemical fume suppressant with wetting agent and a composite mesh pad scrubber are employed, compliance shall be demonstrated on the basis of the chemical fume suppressant with wetting agent requirement as per 40 CFR Part 63, Subpart N.

II. Operational Restrictions

1. At all times, including periods of startup, shutdown, and malfunction, the permittee shall operate and maintain any chromium electroplating or anodizing tank, including associated air pollution control devices and monitoring equipment, in a manner consistent with the operation and maintenance plan required by these terms and conditions.
2. Malfunctions shall be corrected as soon as practicable after their occurrence in accordance with the operation and maintenance plan.

Manu:**PTI A****Modification Issued: 4/28/2005**Emissions Unit ID: **P005**

3. Determination of whether acceptable operation and maintenance procedures are being used will be based on information available to the Cleveland Division of Air Quality (Cleveland DAQ), which may include, but is not limited to, monitoring results; review of the operation and maintenance plan, procedures, and records; and inspection of the emission unit. Based on this information, the Cleveland DAQ may require that the permittee make changes to the operation and maintenance plan if that plan:
- a. does not address a malfunction that has occurred;
 - b. fails to provide for the operation of the emission units, the air pollution control techniques, or the control system and process monitoring equipment during a malfunction in a manner consistent with good air pollution practices; or
 - c. does not provide adequate procedures for correcting malfunctioning process equipment, air pollution

Manufacturers Plating Company
PTI Application: 13-03102
Modif

Facility ID: 1318000838

Emissions Unit ID: **P005**

control
techniques, or
monitoring
equipment as
quickly as
practicable.

4. The permittee shall prepare an operation and maintenance plan to be implemented no later than the startup of the emission unit. The plan shall include the following elements:

- a. The plan shall specify the operation and maintenance criteria for the affected source, the add-on air pollution control device (if such a device is used to comply with the emissions limits), and the process and control system monitoring equipment, and shall include a standardized checklist to document the operation and maintenance

nance
of the
equipm
ent.

- b. If a stalagmometer is used for monitoring, follow the manufacturer's recommendations.
- c. The plan shall specify procedures to be followed to ensure that equipment or process malfunctions due to poor maintenance or other preventable conditions do not occur.
- d. The plan shall include a systematic procedure for identifying malfunctions of process equipment, add-on air pollution control devices, and process and control system monitoring equipment.

ent,
and for
implem
enting
correct
ive
actions
to
address
such
malfun
ctions.

- e. If the operation and maintenance plan fails to address or inadequately addresses an event that meets the characteristics of a malfunction at the time the plan is initially developed, the permittee shall revise the operation and maintenance plan within

45
days
after
such an
event
occurs.

- f. If actions taken by the permittee during periods of malfunction are inconsistent with the procedures specified in the operation and maintenance plan, the permittee shall record the actions taken for that event and shall report such actions within 2 working days after commencing actions inconsi

stent
with
the
plan.
This
report
shall be
followe
d by a
letter
within
7
workin
g days
after
the end
of the
event,
unless
the
permitt
ee
makes
alternat
ive
reporti
ng
arrange
ments,
in
advanc
e, with
the
Clevela
nd
DAQ.

- g. The permittee shall keep the written operation and maintenance plan on record after it is developed to

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

be
made
availabl
e for
inspect
ion,
upon
request
, by the
Clevela
nd
DAQ
for the
life of
the
emissio
ns unit.
If the
operati
on and
mainte
nance
plan is
revised
, the
permitt
ee shall
keep
previo
us
version
s of the
plan on
record
to be
made
availabl
e for
inspect
ion,

upon request, by the Cleveland and DAQ for a period of five years after each revision to the plan.

- h. The permittee may use applicable standard operating procedure (SOP) manuals, Occupational Safety and Health Administration (OSHA) plans, or other existing plans to meet the operation and maintenance plan requirements.

ments
as long
as the
alternat
ive
plans
meet
the
require
ments.

III. Monitoring and/or Recordkeeping Requirements

1. The surface tension shall be monitored according to the following schedule:

a. The surface tension shall be measured once every four hours during operation of the tank with a stalagmometer or a tensiometer as specified in Method 306B of 40CFR Part 63, Subpart N.

b. The time between monitoring can be increased if there have been no exceedances. The surface tension shall be measured

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

once every four hours of tank operation for the first 40 hours of tank operation after the compliance date. Once there are no exceedances during 40 hours of tank operation, surface tension measurement may be conducted once every 8 hours of tank

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

operati
on.
Once
there
are no
exceed
ances
during
40
hours
of tank
operati
on,
surface
tension
measur
ement
may be
conduc
ted
once
every
40
hours
of tank
operati
on on
an
ongoin
g basis,
until an
exceed
ance
occurs.
The
minimu
m
frequen
cy of
monito

ring
allowe
d is
once
every
40
hours
of tank
operati
on.

- c. Once an exceedance occurs, as indicated through surface tension monitoring, the original monitoring schedule of once every four hours must be resumed. A subsequent decrease in frequency shall follow the schedule in paragraph (b) above.

- d. Once a bath solution is drained from the affected tank and a new solution added, the original

monito
ring
schedul
e of
once
every
four
hours
must
be
resume
d, with
a
decreas
e in
monito
ring
frequen
cy
allowe
d as in
paragra
ph (b)
above.

2. The permittee shall fulfill all recordkeeping requirements in the General Provisions to 40 CFR Part 63, according to the applicability of subpart A.
3. The permittee also shall maintain the following records:
 - a. Inspection records for the add-on air pollution control device, if such a device is used, and
monito
ring
equipm
ent, to
docum
ent that
the
inspect
ion and

Manufacturers Plating Company

PTI Application: 13-03102

Modif

Facility ID: 1318000838

Emissions Unit ID: **P005**

mainte
nance
require
d by
the
work
practic
e
standar
ds of
this
permit
have
taken
place.
The
record
can
take
the
form of
a
checkli
st and
should
identify
the
device
inspect
ed, the
date of
inspect
ion, a
brief
descrip
tion of
the
workin
g
conditi
on of
the
device
during

the
inspect
ion,
and
any
actions
taken
to
correct
deficie
ncies
found
during
the
inspect
ion.

- b. Records of all maintenance performed on the emissions unit, add-on air pollution control device, and monitoring equipment;
- c. Records of the occurrence, duration, and cause (if known) of each malfunction of process, add-on air pollution control device, and monitoring equipment;
- d. Records of actions taken during periods of malfunction when such actions are inconsistent with

- e. Other records, which may take the form of checklists, necessary to demonstrate the operation and maintenance plan; consistence with the provisions of the operation and maintenance plan;
- f. Test reports documenting results of all performance tests;
- g. All measurements as may be necessary to determine the conditions of performance tests;
- h. Records of monitoring data that are used to demonstrate compliance with the standard including the date and time the data are collected;
- i. The specific identification (i.e., the date and time of commencement and completion) of each period

of
excess
emissions, as
indicated by
monitoring
data,
that
occurs
during
malfunction
of the
process
,
add-on
air
pollution
control
device,
or
monitoring
equipment;

- j. The specific identification (i.e., the date and time of commencement and completion) of each period of excess emissions, as indicated by monitoring

data,
that
occurs
during
periods
other
than
malfun
ction
of the
process
,
add-on
air
polluti
on
control
device,
or
monito
ring
equipm
ent;

k. The total process operating time of the emission unit during the reporting period;

l. All documentation supporting the notifications and reports as outlined in the Reporting Requirements of this permit and §63.9 and §63.10 of 40 CFR Part 63, subpart

A; and

- m. Records of the date and time that the fume suppressants are added to the electroplating or anodizing bath.

- 4. All records shall be maintained for a period of five years.

IV. Reporting Requirements

- 1. The permittee shall fulfill all reporting requirement as outlined in 40 CFR Part 63 Subpart A. These reports shall be made to the Cleveland DAQ and shall be sent by U.S. mail, fax or by another courier.
 - a. Submittals sent by U.S. mail shall be postmarked on or before the specified date.
 - b. Submittals sent by other methods shall be received by the Cleveland DAQ on or before the specified date.
- 2. The permittee shall submit to the Cleveland DAQ an initial notification report that contains the following information:
 - a. The name, title, and address of the owner or operator;
 - b. The address (i.e., physical location) of the emissions unit;
 - c. Identification of the applicable emission limitations and compliance date;
 - d. A statement of whether the affected emissions unit is located at a major source or at an area source; and
 - e. A brief description of each affected emission unit, including the type of process operation performed.
- 3. The permittee shall submit a Notification of Compliance Status to Cleveland DAQ signed by the

responsible official who shall certify its accuracy, attesting to whether the affected emissions unit is in compliance. The notification shall list for each affected emissions unit:

a. The applicable emission limitations and the methods that were used to determine compliance with this limitation;

b. If a performance test is required, the test report documenting the results of the performance test, which includes the elements required in the Test Requirements section of this permit, including measurements and calculations to support special compliance

provisi
ons for
multipl
e
emissio
ns
units
control
led by
a
commo
n
add-on
air
polluti
on
control
device;

- c. The type and quantity of hazardous air pollutants emitted by the emissions unit reported in mg/dsc m or mg/hr if the emissions unit is using the special provisions for multiple emissions units controlled by a commo

Manufacturers Plating Company
PTI Application: 13-03102
Modif

Facility ID: 1318000838

Emissions Unit ID: **P005**

n
add-on
air
polluti
on
control
device
(For
emissio
ns
units
not
require
d to
conduc
t a
perfor
mance
test,
the
surface
tension
measur
ement
may
fulfill
this
require
ment.)

- d. For each monitored parameter for which a compliant value was established, the specific
operati
ng
parame
ter
value,
or
range
of
values,
that
corresp
onds to compli

ance
with
the
applica
ble
emissio
n limit;

- e. The methods that will be used to determine continuous compliance;
 - f. A description of the air pollution control technique used for each emission point;
 - g. A statement that the permittee has completed and has on file the operation and maintenance plan as required by the work practice standards; and
 - h. A statement by the owner or operator as to whether the emissions unit is in compliance.
4. The permittee shall report to the Cleveland DAQ the results of any performance test conducted. The report shall be submitted no later than 90 days following the completion of the performance test, and shall be submitted as part of the notification of compliance status report required by this section.
5. The permittee shall prepare an ongoing compliance status report annually (unless a request to reduce frequency of ongoing compliance status reports has been approved) to the Cleveland DAQ to document the ongoing compliance status of the emissions unit. This report shall include the following:
- a. The company name and address of the emissions unit;
 - b. An identification of the operating parameter that is monitored for compliance

- c. The relevant emission limitation for the emissions unit, and the operating parameter value, or range of values, that correspond to compliance with this emission limitation as specified in the Notification of Compliance Status required by this section ;
- d. The beginning and ending dates of the reporting period;
- e. The total operating time of the emissions unit during the reporting period;
- f. A summary of operating parameter values, including the total duration of excess emissions during the

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

reporting period as indicated by those values, the total duration of excess emissions expressed as a percent of the total emissions unit operating time during that reporting period, and a breakdown of the total duration of excess emissions during

the
reporti
ng
period
into
those
that are
due to
process
upsets,
control
equipm
ent
malfun
ctions,
other
known
causes,
and
unkno
wn
causes;

- g. A certification by a responsible official that the work practice standards in this permit were followed in accordance with the operation and maintenance plan for the emissions unit;
- h. If the operation and maintenance plan required by this permit was not followed, an

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

explan
ation
of the
reasons
for not
followi
ng the
provisi
ons, an
assess
ment
of
whethe
r any
excess
emissio
n
and/or
parame
ter
monito
ring
exceed
ances
are
believ
ed to
have
occurr
ed, and
a copy
of the
reports
require
d by
the
work
practic
es in
this

permit;

i. A description of any changes in monitoring, processes, or controls since the last reporting period;

j. The name, title, and signature of the responsible official who is certifying the accuracy of the report;

k. The date of the report; and

l. The report shall be completed annually and retained on site, and made available to the Cleveland DAQ upon request

6. The permittee shall submit semiannual reports if the following conditions are met:

a. the total duration of excess emissions is one percent or greater of the total operating time for the reporting period; and

b. the total duration of malfunctions of the add-on air pollution control device and monitoring equipment is 5 percent or greater of the total operating

time.

- 7. Once the permittee reports an exceedance, ongoing compliance status reports shall be submitted semiannually until a request to reduce reporting frequency is approved.
- 8. The Cleveland DAQ may determine on a case-by-case basis that the summary report shall be completed more frequently and submitted, or that the annual report shall be submitted instead of being retained on site, if these measures are necessary to accurately assess the compliance status of the emissions unit.
- 9. The permittee who is required to submit ongoing compliance status reports on a semiannual (or more frequent) basis, or is required to submit its annual report instead of retaining it on site, may reduce the frequency of reporting to annual and/or be allowed to maintain the annual report on site if all of the following conditions are met:
 - a. For 1 full year (e.g., 2 semiannual or 4 quarterly reporting periods), the ongoing compliance status reports demonstrate that the affected emissions unit is in compliance with the relevant emission limit.
 - b. The permittee continues to comply with all applicable recordkeeping and monitoring requirements

Manufacturers Plating Company
PTI Application: 13-03102
Modif

Facility ID: 1318000838

Emissions Unit ID: **P005**

of 40
CFR
Part
63,
Subpar
t A and
this
permit.

c. The Cleveland DAQ does not object to a reduced reporting frequency. The frequency of submitting ongoing compliance status reports may be reduced if the following requirements are met:

i
The
permitt
ee
notifies
the
Clevela
nd
DAQ
in
writing
of its
intentio
ns to
make
such a

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

change
. The
Clevela
nd
DAQ
may
review
inform
ation
concer
ning
the
facility'
s
previo
us
perfor
mance
history
during
the 5-
year
record
keepin
g
period
prior
to the
intende
d
change
, or the
record
keepin
g
period
since
the
emissio
n unit's

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

compliance date, whichever is shorter.
Records subject to review include performance test results, monitoring data, and evaluations of the permittee's conformance with emission limitations and work practice standards. If the

permitter's request is disapproved, the Cleveland and DAQ will notify the permittee in writing within 45 days after receiving notice. This notification will specify the grounds on which the disapproval is based. In the absence of a notice

of
disapproval
within
45
days,
approval is
automatically
granted

- ii. If monitoring data show that the emissions unit is not in compliance with the relevant emission limit, the frequency of reporting shall revert to semiannual, and the permittee shall state this exceedance in the ongoing compliance status report

for the next reporting period. After demonstrating ongoing compliance with the relevant emission limit for another full year, the permittee may again request approval to reduce the reporting frequency.

10. The permittee shall submit a notification of construction or reconstruction as soon as practicable before the construction or reconstruction has commenced to the Cleveland DAQ which includes the following:

Manu:**PTI A****Modification Issued: 4/28/2005**Emissions Unit ID: **P005**

- a. The permittee's name, title, and address.
- b. The address (i.e., physical location) or proposed address of the affected emissions unit if different from the permittee's.
- c. A notification of intention to construct or make any physical or operational changes to an affected emissions unit that may meet or has been determined to meet the criteria for a reconstruction as defined in 40 CFR part 63.2.
- d. An identification of 40 CFR Part 63, subpart N as the basis for the notification.
- e. The expected commencement and completion dates of the construction or reconstruction.
- f. The anticipated date of (initial) startup.

- g. The type of process operation to be performed (hard or decorative chromium electro plating or chromium anodizing).
- h. A description of the air pollution control technique to be used to control emissions, such as preliminary design drawings and design capacity if an add-on air pollution control device is used.
- i. An estimate of emissions based on engineering calculations and vendor information on control device efficiency, expressed in units consistent with the emissio

ns
limits
of 40
CFR
Part
63,
subpart
N.
Calcula
tions of
emissio
n
estimat
es
should
be in
sufficie
nt
detail
to
permit
assess
ment
of the
validity
of the
calcula
tions.

11. If a reconstruction is to occur, the permittee shall submit as soon as practicable the following information to the Cleveland DAQ:
 - a. A brief description of the affected emissions unit and the components to be replaced.
 - b. A brief description of the present and proposed emission control technique.
 - c. An estimate of the fixed capital cost of the replacements and of constructing a comparable entirely new emissio

ns unit.

- d. The estimated life of the affected emissions unit after the replacements.
- e. A discussion of any economic or technical limitations the emissions unit may have in complying with relevant standards or other requirements after proposed replacements. The discussion shall be sufficiently detailed to demonstrate to the Cleveland DAQ satisfaction that the technical or economic

Manufacturers Plating Company
PTI Application: 13-03102
Modif

Facility ID: 1318000838

Emissions Unit ID: **P005**

mic
limitati
ons
affecte
d the
emissio
ns unit
ability
to
comply
with
the
relevan
t
standar
d and
how
they do
so.

V. Testing Requirements

1. Method 306B, "Surface Tension Measurement and Recordkeeping for Tanks Used at Decorative Chromium Electroplating and Anodizing Facilities," shall be used to measure the surface tension of electroplating and anodizing baths.
2. Compliance with the emission limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method:

a. Emission Limitation:

Chromi
um
emissio
ns shall
not
exceed
 5.475×10^{-4}
tpy..

Applicable Compliance Method:

The
followi
ng

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: P005

equation
n
(based
on
AP-42,
"Compilation
of Air
Pollution
Emission
Factors
"

Section
12.20)
shall be
used:

$$Ea = (Ec \times 100) \times Rc \times (1/7000) \times Hr \times (1/2000)$$

Where:

Ea = actual annual chromium emissions in ton per year;

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

Ec =
1.2 x
10⁻⁶
grains/
dscf
(emissi
on
factor
for
decorat
ive
chromi
um
electro
plating
with
fume
suppre
ssant
from
AP-42,
Section
12.20,
Table
12.20-
1)(7/96
);

100 =
conver
sion
factor
for
convert
ing
grains/
dscf to
grains/
amp-hr

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

;

Rc =
rectifie
r
capacit
y in
amps;

1/7000
= 1
pound
per
7000
grains
to
convert
from
grains/
hr to
lbs/hr;

Hr =
hours
per
year of
operati
on of
chromi
um
electro
plating
tank;
and

1/2000
= 1 ton
per
2000
pounds

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

to
convert
from
lbs/yr
to
ton/yr.

b. Emission Limitation:

There shall be no visible particulate emissions from the packed bed scrubber stack at any time.

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

Applicable Compliance Method: If required, compliance shall be determined by visible emission evaluations performed using the methods and procedures specified in USEPA Reference Method 22.

c. Emission Limitation:

There shall be no

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

visible
emissio
ns of
fugitive
dust
from
any
non-sta
ck
egress
point
(e.g.,
windo
ws,
doors,
roof
monito
rs,
etc.) at
any
time.

Applic
able
Compli
ance
Metho
d:
If
require
d,
compli
ance
shall be
determi
ned by
visible
emissio
n
evaluat

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

ions
perfor
med
using
the
method
s and
proced
ures
specifie
d in
USEP
A
Refere
nce
Metho
d 22.

VI. Miscellaneous Requirements

1. This Permit to Install replaces PTI No.13-03102, issued October 02, 1996, for this emissions unit.
2. The following terms and conditions are federally enforceable: I, II, III, IV, V, and VI.

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: P005

B. State Only Enforceable Section**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>P005 - Plastic Parts Decorative Chrome Plating Line (hexavalent chromium electroplating tank), employing chemical fume suppressant with wetting agent and Composite Mesh Pad Scrubber as a supplemental control. Line consists of various tanks including cleaning operations, acid etching, copper strike, nickel strike, chrome plate, and various rinse tanks.</p> <p>Modified</p> <p>Terms in this permit supercede those identified in PTI #13-03102 issued 10/02/96.</p>		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

67

Manu:

PTI A

Modification Issued: 4/28/2005

Emissions Unit ID: **P005**

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None