

Facility ID: 0684000015 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0684000015 Emissions Unit ID: F001 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Plant roadways and parking areas	OAC rule 3745-31-05(A)(3) (PTI 06-07331 issued 11/28/03)	Particulate emissions (PE) from the plant roadways and parking areas shall not exceed 0.6 tons per year.
paved roadways and parking areas (see Section A.2.a)	OAC rule 3745-31-05(A)(3)	There shall be no visible particulate emissions except for one minute during any 60-minute period. The permittee shall implement best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.c, A.2.d, and A.2.f through A.2.j).
	OAC rule 3745-17-07 (B)(4)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-17-08 (B), (B)(8), (B)(9)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
unpaved roadways and parking areas (see Section A.2.b)	OAC rule 3745-31-05(A)(3)	There shall be no visible particulate emissions except for 3 minutes during any 60-minute period. The permittee shall implement best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.e through A.2.j).
	OAC rule 3745-17-07 (B)(5)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-17-08 (B), (B)(2)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- (a) The paved roadways and parking areas that are covered by this permit and subject to the above-mentioned requirements are listed below:
 - paved roadways:
 - Main Drive
 - Cement Truck Route
 - Secondary Roadways
 - paved parking areas:
 - Mixer Truck Parking
 The unpaved roadways and parking areas that are covered by this permit and subject to the above-mentioned requirements are listed below:

unpaved roadways:

Cement Truck Route

unpaved parking areas:

Employee Parking

The permittee shall employ best available control measures on all paved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the paved roadways and parking areas by watering at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

The permittee shall employ best available control measures on the unpaved shoulders of all paved roadways for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the unpaved shoulders of all paved roadways with water at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

The permittee shall employ best available control measures on all unpaved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the unpaved roadways and parking areas with watering at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for a paved or unpaved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.

Any unpaved roadway or parking area, which during the term of this permit is paved or takes the characteristics of a paved surface due to the application of certain types of dust suppressants, may be controlled with the control measure(s) specified above for paved surfaces. Any unpaved roadway or parking area that takes the characteristics of a paved roadway or parking area due to the application of certain types of dust suppressants shall remain subject to the visible emission limitation for unpaved roadways and parking areas. Any unpaved roadway or parking area that is paved shall be subject to the visible emission limitation for paved roadways and parking areas.

The permittee shall promptly remove, in such a manner as to minimize or prevent resuspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.

Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary for the materials being transported.

Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the best available technology requirements of OAC rule 3745-31-05.

B. Operational Restrictions

1. None

C. Monitoring and/or Record Keeping Requirements

1. 1. Except as otherwise provided in this section, the permittee shall perform inspections of the roadways and parking areas in accordance with the following frequencies:

paved roadways and parking areas minimum inspection frequency

Main Drive daily
Cement Truck Route
Secondary Roadways
Mixer Truck Parking

unpaved roadways and parking areas minimum inspection frequency

Cement Truck Route daily
Employee Parking

2. The purpose of the inspections is to determine the need for implementing the above-mentioned control measures. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

3. The permittee shall maintain records of the following information:

- a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
- c. the dates the control measures were implemented; and
- d. on a calendar quarter basis, the total number of days the control measures were implemented and the

total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information required in 3.d. shall be kept separately for (i) the paved roadways and parking areas and (ii) the unpaved roadways and parking areas, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
 - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Emission Limitation:
 paved roadway and parking areas
 There shall be no visible particulate emissions except for one minute during any 60-minute period.

 unpaved roadways and parking areas
 There shall be no visible particulate emissions except for 3 minutes during any 60-minute period.

 Applicable Compliance Method:
 Compliance with the emission limitation for the paved and unpaved roadways and parking areas identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources," as such Appendix existed on July 1, 2002, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.
2. Emission Limitation:
 Particulate emissions shall not exceed 0.6 tons per year.

Applicable Compliance Method:
 paved roadways and parking areas

The emission factor calculation for paved roadways and parking areas in AP-42 section 13.2.2 (September, 1998) may be utilized to determine compliance. Initial compliance has been determined using inputs representing current conditions as follows:

$$E = k(sL/2)^{0.65} \times (W/3)^{1.5}$$

where:

E = size-specific emission factor (lb/VMT)
 k = 0.082 (dimension less constant) particle size multiplier
 sL = 8.2 (dimension less constant) road surface silt loading
 W = 22.2 tons of average vehicle weight

Therefore, E = 4.13 lbs particulate/VMT

Maximum travel = 2826 VMT/year

$$(2826 \text{ VMT/yr})(4.13 \text{ lbs/VMT}) = 11,671 \text{ lbs of particulate/year}$$

$$(11,671 \text{ lbs/year})(1 \text{ ton}/2000 \text{ lbs}) = 5.84 \text{ tons of particulate uncontrolled/year}$$

Assume 90% control for roadway watering

$$(5.84 \text{ tons/year}) (.10) = 0.59 \text{ ton of particulate controlled/year}$$

unpaved roadways and parking areas

The emission factor calculation for unpaved roadways and parking areas in AP-42 section 13.2.2 (September, 1998) may be utilized to determine compliance. Initial compliance has been determined using inputs representing current conditions as follows:

$$E = [k(s/12)^a \times (W/3)^b] / (M/0.2)^c$$

where:

E = size-specific emission factor (lb/VMT)
 s = silt content of road surface material (%) = 9.6 %
 W = mean vehicle weight (tons) = 8.6
 M = surface material moisture content (%) = 8.9%
 a = 0.8 (dimension less constant)
 b = 0.5 (dimension less constant)
 c = 0.4 (dimension less constant)
 k = 10 (dimension less constant) particle size multiplier
 Therefore, E = 3.11 lbs particulate/VMT

Maximum travel = 68 VMT/year

$$(68 \text{ VMT/yr})(3.11 \text{ lbs/VMT}) = 212 \text{ lbs of particulate/year}$$

$(212 \text{ lbs/year})(1 \text{ ton}/2000 \text{ lbs}) = 0.11 \text{ tons of particulate uncontrolled/year}$

Assume 90% control for roadway watering

$(0.11 \text{ tons/year}) (.10) = 0.01 \text{ tons of particulate controlled/year}$

Total emissions from paved and unpaved roadways and parking areas are:

$0.01 \text{ ton} + 0.59 \text{ tons} = 0.6 \text{ tons per year}$

F. **Miscellaneous Requirements**

1. None