



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL MODIFICATION
CUYAHOGA COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:
Lazarus Gov. Center
P.O. Box 1049

Application No: 13-04548

Fac ID: 1318005897

DATE: 3/16/2006

Center Terminal Co. (frm Fleet Supplies)
Robert White
600 Mason Ridge Drive
St. Louis, MO 63141

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

CLAA



**Permit To Install
Terms and Conditions**

**Issue Date: 3/16/2006
Effective Date: 3/16/2006**

FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 13-04548

Application Number: 13-04548
Facility ID: 1318005897
Permit Fee: **\$800**
Name of Facility: Center Terminal Co. (frm Fleet Supplies)
Person to Contact: Robert White
Address: 600 Mason Ridge Drive
St. Louis, MO 63141

Location of proposed air contaminant source(s) [emissions unit(s)]:
**250 Mahoning Avenue
Cleveland, Ohio**

Description of proposed emissions unit(s):
modification of permit to install 1303948 conversion of two fixed roof storage tanks into two internal floating roof storage tanks.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Center Terminal Co. (frm Fleet Supplies)
PTI Application: 13-04548
Modification Issued: 3/16/2006

Facility ID: 131800589

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Center Terminal Co. (frm Fleet Supplies)

Facility ID: 131800589

PTI Application: 13-04548

Modification Issued: 3/16/2006

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

Center Terminal Co. (frm Fleet Supplies)
PTI Application: 13-04548
Modification Issued: 3/16/2006

Facility ID: 131800589

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

Center Terminal Co. (frm Fleet Supplies)
 PTI Application: 13-04548
 Modification Issued: 3/16/2006

Facility ID: 131800589

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
Permitted Storage Tanks VOC	36.65
Facility Wide VOC	91.16

7

Center Terminal Co. (frm Fleet Supplies)
PTI Application: 13-04548
Modification Issued: 3/16/2006

Facility ID: 131800589

Cente

PTI A

Modification Issued: 3/16/2006

Emissions Unit ID: **T024**

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property,
and/or Equipment

Applicable Rules/Requirements

T024 - 499,800 gallon internal floating roof storage tank equipped with primary and secondary seals. The company ID is Tank #18195.

OAC rule 3745-31-05(A)(3)

Terms in this permit supercede those identified in PTI 13-03948 issued 01/16/03 for this emissions unit.

OAC rule 3745-21-09(L)

OAC rule 3745-35-07(B) Synthetic minor to avoid Title V permit

40 CFR 60 Subpart Kb

Center Terminal Co. (frm Fleet Supplies)
PTI Application: 13-04518
Modif

Facility ID: 131800589

Emissions Unit ID: T024

Applicable Emissions
Limitations/Control Measures

The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-09(L) and 3745-35-07(B).

Use of submerged fill when loading this emissions unit

Exempt; See Sections B.1.a through B.1.c below.

See Sections A.2.a, A.2.b, A.2.c and B.2.a through B.2.c below.

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-35-07(B).

2. Additional Terms and Conditions

- 2.a** Storage tanks identified in this permit as emissions unit numbers T024 and T025 are inherently restricted by the throughput, in gallons, of the material processed by emissions units J002, J003 and P002 in permit to install 13-03948. Emissions units J002, J003 and P002 have federally enforceable permit restrictions to limit the amount of material processed on a rolling, 12-month basis.
- 2.b** Volatile organic compound (VOC) emissions from storage tanks identified in this permit (T024 and T025) and in permit to install 13-03948 issued on January 16, 2003 shall not exceed 36.65 tons per year based upon a rolling, 12-month summation.

- 2.c VOC emissions from all emissions units located at this facility shall not exceed 91.16 tons per year based upon a rolling, 12-month summation.

B. Operational Restrictions

- 1. The permittee shall install the following control equipment and shall maintain tank vents, seals, and or covers as follows:
 - a. The storage tank shall be equipped with an internal floating roof;
 - b. The automatic bleeder vents shall be closed at all times except when the roof has floated off or landed on the roof leg supports; and the rim vents, if present, shall be set to open or at the manufacturer's recommended setting when the roof has floated off the roof leg supports; and
 - c. All openings, except stub drains, shall be equipped with a cover, seal, or lid which is to be in a closed position at all times, except when in actual use for tank gauging or sampling.
- 2.
 - a. The permittee shall document the monthly emissions by tracking the monthly VOC emission factors, volume throughout and emission rates to calculate monthly actual VOC emissions generated by the storage tanks identified in this permit and by the facility.
 - b. To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the emission levels specified in the following table:

Month	Maximum Allowable VOC Emissions for Permitted Tanks (Tons)	Cumulative Facility VOC Emissions (Tons)
1	3.05	13.75
1-	2 6.11	26.91
1-	3 9.16	40.48
1-	4 12.22	53.01
1-	5 15.27	57.60
1-	6 18.33	62.06

Modification Issued: 3/16/2006

1-	7	21.38	66.52
1-	8	24.43	70.99
1-	9	27.49	75.63
1-	10	30.54	80.46
1-	11	33.60	85.15
1-	12	36.65	91.16

- c. After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual emission rate in tons shall be based upon the rolling, 12-month summations of the monthly emission rate in tons.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall maintain records of the following information for the internal floating roof tank:
 - a. The types of petroleum liquids and/or VOC materials stored in the tank; and
 - b. The maximum true vapor pressure (in pounds per square inch absolute), as stored, of each petroleum liquid that has a maximum true vapor pressure greater than 1.0 pound per square inch absolute.
2. The permittee shall maintain a record of any period of time in which the automatic bleeder vents, rim vents, and all openings other than stub drains were not maintained as required in this permit.
3. The permittee shall maintain the following monthly emission information for this emissions unit and all other storage tanks located at this facility:
 - a. The amount of throughput, in gallons;
 - b. The total VOC emissions, in tons, generated by storage tanks identified in this permit and in permit to install 13-03948 which was issued on January 16, 2003;
 - c. The rolling, 12-month summations of VOC emissions, in tons, generated by storage tanks identified in this permit and in permit to install 13-03948 which was issued on January 16, 2003:

Air emissions
current month,

Air emissions
+ previous 11 months,

Air emissions
= total 12-month,

Center Terminal Co. (frm Fleet Supplies)

Facility ID: 131800589

PTI Application: 13-04518

Modif

Emissions Unit ID: T024

tons of emissions

tons of emissions

tons of emissions

- d. The total VOC emissions, in tons, generated by all emissions units at this facility; and
- e. The rolling, 12-month summation of VOC emissions, in tons, generated by storage tanks identified in this permit and in permit to install 13-03948 which was issued on January 16, 2003 and by all the emissions units at this facility after the first 12 calendar months of operation following the issuance of this permit:

Air emissions
current month,
tons of emissions

Air emissions
+ previous 11 months,
tons of emissions

Air emissions
= total 12-month,
tons of emissions

- 4. The application and enforcement of the provisions of the New Source Performance Standards (NSPS), as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements of 40 CFR Part 60 are also federally enforceable.

In accordance with 40 CFR 60.116(a) and (b), the owner and operator of the following storage vessel(s) shall keep readily accessible records showing the dimension of each storage vessel and an analysis showing the capacity of each storage vessel for the life of each emissions unit.

Source Number:

Tank Size:

T024

499,800 gallons

- 5. All records including any supporting information, analyses and computations required by this permit to install shall be retained on file (on site) for a period of not less than five years unless otherwise indicated by the Ohio Environmental Protection Agency. All records shall be made available to the Director of any authorized representative of the Director for review during normal business hours.

D. Reporting Requirements

1. The permittee shall submit semi-annual deviation (excursion) reports which identify all exceedances of the rolling, 12-month emission restrictions for VOC emissions generated by the storage tanks identified in this permit and in permit to install 13-03948 which was issued on January 16, 2003 and VOC emissions generated by all emissions units at this facility. These reports shall be submitted by January 31 and July 31 of each year to the Cleveland Division of Air Quality and shall address the data obtained during the previous 6-month calendar period.

If no deviations (excursions) have occurred, the permittee shall submit a semi-annual report which states that no deviations (excursions) have occurred during the previous 6-month period. These reports shall be submitted by January 31 and July 31 of each year to the Cleveland Division of Air Quality and shall address the data obtained during the previous 6-month calendar period.

2. The permittee shall notify the Cleveland Division of Air Quality within 30 days of the occurrence, of any period of time in which the automatic bleeder vents, rim vents, and all openings other than stub drains were not maintained as required in this permit.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation:

36.65 tons VOC per year as a rolling, 12-month summation for storage tanks identified in this permit and in permit to install 13-03948 which was issued on January 16, 2003.

Applicable Compliance Method:

To calculate VOC emissions for the purpose of determining compliance with the applicable emission limitations in Section A.1, the permittee shall comply with the following:

VOC emissions from the storage tanks shall be determined using the latest version of the USEPA's TANKS or USEPA reference document AP-42, Fifth

Center Terminal Co. (frm Fleet Supplies)

Facility ID: 131800589

PTI Application: 13 04518

Modif

Emissions Unit ID: **T024**

Edition or the most recent edition of AP-42, Compilation of Air Pollution Emission Factors, Section 7.1, Organic Liquid Storage Tanks (9/97). Divide the emission rate from TANKS, in pounds, by 2000 lbs/ton to convert to tons. Compliance with the rolling, 12-month limitation shall be based upon the recordkeeping found in Section C.3 and the calculation found in Section C.3.c.

b. Emission Limitation:

91.16 tons VOC per year as a rolling, 12-month summations for all emissions units at this facility

Applicable Compliance Method:

Compliance with the rolling, 12-month limitation shall be based upon the record keeping found in Section C.3 and the calculation found in Section C.3.e.

F. Miscellaneous Requirements

1. The following terms and conditions of this PTI are federally enforceable: Sections A through F.

Cente

PTI A

Modification Issued: 3/16/2006

Emissions Unit ID: **T025**

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>
T025 - 430,626 gallon internal floating roof storage tank equipped with primary and secondary seals. The company ID is Tank #18214.	OAC rule 3745-31-05(A)(3)
Terms in this permit supercede those identified in PTI 13-03948 issued 01/16/03 for this emissions unit.	OAC rule 3745-21-09(L)
	OAC rule 3745-35-07(B) Synthetic minor to avoid Title V permit
	40 CFR 60 Subpart Kb

Cente**PTI A****Modification Issued: 3/16/2006**Emissions Unit ID: **T025**

Applicable Emissions
Limitations/Control Measures

The requirements of this rule also include compliance with the requirements of OAC rules 3745-21-09(L) and 3745-35-07(B).

Use of submerged fill when loading this emissions unit

Exempt; See Sections B.1.a through B.1.c below.

See Sections A.2.a, A.2.b, A.2.c and B.2.a through B.2.c below.

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-35-07(B).

2. Additional Terms and Conditions

- 2.a** Storage tanks identified in this permit as emissions unit numbers T024 and T025 are inherently restricted by the throughput, in gallons, of the material processed by emissions units J002, J003 and P002 in permit to install PTI 13-03948. Emissions units J002, J003 and P002 have federally enforceable permit restrictions to limit the amount of material processed on a rolling, 12-month basis.
- 2.b** Volatile organic compound (VOC) emissions from storage tanks identified in this permit (T024 and T025) and in permit to install 13-03948 issued on January 16, 2003 shall not exceed 36.65 tons per year based upon a rolling, 12-month summation.

- 2.c** VOC emissions from all emissions units located at this facility shall not exceed 91.16 tons per year based upon a rolling, 12-month summation.

B. Operational Restrictions

- 1.** The permittee shall install the following control equipment and shall maintain tank vents, seals, and or covers as follows:
 - a. The storage tank shall be equipped with an internal floating roof;
 - b. The automatic bleeder vents shall be closed at all times except when the roof has floated off or landed on the roof leg supports; and the rim vents, if present, shall be set to open or at the manufacturer’s recommended setting when the roof has floated off the roof leg supports; and
 - c. All openings, except stub drains, shall be equipped with a cover, seal, or lid which is to be in a closed position at all times, except when in actual use for tank gauging or sampling.
- 2.**
 - a. The permittee shall document the monthly emissions by tracking the monthly VOC emission factors, volume throughout and emission rates to calculate monthly actual VOC emissions generated by the storage tanks identified in this permit and by the facility.
 - b. To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the emission levels specified in the following table:

Month	Maximum Allowable VOC Emissions for Permitted Tanks (Tons)	Cumulative Facility VOC Emissions (Tons)
1	3.05	13.75
1-	2 6.11	26.91
1-	3 9.16	40.48
1-	4 12.22	53.01
1-	5 15.27	57.60
1-	6 18.33	62.06

Center Terminal Co. (frm Fleet Supplies)
PTI Application: 13-04518
Modif

Facility ID: 131800589

Emissions Unit ID: T025

1-	7	21.38	66.52
1-	8	24.43	70.99
1-	9	27.49	75.63
1-	10	30.54	80.46
1-	11	33.60	85.15
1-	12	36.65	91.16

- c. After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual emission rate in tons shall be based upon the rolling, 12-month summations of the monthly emission rate in tons.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall maintain records of the following information for the internal floating roof tank:
 - a. The types of petroleum liquids and/or VOC materials stored in the tank; and
 - b. The maximum true vapor pressure (in pounds per square inch absolute), as stored, of each petroleum liquid that has a maximum true vapor pressure greater than 1.0 pound per square inch absolute.

2. The permittee shall maintain a record of any period of time in which the automatic bleeder vents, rim vents, and all openings other than stub drains were not maintained as required in this permit.

3. The permittee shall maintain the following monthly emission information for this emissions unit and all other storage tanks located at this facility:
 - a. The amount of throughput, in gallons;
 - b. The total VOC emissions, in tons, generated by storage tanks identified in this permit and in permit to install 13-03948 which was issued on January 16, 2003;
 - c. The rolling, 12-month summations of VOC emissions, in tons, generated by storage tanks identified in this permit and in permit to install 13-03948 which was issued on January 16, 2003:

Air emissions current month, tons of emissions	+ Air emissions previous 11 months, tons of emissions	Air emissions = total 12-month, tons of emissions
--	---	---

Modification Issued: 3/16/2006

- d. The total VOC emissions, in tons, generated by all emissions units at this facility;
and
- e. The rolling, 12-month summation of VOC emissions, in tons, generated by storage tanks identified in this permit and in permit to install 13-03948 which was issued on January 16, 2003 and by all the emissions units at this facility after the first 12 calendar months of operation following the issuance of this permit:

Air emissions current month, tons of emissions	+ Air emissions previous 11 months, tons of emissions	= Air emissions total 12-month, tons of emissions
--	---	---

4. The application and enforcement of the provisions of the New Source Performance Standards (NSPS), as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements of 40 CFR Part 60 are also federally enforceable.

In accordance with 40 CFR 60.116(a) and (b), the owner and operator of the following storage vessel(s) shall keep readily accessible records showing the dimension of each storage vessel and an analysis showing the capacity of each storage vessel for the life of each emissions unit.

Source Number:

Tank Size:

T025

430,626 gallons

5. All records including any supporting information, analyses and computations required by this permit to install shall be retained on file (on site) for a period of not less than five years unless otherwise indicated by the Ohio Environmental Protection Agency. All records shall be made available to the Director of any authorized representative of the Director for review during normal business hours.

D. Reporting Requirements

1. The permittee shall submit semi-annual deviation (excursion) reports which identify all exceedances of the rolling, 12-month emission restrictions for VOC emissions generated by the storage tanks identified in this permit and in permit to install 13-03948 which was issued on January 16, 2003 and VOC emissions generated by all emissions units at this facility. These reports shall be submitted by January 31 and July 31 of each year to the Cleveland Division of Air Quality and shall address the data obtained during the previous 6-month calendar period.

If no deviations (excursions) have occurred, the permittee shall submit a semi-annual report which states that no deviations (excursions) have occurred during the previous 6-month period. These reports shall be submitted by January 31 and July 31 of each year to the Cleveland Division of Air Quality and shall address the data obtained during the previous 6-month calendar period.

2. The permittee shall notify the Cleveland Division of Air Quality within 30 days of the occurrence, of any period of time in which the automatic bleeder vents, rim vents, and all openings other than stub drains were not maintained as required in this permit.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation:

36.65 tons VOC per year as a rolling, 12-month summation for storage tanks identified in this permit and in the permit to install 13-03948 which was issued on January 16, 2003.

Applicable Compliance Method:

To calculate VOC emissions for the purpose of determining compliance with the applicable emission limitations in Section A.1, the permittee shall comply with the following:

VOC emissions from the storage tanks shall be determined using the latest version of the USEPA's TANKS or USEPA reference document AP-42, Fifth

Center Terminal Co. (frm Fleet Supplies)

Facility ID: 131800589

PTI Application: 13 04518

Modif

Emissions Unit ID: T025

Edition or the most recent edition of AP-42, Compilation of Air Pollution Emission Factors, Section 7.1, Organic Liquid Storage Tanks (9/97). Divide the emission rate from TANKS, in pounds, by 2000 lbs/ton to convert to tons. Compliance with the rolling, 12-month limitation shall be based upon the recordkeeping found in Section C.3 and the calculation found in Section C.3.c.

b. Emission Limitation:

91.16 tons VOC per year as a rolling, 12-month summations for all emissions units at this facility

Applicable Compliance Method:

Compliance with the rolling, 12-month limitation shall be based upon the record keeping found in Section C.3 and the calculation found in Section C.3.e.

F. Miscellaneous Requirements

1. The following terms and conditions of this PTI are federally enforceable: Sections A through F.