



State of Ohio Environmental Protection Agency

Street Address:

Mailing Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Lazarus Gov.
Center

**RE: FINAL PERMIT TO INSTALL
CUYAHOGA COUNTY**

CERTIFIED MAIL

Application No: 13-03630

DATE: March 29, 2000

Cuyahoga Road Products
Steven Alex
2100 W Third St
Cleveland, OH 44113

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

CBAPC



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

**Permit To Install
Terms and Conditions**

**Issue Date: March 29, 2000
Effective Date: March 29, 2000**

FINAL PERMIT TO INSTALL 13-03630

Application Number: 13-03630
APS Premise Number: 1318007398
Permit Fee: **\$1000**
Name of Facility: Cuyahoga Road Products
Person to Contact: Steven Alex
Address: 2100 W Third St
Cleveland, OH 44113

Location of proposed air contaminant source(s) [emissions unit(s)]:
**2166 West Fourth St
Cleveland, Ohio**

Description of proposed emissions unit(s):
Gencor 600 TPH gas-fired portable drum mix asphalt plant with baghouse (replacement of source P901).

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable. This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Cuyahoga Road Products
PTI Application: 13-03630
Issued: March 29, 2000

Facility ID: 1318007398

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any

Cuyahoga Road Products
PTI Application: 13-03630
Issued: March 29, 2000

Facility ID: 1318007398

information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

Cuyahoga Road Products
PTI Application: 13-03630
Issued: March 29, 2000

Facility ID: 1318007398

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon

Cuyahoga Road Products
PTI Application: 13-03630
Issued: March 29, 2000

Facility ID: 1318007398

completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM	16.1
PM10	1.68
N0x	18.8
SO2	2.12
VOC	19.3
CO	93.7
Formaldehyde	1.93

Cuyahoga Road Products
PTI Application 12-02-20
Issue

Facility ID: 1318007398

Emissions Unit ID: **P902**

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>
600 TPH Gencor gas fired Portable Drum Mix Asphalt Plant	OAC rule 3745-31-05(A)(3) OAC rule 3745-17-08 OAC rule 3745-17-07 OAC rule 3745-15-07
	40 CFR Part 60 Subpart I
	OAC rule 3745-17-11(B)
	OAC rule 3745-17-07(A)
	OAC Rule 3745-31-05(D) Synthetic Minor to avoid Prevention of Significant Deterioration and Title V Status
Aggregate Handling	OAC rule 3745-31-05(A)(3)

Cuya

PTI

Issued: March 29, 2000

Emissions Unit ID: P902

Applicable Emissions
Limitations/Control Measures

12.0 lbs/hr PM, 12.5 TPY
18.0 lbs/hr NOx, 18.8 TPY
90.0 lbs/hr CO, 93.7 TPY
18.7 lbs/hr VOC, 19.3 TPY
2.04 lbs/hr SO2, 2.12 TPY
1.86 lbs/hr Formaldehyde, 1.93
TPY
See B.3. and B.4.

Less than or equal to 20 percent opacity as a three-minute average for fugitive dust emissions.

Air pollution nuisances prohibited

*

*

20 percent opacity as a six-minute average except as provided by rule from the stack.

See Terms B.1. and B.2.
93.7 tons of CO per rolling 12-month period

PM 3.63 TPY
PM10 1.68 TPY
best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Sections A.2.b through A.2.d)

*

*This emissions limit is less stringent than the limit established through 3745-31-05(A)(3)..

2. Additional Terms and Conditions

- 2.a** The material handling operation(s) that are covered by this permit and subject to the above-mentioned requirements are listed below:
- transfer points of material
 - aggregate conveyor screening
 - weight hopper loading
- 2.b** The permittee shall employ best available control measures for the above-identified material handling operation(s) for the purpose of ensuring compliance with the above-mentioned applicable requirements. The permittee shall minimize the drop height of the front end loader bucket to the extent possible in order to minimize or eliminate fugitive dust. The aggregate loaded into the storage bins shall have a moisture content sufficient to eliminate the visible emissions from elevators, aggregate screening points and transfer points to the dryer. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.c** For each material handling operation that is not adequately enclosed, the above-identified control measure(s) shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) is (are) necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during the operation of the material handling operation(s) until further observation confirms that use of the control measure(s) is unnecessary.
- 2.d** Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.

Cuya
PTI

Emissions Unit ID: **P902**

Issued: **March 29, 2000**

B. Operational Restrictions

1. The maximum annual production rate for this emissions unit shall not exceed 1,250,000 TPY based upon a rolling, 12-month summation of the production rates. Annual carbon monoxide (CO) emissions shall not exceed 93.7 tons per rolling 12-month period.
2. To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the production level specified in the following table:

<u>Month(s)</u>	<u>Maximum Allowable Cumulative Production in Tons</u>
1	113,600
1-2	227,200
1-3	340,800
1-4	454,400
1-5	568,000
1-6	681,600
1-7	795,200
1-8	908,800
1-9	1,022,400
1-10	1,136,000
1-11	1,249,600
1-12	1,250,000

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual production rate limitation shall be based upon a rolling, 12-month summation of the production rates.

3. To ensure the baghouse is operated according to the manufacturer's specifications and to maintain compliance with the allowable particulate emission rate, a pressure drop across the baghouse of not less than 4 or greater than 7 inches of water shall be maintained at all times.
4. **Fuel Usage:**
The permittee shall employ only natural gas or propane as an alternative fuel to heat the asphalt heater and asphalt dryer.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall properly install, operate and maintain a monitoring device capable of

accurately measuring the pressure drop across the baghouse.

2. The permittee shall check the pressure drop once per shift and maintain daily records of the pressure drop readings.
3. The permittee shall maintain monthly records of the following information:
 - a. The production rate for each month.
 - b. Beginning after the first 12 calendar months of operation following the issuance of this permit, the rolling, 12-month summation of the production rates.

Also, during the first 12 calendar months of operation following the issuance of this permit, the permittee shall record the cumulative production rate for each calendar month.

4. Except as otherwise provided in this section, for material handling operations that are not adequately enclosed, the permittee shall perform daily inspections of such operations.
5. The above-mentioned inspections shall be performed during representative, normal operating conditions.
6. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
7. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
 - c. the dates the control measure(s) was (were) implemented; and
 - d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in 7.d. shall be kept separately for each material handling operation identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

Cuyahoga**PTI****Issued: March 29, 2000**Emissions Unit ID: **P902**

8. The permit to install for this emissions unit P902 was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level

Cuyahoga
Public Utilities

Emissions Unit ID: **P902**

Issued: March 29, 2000

concentration from the use of the SCREEN 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: Formaldehyde

TLV (mg/m³): 0.375

Maximum Hourly Emission Rate (lbs/hr): 1.86

Predicted 1-Hour Maximum Ground-Level Concentration (ug/m³): 3.261

MAGLC (ug/m³): 8.93

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

9. If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01(VV)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition (other than (VV)(1)(a)(ii)), then the permittee shall obtain a final permit to install prior to the change.

Cuyahoga Road Products
PTI Application 13-03620
Issue

Facility ID: 1318007398

Emissions Unit ID: P902

10. The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

Cuya
PTI

Emissions Unit ID: **P902**

Issued: March 29, 2000

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify all exceedances of the above-mentioned allowable pressure drop range.
2. The permittee shall submit deviation (excursion) reports that identify all exceedances of the rolling, 12-month production rate limitation and, for the first 12 calendar months of operation following the issuance of this permit, all exceedances of the maximum allowable cumulative production levels. These reports are due by the date described in Part 1 - General Terms and Conditions of this permit under section (A)(1).
3. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency; and
 - b. each instance when a control measure, that was to be performed as a result of an inspection, was not implemented.
4. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Within 3 months after issuance, the permittee shall conduct, or have conducted, an emission test(s) for this emissions unit in order to demonstrate compliance with the allowable mass emission rate(s) for particulates, VOC, CO, SO₂ and NO_x. The test(s) shall be conducted in accordance with the test methods and procedures specified in Method 5 of 40 CFR Part 60, Appendix A for particulates, Method 25 or 25A of 40 CFR Part 60, Appendix A for VOC and Method 10 or 10A of 40 CFR Part 60, Appendix A for CO, Method 6 of 40 CFR Part 60, Appendix A for SO₂ and Method 7 of 40 CFR Part 60, Appendix A for NO_x while the emissions unit is operating at or near maximum capacity and using only virgin aggregate.

Cuyahoga Road Products
PTI Application 12-03-20
Issue

Facility ID: 1318007398

Emissions Unit ID: **P902**

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and dates(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the field office's refusal to accept the results of the emissions test(s).

Personnel from the Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment and acquire data and information regarding the emissions unit operating parameters.

A comprehensive written report on the results of the emission test(s) shall be submitted within 30 days following completion of the test(s).

2. Emission Limitation -

12.0 lbs/hr PM, 12.5 TPY

Applicable Compliance Method -

See E. 1

3. Emission Limitation -

20% opacity, as a six-minute average
 Applicable Compliance Method(s) -

Compliance shall be determined by visible emission observations performed in accordance with USEPA Reference Method 9 and the procedures specified in OAC rule 3745-17-03 (B)(1).

4. Emission Limitation -

18.0 lbs/hr of NO_x 18.8 TPY

Applicable Compliance Method -

See E. 1

5. Emission Limitation -

Cuyahoga Road Products
PTI
Issue

Facility ID: 1318007398

Emissions Unit ID: **P902**

90.0 lbs/hr of CO 93.7 TPY

Applicable Compliance Method -

See E.1

6. Emission Limitation -

18.7 lbs/hr of VOC 19.3 TPY

Applicable Compliance Method -

See E.1

7. Emission Limitation -

2.04 lbs/hr of SO₂ 2.12 TPY

Applicable Compliance Method -

See E. 1

8. Emission Limitation -

PM 3.63 TPY

PM₁₀ 1.68 TPY

Applicable Compliance Method -

Compliance with the PM and PM₁₀ emission limits will be based on calculations using emission factors in AP-42, an annual production limitation of 1,250,000 TPY and multiplying the total by a control efficiency of 50%.

9. Emission Limitation -

Formaldehyde 1.86 lbs/hr, 1.93 TPY

Applicable Compliance Method -

Compliance with the Formaldehyde emission limits will be based on calculations using emission factors in AP-42 for Hot Mix Asphalt plants and an annual production limitation of 1,250,000 TPY.

Issued: March 29, 2000**F. Miscellaneous Requirements**

1. **Odor Prevention:**
The emissions from this emissions unit are prohibited from causing a nuisance in violation of OAC rule 3745-15-07. If the Director determines that the emissions from this emissions unit are contributing to a nuisance, the permittee, upon notification by Ohio EPA, shall immediately undertake a program to reduce emissions or the impact of the emissions to achieve compliance with OAC rule 3745-15-07.
2. Pursuant to Ohio Administrative Code (OAC) rule 3745-31-03(A)(1)(p)(i), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI providing the following criteria are met:
 - i. the portable emissions unit is equipped with the best available control technology for such portable emissions unit;
 - ii. the portable emissions unit is operating pursuant to a currently effective permit to operate (PTO);
 - iii. the applicant has provided proper notice of intent to relocate the portable emissions unit to the Cleveland Bureau of Air Pollution Control and the appropriate field office having jurisdiction over the new site within a minimum of thirty days prior to the scheduled relocation; and
 - iv. in the Cleveland Bureau of Air Pollution Control's and the appropriate field office's judgement, the proposed site is acceptable under the rule 3745-15-07 of the Administrative Code.
3. In the alternative, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI providing the following criteria of OAC rule 3745-31-05(F) are met:
 - i. the portable emissions unit permittee possesses an Ohio EPA PTI, PTO or registration status;
 - ii. the portable emissions unit is equipped with best available technology;
 - iii. the portable emission unit owner has identified the proposed site to Ohio EPA;
 - iv. Ohio EPA has determined that the portable emissions unit, at the proposed site, will have

Cuyahoga Road Products
PTI Application 12-03-20
Issue

Facility ID: 1318007398

Emissions Unit ID: **P902**

- an acceptable environmental impact;
 - v. a public notice, consistent with Chapter 3745-47 of the Administrative Code, is published in the county where the proposed site is located;
 - vi. the owner of the proposed site has provided the portable emissions unit owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable emissions unit to the proposed site; and
 - vii. the portable emissions unit owner has provided the Ohio EPA with fifteen days written notice of the relocation.
4. Any site approvals issued by the Ohio EPA, pursuant to F.7. above, shall be valid for no longer than three years and are subject to renewal.

In order for the Cleveland Bureau of Air Pollution Control and the appropriate field office having jurisdiction over the new site to determine compliance with all of the above criteria, the owner or operator of the portable or mobile emissions unit must file a "Notice of Intent to Relocate", within the specified time frame (30 or 15 days) prior to the relocation of the emissions unit with the Cleveland Bureau of Air Pollution Control (1925 St. Clair Ave., Cleveland, OH 44114) and the appropriate office having jurisdiction over the new site. Upon receipt of the notice, the Cleveland Bureau of Air Pollution Control and/or the appropriate field office having jurisdiction over the new site, will evaluate the request in accordance with the above criteria.

Failure to submit said notification and to receive Ohio EPA approval prior to relocation of the emissions unit may result in fines and civil penalties.

5. This source is subject to the applicable provisions of the New Source Performance Standards (NSPS) as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60.

The application and enforcement of these standards are delegated to the Ohio EPA. The requirements of 40 CFR Part 60 are also federally enforceable.

Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:

- a. construction date (no later than 30 days after such date);
- b. anticipated start-up date (not more than 60 days or less than 30 days prior to such date);
- c. actual start-up date (within 15 days after such date); and
- d. date of performance testing (If required, at least 30 days prior to testing).

Cuyahoga
Permitting
Division

Issued: March 29, 2000

Emissions Unit ID: **P902**

Reports are to be sent to:

Ohio Environmental Protection Agency
DAPC - Permit Management Unit
P.O. Box 163669
Columbus, OH 43216-3669

and

The Cleveland Bureau of Air Pollution Control
1925 St. Clair Ave.
Cleveland, Ohio 44114

6. The following terms and conditions in this permit to install are federally enforceable:

B.1., B.2., C.3. and D.2.