

**Ohio EPA**

*Dr. 5/21 - Elitha Mark Folds*

Re: Permit to Install  
Lucas County  
Application No. 04-170

May 19, 1981

Standard Oil Company (Ohio)  
P. O. Box 696  
Toledo, Ohio 43694

Attention: C. M. Tyler

CERTIFIED MAIL

Dear Sir:

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions I urge you to read it carefully.

You are hereby notified that this action by the Director is final and may be appealed to the Environmental Board of Review pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency and the Environmental Law Division of the Office of the Attorney General within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address:

Environmental Board of Review  
250 East Town Street, Room 101  
Columbus, Ohio 43215

Very truly yours,

*Thomas E. Crepeau*

Thomas E. Crepeau, Chief  
Division of Authorization & Compliance  
Office of Air Pollution Control

TEC/bs

cc: U.S. EPA  
Toledo Environmental Services Agency





# Permit to Install Terms and Conditions

Application No. 04-170  
APS Premise No. 0448020007  
Permit Fee: \$65.00

Name of Facility: Standard Oil Company (Ohio)

Person to Contact: C. M. Tyler

Address: P. O. Box 696  
Toledo, Ohio 43694

Location of proposed source(s): Cedar Point Road  
Oregon, Ohio

Description of proposed source(s): 550 BBL Tetraethyl Lead Wash Storage Tank


Date of Issuance: May 19, 1981

Effective Date: May 19, 1981

The above named entity is hereby granted a permit to install for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

  
James P. McAvoy, Director  
361 East Broad Street  
Columbus, Ohio 43215

May 19, 1981

Page 2

Substantial construction for installation must take place within eighteen months of the effective date of this permit. This deadline may be extended by up to twelve months, if application is made to the Director no less than sixty days before the expiration of this permit and the party shows good cause for any such extension.

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, examining records or reports pertaining to the construction, modification or installation of the above described source of environmental pollutants.

The proposed source shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

The specified permit fee must be remitted within 15 days of the effective date of this permit to install.

This permit shall apply only to the source(s) shown on the application approved by the Ohio Environmental Protection Agency.

The Toledo Environmental Services Agency shall be notified, in writing as to (a) the construction starting date (b) the construction completion date and (c) the date the facilities were placed into operation.

The annual throughput of this tank shall not exceed 8000 barrels/year.

The facility shall maintain adequate records to demonstrate compliance with the conditions of this permit.