John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

4/3/2014

Certified Mail

No	TOXIC REVIEW
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

Clint McGinty
Phoenix Services, LLC
148 W. State St.
Suite 301
Kennett Square, PA 19348

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0641095001
Permit Number: P0115439
Permit Type: OAC Chapter 3745-31 Modification
County: Jefferson

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA) Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**

How to appeal this permit

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of $70.00, made payable to “Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General’s Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

How to save money, reduce pollution and reduce energy consumption

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: www.ohioairquality.org/clean_air

How to give us feedback on your permitting experience

Please complete a survey at www.epa.ohio.gov/survey.aspx and give us feedback on your permitting experience. We value your opinion.

How to get an electronic copy of your permit

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

If you have any questions, please contact Ohio EPA DAPC, Southeast District Office at (740)385-8501or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: Ohio EPA-SEDO

FINAL

Division of Air Pollution Control
Permit-to-Install and Operate
for
Phoenix Services, LLC

Facility ID:	0641095001
Permit Number:	P0115439
Permit Type:	OAC Chapter 3745-31 Modification
Issued:	4/3/2014
Effective:	4/3/2014
Expiration:	1/21/2019

Division of Air Pollution Control
Permit-to-Install and Operate
for
Phoenix Services, LLC

Table of Contents

Authorization 1

A. Standard Terms and Conditions 3

1. What does this permit-to-install and operate ("PTIO") allow me to do? 4
2. Who is responsible for complying with this permit? 4
3. What records must I keep under this permit? 4
4. What are my permit fees and when do I pay them? 4
5. When does my PTIO expire, and when do I need to submit my renewal application? 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
7. What reports must I submit under this permit? 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
13. Can I transfer this permit to a new owner or operator? 7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 7
15. What happens if a portion of this permit is determined to be invalid? 7

B. Facility-Wide Terms and Conditions 8

C. Emissions Unit Terms and Conditions 10

1. P901, Slag Processing and Material Handling 11

Authorization

Facility ID:	0641095001
Application Number(s):	A0048913
Permit Number:	P0115439
Permit Description:	Chapter 31 Modification for addition of a second slag processing line to be incorporated into existing emissions unit F003
Permit Type:	OAC Chapter 3745-31 Modification
Permit Fee:	$0.00
Issue Date:	4/3/2014
Effective Date:	4/3/2014
Expiration Date:	1/21/2019

Permit Evaluation Report (PER) Annual Date: Oct 1 - Sept 30, Due Nov 15

This document constitutes issuance to:

Phoenix Services, LLC
Cool springs Road Steubenville Township Road 167 A
Mingo Junction, OH 43938

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Southeast District Office
2195 Front Street
Logan, OH 43138
(740)385-8501

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s))listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Craig W. Butler
Director

Authorization (continued)

Permit Number: P0115439
Permit Description: Chapter 31 Modification for addition of a second slag processing line to be incorporated into existing emissions unit F003

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	**P901**
Company Equipment ID:	F003
Superseded Permit Number:	P0103827
General Permit Category and Type:	Not Applicable

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

  You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions of this permit will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the [DO/LAA] in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. “Shut down” means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as beingpermanently shut down without first applying for and obtaining a permit pursuantto OAC Chapter 3745-31.

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

   a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

      (1) None.

   b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

      (1) None.

C. Emissions Unit Terms and Conditions

1. P901, Slag Processing and Material Handling

Operations, Property and/or Equipment Description:

Basic Oxygen Furnace (BOF) Slag Processing and Material Handling including 175 TPH Modified Slag Processing Line (formerly F003): 1 load-in, 1 screen and 6 transfer points; 200 TPH rotary dryer line: 1 load-in, 1 screen, 7 transfer points, rotary dryer (controlled by a baghouse) with 40 MMBtu diesel burner; and 250 TPH C-Scrap Upgrade Plant: 1 load-in and 1 transfer point.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) and ORC 3704.03(T)	Install a baghouse that is designed to emit, at maximum, 0.030 grains per dry standard cubic feet (gr/dscf) of particulate emissions (PE).
b.	OAC rule 3745-31-05(A)(3), as effective 11/30/01	Nitrogen oxides (NO_x) emissions shall not exceed 0.59 tons per month (TPM), averaged over a rolling, twelve-month period. See b)(2)a. below.
c.	OAC rule 3745-31-05(C), as effective 12/01/06	See b)(2)b. below.
d.	OAC rule 3745-31-05(A)(3), as effective 11/30/01	Carbon monoxide (CO) emissions shall not exceed 0.15 TPM, averaged over a rolling, twelve-month period.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		Sulfur dioxide (SO_2) emissions shall not exceed 0.01 TPM, averaged over a rolling, twelve-month period. Volatile organic compounds (VOC) emissions shall not exceed 0.0074 TPM, averaged over a rolling, twelve-month period. See b)(2)a. below.
e.	OAC rule 3745-31-05(A)(3)(b), as effective 12/01/06	See b)(2)c. below.
f.	OAC rule 3745-31-05(E) (voluntary restriction to avoid state modeling for NOX)	NOx emissions shall not exceed 7.08 tons per year (TPY). See c)(2) below.
g.	OAC rule 3745-17-07(A)	Visible PE from any stack shall not exceed 20% opacity, as a 6-minute average.
h.	OAC rule 3745-17-07(B)	Visible emissions of fugitive dust shall not exceed 20% opacity as a three-minute average.
i.	OAC rule 3745-17-08(B)	Control equipment shall achieve an outlet emission rate of not greater than 0.030 gr/dscf of PE or no visible PE from the exhaust stacks, whichever is less stringent Reasonably available control measures that are sufficient to minimize or eliminate visible PE of fugitive dust. See b)(2)d. through b)(2)f. below.
j.	OAC rule 3745-17-11(B)(1)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3) and 3745-17-08(B).

(2) Additional Terms and Conditions

a. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to OAC rule 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to ORC changes effective August 3, 2006 (S.B. 265 changes), such that BAT is no longer required by State regulation for NAAQS

pollutant emissions less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revision to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally–approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05, then these emission limits/control measures no longer apply.

b. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the SIP.

PTIO P0115439 for this air contaminant source takes into account the following voluntary restriction (including the use of any applicable air pollution control equipment) as proposed by the permittee for the purpose of avoiding Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3):

i. The maximum annual operating hours for this emissions unit shall not exceed 2,400.

ii. NO_x emissions shall not exceed 7.08 TPY.

c. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the SIP.

The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the CO, SO_2, and VOC emissions from this air contaminant source since the uncontrolled potential to emit for CO, SO_2 and VOC is less than 10 tons/yr.

d. The aggregate screening plant operations that are covered by this permit and subject to the above-mentioned requirements are listed below:

<u>Material Handling/Transfer Points</u>
Load-in to feeder (3)
Screening (2)
Conveyor transfer points (14)
Silo Load-out (1)

e. The permittee shall employ reasonably available control measures for the aggregate screening plant operations listed above, for the purpose of ensuring compliance with the permit application, the permittee shall perform the following control measures to ensure compliance: maintain sufficient moisture to prevent fugitive dust and minimize drop height. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

f. For each aggregate processing plant operation that is not adequately enclosed, the above-identified control measures shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required

implementation of the control measures shall continue during the operation of the aggregate processing plant operations until further observation confirms that use of the control measures is unnecessary.

c) Operational Restrictions

(1) The permittee shall install and operate a baghouse for the control of particulate emissions whenever this emissions unit is in operation and shall maintain the baghouse in accordance with the manufacturer's recommendations, instructions, and/or operating manual(s), with any modifications deemed necessary by the permittee.

(2) In the event the baghouse is not operating in accordance with the manufacturer's recommendations, instructions, or operating manual, with any modifications deemed necessary by the permittee, the control device shall be expeditiously repaired or otherwise returned to these documented operating conditions.

(3) The permittee shall burn only ultra-low sulfur diesel fuel, containing no greater than 0.05% sulfur content by weight, in this emissions unit.

(4) The maximum annual operating hours for this emissions unit shall not exceed 2,400.

(5) The permitte shall only process BOF slag in this emissions unit.

d) Monitoring and/or Recordkeeping Requirements

(1) For each day during which the permittee burns a fuel other than ultra-low sulfur diesel fuel, containing greater than 0.05% sulfur content by weight, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

(2) Except as otherwise provided in this section, the permittee shall perform inspections for visible fugitive particulate emissions of each material handling operation in accordance with the following frequencies:

material handling operation(s)	minimuminspection frequency
Load-in to feeder (3)	daily
Screening (2)	daily
Conveyor transfer points (14)	daily
Silo Load-out (1)	daily

(3) The above-mentioned inspections shall be performed during representative, normal operating conditions.

(4) The permittee shall also perform daily checks, when the emissions unit is in operation and, when the weather conditions allow, for any visible particulate emissions from the baghouse stack. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed from any points of capture and/or the stack, the permittee shall also note the following in the operations log:

a. the location and color of the emissions;

b. the total duration of any visible emissions incident; and

c. any corrective actions taken to eliminate the visible emissions.

(5) The permittee shall maintain records of the following information:

a. the date and reason any required inspection was not performed;

b. the date of each inspection where it was determined by the permittee that it was necessary to implement (an) additional control measure(s)

c. the dates the additional control measure(s) was (were) implemented; and

d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in d)(1)and d)(3) shall be kept separately for each material handling/prosessing operation and exhaust stack identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

(6) The permittee shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for the baghouse, along with documentation of any modifications deemed necessary by the permittee. These documents shall be maintained at the facility and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

(7) The permittee shall conduct periodic inspections of the baghouse to determine whether it is operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the permittee or operator. These inspections shall be performed at a frequency that shall be based upon the recommendation of the manufacturer and the permittee shall maintain a copy of the manufacturer's recommended inspection frequency and it shall be made available to the Ohio EPA upon request.

(8) In addition to the recommended periodic inspections, not less than once each calendar year the permittee shall conduct a comprehensive inspection of the baghouse while the emissions unit is shut down and perform any needed maintenance and repair to ensure that it is operated in accordance with the manufacturer's recommendations.

(9) The permittee shall document each inspection (periodic and annual) of the baghouse system and shall maintain the following information:

a. the date of the inspection;

b. a description of each/any problem identified and the date it was corrected;

c. a description of any maintenance and repairs performed; and

d. the name of person who performed the inspection.

These records shall be maintained at the facility for not less than five years from the date the inspection and any necessary maintenance or repairs were completed and shall be

made available to the appropriate Ohio EPA District Office or local air agency upon request

(10) The permittee shall maintain records that document any time periods when the baghouse was not in service when the emissions unit(s) was/were in operation, as well as, a record of all operations during which the baghouse was not operated according to the manufacturer's recommendations with any documented modifications made by the permittee. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.

e) Reporting Requirements

(1) The reports required by this permit may be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal; or they may be mailed as a hard copy to the appropriate district office or local air agency.

(2) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permitteeshall submit the PER in the form and manner provided by the director by the due dateidentified in the Authorization section of this permit. The permit evaluation report shallcover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

a. The permittee shall identify the following additional information in the annual permit evaluation report:

i. any daily record showing that the baghouse was not in service or not operated according to manufacturer's recommendations (with any documented modifications made by the permittee) when the emissions unit(s) was/were in operation.

f) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. <u>Design Efficiency Standard:</u>

Install a baghouse that is designed to emit, at maximum, 0.030 grains per dry standard cubic feet (gr/dscf) of particulate emissions (PE).

<u>Applicable Compliance Method:</u>

Compliance is demonstrated by the manufacturer's guaranteed specifications for the baghouse control efficiency of at least 99.5%.

b. <u>Emissions Limitation:</u>

NO_x emissions shall not exceed 7.08 TPY and 0.59 TPM over a rolling, twelve-month period.

Applicable Compliance Method:

Compliance with the TPY emissions limitation shall be demonstrated by multiplying the AP-42 section 1.3-1 (5/10) emission factor for NOx(20 lbs/thousand gallons) by the maximum hourly fuel usage (0.295 thousand gal/hr) by the maximum annual operating hours (2400 hrs/yr) and then dividing by 2,000 lbs/ton.

Compliance with the TPM emissions limitation is demonstrated by dividing the TPY emissions limitation by 12 months/year.

If required, NOx emissions shall be determined according to test Methods 1 - 4, and 7 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources". Alternative U.S. EPA-approved test methods may be used with prior approval from Ohio EPA, Southeast District Office.

c. Emissions Limitation:

CO emissions shall not exceed 0.15 TPM over a rolling, twelve-month period.

Applicable Compliance Method:

Compliance with the TPM emissions limitation shall be demonstrated by multiplying the AP-42 section 1.3-1 (5/10) emission factor for CO(5 lbs/thousand gallons) by the maximum hourly fuel usage (0.295 thousand gal/hr) by the maximum annual operating hours (2400 hrs/yr) and then dividing by 2,000 lbs/ton and 12 months/yr.

If required, CO emissions shall be determined according to test Methods 1 - 4, and 10 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources". Alternative U.S. EPA-approved test methods may be used with prior approval from Ohio EPA, Southeast District Office.

d. Emissions limitation:

SO_2 emissions shall not exceed 0.01 TPM over a rolling, twelve-month period.

Applicable Compliance Method:

Compliance with the TPM emissions limitation shall be demonstrated by the following calculations:

Burner Operations:
Multiplying the AP-42 section 1.3-1 (5/10) emission factor for SO_2 (0.213 lbs/thousand gallons) by the maximum hourly fuel usage (0.295 thousand gal/hr) by the maximum annual operating hours (2400 hrs/yr) and then dividing by 2,000 lbs/ton and 12 mos/yr.

Dryer Operations:
Multiplying the sulfur content of basic oxygen furnace (BOF) slag, 0.1%, by the loss on ignition (LOI) value, 0.01%, both identified in slag chemical analysis provided with application, by the maximum annual slag dryer throughput (480,000 TPY) and dividing by 12 mos/yr.

Total:
Burner operations (0.075 TPY) + Dryer operations (0.048 TPY) = 0.12 TPY
0.12 TPY x 1 year/12mos = 0.01 TPM

If required, SO_2 emissions shall be determined according to test Methods 1 - 4, and 6 as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources". Alternative U.S. EPA-approved test methods may be used with prior approval from Ohio EPA, Southeast District Office.

No testing is specifically required by this permit but, if appropriate, may be requested pursuant to OAC rule 3745-15-04(A).

e. Emissions Limitation:

VOC emissions shall not exceed 0.0074 TPM over a rolling, twelve-month period.

Applicable Compliance Method:

Compliance with the TPM emissions limitation shall be demonstrated by multiplying the AP-42 section 1.3-1 (5/10) emission factor for VOC(0.252 lbs/thousand gallons) by the maximum hourly fuel usage (0.295 thousand gal/hr) by the maximum annual operating hours (2400 hrs/yr) and then dividing by 2,000 lbs/ton and 12 months/yr.

If required, VOC emissions shall be determined according to test Methods 1 - 4, and 18, 25, or 25A as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources". Alternative U.S. EPA-approved test methods may be used with prior approval from Ohio EPA, Southeast District Office.

f. Emissions Limitation:

Stack visible PE shall not exceed 20% opacity as a 6-minute average.

Applicable Compliance Method:

If required, visible particulate emissions shall be determined according to USEPA Method 9.

g. Emissions Limitation:

Visible PE of fugitive dust shall not exceed 20% opacity as a 3-minute average.

Applicable Compliance Method:

If required, visible particulate emissions shall be determined according to USEPA Method 9.

h. Emissions Limitation:

Control equipment shall achieve an outlet emission rate of not greater than 0.030 gr/dscf of PE or no visible PE from the exhaust stacks.

Applicable Compliance Method:

If required, particulate emissions shall be determined according to test Methods 1 - 5, as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources" and/or USEPA Method 22, and the procedures specified in OAC rule 3745-17-03(B)(7).

g) Miscellaneous Requirements

(1) None.