



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
CUYAHOGA COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 13-03929

DATE: 3/7/2002

Foseco Metallurgical, Incorporated
Frank Simcic
20200 Sheldon Road
Cleveland, OH 44142

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

CBAPC



**Permit To Install
Terms and Conditions**

**Issue Date: 3/7/2002
Effective Date: 3/7/2002**

FINAL PERMIT TO INSTALL 13-03929

Application Number: 13-03929
APS Premise Number: 1318126134
Permit Fee: **\$200**
Name of Facility: Foseco Metallurgical, Incorporated
Person to Contact: Frank Simcic
Address: 20200 Sheldon Road
Cleveland, OH 44142

Location of proposed air contaminant source(s) [emissions unit(s)]:
**20200 Sheldon Road
Cleveland, Ohio**

Description of proposed emissions unit(s):
Feedex Line mixer and oven -- P059.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

Foseco Metallurgical, Incorporated
PTI Application: 13-03929
Issued: 3/7/2002

Facility ID: 1318126134

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

| <u>Pollutant</u> | <u>Tons Per Year</u> |
|------------------|----------------------|
| PM | 0.76 |
| OC | 2.74 |

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|--|
| P059 - Fedex mixer with drying oven # 2 provided with a baghouse dust collector. | OAC rule 3745-31-05(A)(3) | 0.174 lb PM/hr 0.76 tpy PE 2.74 tpy OC The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07-G(1). Also see Section A.2.a. below. |
| | OAC rule 3745-17-07(A)(1) | Visible particulate emission from any stack shall not exceed 20% opacity, as a 6-minute average, except as provided by rule. |
| | OAC rule 3745-17-11(A)(2) | The emission limitation specified by this rule is less stringent than the visible emission limitation established pursuant to OAC rule 3745-31-05(A)(3). |
| | OAC rule 3745-21-07(G)(1) | 3 lbs organic compounds (OC)/hr and 15 lbs OC/day |

2. Additional Terms and Conditions

- 2.a The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in

accordance with the manufacturer's recommendations, instructions, and operating manual(s).

- 2.b** Based on the company's application, the particulate matter emission limitation established for this emissions unit is the maximum throughput for the unit. No additional recordkeeping is required to demonstrate compliance with this limit.

B. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range of 0.50 to 5.0 inches of water column at all times while the emissions unit is in operation.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall record the pressure drop across the baghouse on a daily basis.
2. The permittee shall collect and record the following information for each day for the Fedex line (mixer and oven #2) operation:
 - a. the company identification for each OC - containing material employed (i.e., resin-coated sand and any liquids);
 - b. the amount, in pounds, of each OC - containing material employed;
 - c. the OC content of each OC - containing material, as a weight percent (%);
 - d. the amount, in pounds, of the production process weight rate;
 - e. the hours of operation for the Fedex line during each day;
 - f. the daily emission rate for all OC - containing materials, in pounds per day (i.e., the sum of all OC - containing materials) using the method outlined in section E.1.b;
 - g. the total average OC emission rate for all OC - containing materials, in pounds per hour (i.e., the sum of all OC - containing materials) using the following equation of each material: $[(f)/(e)]$;
 - h. the average hourly production rate, in pounds, determined from the following equation: $[(d)/(e)]$.

3. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stacks serving this emission unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the visible emissions;
 - d. the total duration of any visible emission incident; and
 - e. any corrective actions taken to eliminate the visible emissions.

D. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified above.
2. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stacks serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions.
3. The permittee shall submit deviation (excursion) reports which include the following information:
 - (a) An identification of each day during which the average hourly total organic compound emissions exceeded 3.0 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - (b) An identification of each day during which the total organic compound emissions exceeded 15 pounds per day, and the actual organic compound emissions for each such day.
4. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Emission Limitation:

0.174 lb PM/hr
 0.76 tpy PE

Applicable Compliance Method(s):

The annual limit is based on the allowable hourly emission limit (0.174 lbs/hr) multiplied by the maximum possible operating hours (8,760 hr/yr), and divided by 2,000 (lbs/ton). Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

Compliance with the hourly particulate emission limits shall be based on the summation of the particulate contributions from the mixing activity, and the oven processing activity, with the supporting information provided by the recordkeeping as listed in section C.2, the use of appropriate AP-42 emission factors, and operating efficiency of control device.

Emissions from the mixing activity may be calculated through the use of the following equation:

$$E = [EF] \times [W] \times [1 - C]$$

E = hourly particulate emissions rate, (lb/hr);
 EF = emission factor, (2.4 lb/ton production, as listed in AP-42, Table 11.24-2);
 W = process weight rate (ton/hr) of the mixing production schedule;
 C = operating efficiency of air pollution control device.

Emissions from the oven activity may be calculated through the use of the following equation:

$$E = [EF] \times [W]$$

E = hourly particulate emissions rate, (lb/hr)
 EF = emission factor, (0.82 lb/ton production, as listed in AP-42, Table 11.5-4)
 W = process weight rate (ton/hr) of the mixing production schedule.

Otherwise compliance may be determined in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures in OAC rule 3745-17-03(B)(10), if required.

2. Emission Limitation:

3.0 lb/hr OC; 15 lbs OC/day,
 2.74 tpy OC

Applicable Compliance Method(s):

Compliance with the daily OC emission limitation may be based on the emission factor from the latest stack test for this emissions unit or a similar emissions unit, the recordkeeping from section

C.2, and the following equation:

$$E = [(EF) \times (W) \times (C)]$$

E = daily OC emissions rate, (lb/day)

EF = emission factor derived from stack test. The latest stack test was performed for similar oven on August 24, 2000, at which time an emission factor of 0.116 lb OC/lb product was documented.

C = acrylic concentration in the product. [The acrylic concentration is determined by using the following formulation: acrylic concentration = (binder concentration) x (0.40), where the binder is 40% acrylic and 60% water].

W = actual process weight rate, in pounds production per day.

The annual limit is based on the allowable daily emission limit (15 lbs/day) multiplied by the maximum possible operating days (365 day/yr), and divided by 2,000 (lbs/ton). Therefore, provided compliance is shown with the daily limitation, compliance will also be shown with the annual limitation.

If required, compliance shall be determined through stack testing in accordance with or otherwise in accordance with 40 CFR Part 60, Appendix A, Method 25, if required.

3. Emission Limitation:

20% opacity, as a 6-minute average

Applicable Compliance Method(s):

If required, compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(1) using methods and procedures specified in USEPA Reference Method 9.

F. Miscellaneous Requirements

None