



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
CUYAHOGA COUNTY**

CERTIFIED MAIL

Street Address:

50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 13-04695

Fac ID: 1318172081

DATE: 7/17/2007

Research Organics, Inc.
Michael McCormick
4353 East 49th Street
Cuyahoga Heights, OH 44125

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

CLAA



**Permit To Install
Terms and Conditions**

**Issue Date: 7/17/2007
Effective Date: 7/17/2007**

FINAL PERMIT TO INSTALL 13-04695

Application Number: 13-04695
Facility ID: 1318172081
Permit Fee: **\$2500**
Name of Facility: Research Organics, Inc.
Person to Contact: Michael McCormick
Address: 4353 East 49th Street
Cuyahoga Heights, OH 44125

Location of proposed air contaminant source(s) [emissions unit(s)]:
**4353 East 49th Street
Cuyahoga Heights, Ohio**

Description of proposed emissions unit(s):
Reactor numbers 7, 12, 13, 22, and 23.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Research Organics, Inc.
PTI Application: 13-04695
Issued: 7/17/2007

Facility ID: 1318172081

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

Research Organics, Inc.
PTI Application: 13-04695
Issued: 7/17/2007

Facility ID: 1318172081

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

Research Organics, Inc.
 PTI Application: 13-04695
 Issued: 7/17/2007

Facility ID: 1318172081

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Single HAP*	9.9
Combined HAPs*	24.9

*Total for all emissions units at the facility.

7

Research Organics, Inc.
PTI Application: 13-04695
Issued: 7/17/2007

Facility ID: 1318172081

Issued: 7/17/2007

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P005) - Reactor No. 7 Process Line - Hot oil reactor, crystallizer, centrifuge and filter press. The Terms in this permit supercede those identified in PTI No. 13-02513 issued final on 8/4/1993.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-21-07(G)(2)	Organic compound (OC) emissions shall not exceed 8.00 lbs/hr and 40.0 lbs/day.
OAC rule 3745-31-05(C) Synthetic Minor to avoid Title V and MACT	See A.2.a below.
ORC 3704.03(T)(4)	See A.2.c below.

2. Additional Terms and Conditions

- 2.a The total allowable usage and emissions of Hazardous Air Pollutants (HAPs), as identified in Section 112(b) of Title III of the Clean Air Act, from emissions units at this facility (listed in A.2.b below) shall not exceed 9.9 tons/year for any individual HAP and 24.9 tons/year for any combination of HAPs. Compliance with the above limitations shall be based upon a rolling, 12-month summation of emissions for this emissions unit plus the annual HAP contribution from all other emissions units at this facility (listed in A.2.b below).
- 2.b The current list of emissions units at this facility are P005, P006, P007, P008, P009, P010, P011, P012, P013, P014, P016, P017, P019, P024, P026, P027, P028, P029, P030, P031, P033, P034, P035, P036, P037, P038, P039, P040, P041, P042, P043, P044, P047, P048, P049, P050, P051, T001, T002, T003, T004, T005, T006, T010, T011, T013, B001, B002, F001, Z001, and Z002.
- 2.c The BAT requirements under OAC rule 3745-31-05(A)(3) do not apply to the OC emissions from this air contaminant source since the calculated annual emission

Issued: 7/17/2007

rate for OC is less than 10.0 tons/year taking into account the federally enforceable rule limit of 8.00 lbs/hr and 40.0 lbs/day under OAC rule 3745-21-07(G)(2).

B. Operational Restrictions

1. The scrubber No. 5 shall be operating at all times while the emissions unit is in operation.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to continuously monitor and record the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor during operation of this emissions unit, including periods of startup and shutdown. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor of the scrubber on a daily basis.
2. Whenever the monitored value for the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor deviates from the range specified below, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation: the date and time the deviation began and the magnitude of the deviation at that time, the date(s) the investigation was conducted, the names of the personnel who conducted the investigation, and the findings and recommendations.
3. In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable ranges and values specified below, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken: a description of the corrective action, the date it was completed, the date and time the deviation ended, the total period of time (in minutes) during which there was a deviation, the pressure drop reading, water flow rate, and pH reading immediately after the corrective action, and the names of the personnel who performed the work. Investigation and records required by this paragraph does not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a

Emissions Unit ID: P005

malfunction has occurred.

4. The acceptable ranges for the pressure drop across the scrubber, the flow rate range for the scrubber, and the pH range for the scrubber shall be based upon the manufacturer's specifications until such time as any required emission testing is conducted.
 - a. The acceptable ranges from the manufacturer's specifications are 10.5 to 14.0 inches of water for the pressure drop across the scrubber, 90-110 gallons per minute for the scrubber flow rate range, and 6.0 to 9.5 for the pH range of the scrubber.
5. These ranges and values are effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the Cleveland Division of Air Quality (CDAQ). The permittee may request revisions to the ranges and values based upon information obtained during future particulate emission tests that demonstrate compliance with the allowable particulate emission rate for this emissions unit. In addition, approved revisions to the ranges and values will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of an administrative modification.
6. The permittee shall collect and record the following information each month for P005:
 - a. the name and identification of each product;
 - b. number of batches;
 - c. number of days in operation;
 - d. number of hours in operation;
 - e. the calculated amount of OC emissions for the month using the formula provided below:
$$(\text{lbs OC emissions/batch}) \times (\text{number of batches/month}) \times (1 - 0.95 \text{ control efficiency}) = \text{lbs OC emissions/month}$$
 - f. the calculated amount of OC emissions for each day [e divided by c]; and
 - g. the average hourly OC emissions rate, in lbs/hr (average) [e divided by d].
7. The permittee shall collect and record the following information each month on a facility-wide basis, for emissions units referenced in A.2.b:
 - a. the name and identification number of each HAP containing material employed;

Issued: 7/17/2007

- b. the total individual and combined HAPs material usage and emissions, in pounds per month; and
- c. beginning after the first 12 calendar months of operation following issuance of this permit, the rolling, 12-month summation of individual HAPs and combined HAPs material usage and emissions, in tons.

Also, during the first 12 calendar months of operation following issuance of this permit, the permittee shall record the cumulative HAP usage and emissions rate for each calendar month.

- * A listing of the HAPs can be found in Section 112(b) of the Clean Air Act or can be obtained by contacting your CDAQ contact. This information does not have to be kept on an individual emissions unit basis.

D. Reporting Requirements

- 1. The permittee shall submit quarterly reports that identify the following information concerning the operation of the control equipment during the operation of this emissions unit:
 - a. each period of time during which the static pressure across the scrubber, the scrubber water flow rate, and/or the scrubber liquor pH were outside the range specified by the manufacturer;
 - b. an identification of each incident of deviation described in (a) where a prompt investigation was not conducted;
 - c. an identification of each incident of deviation described in (a) where prompt corrective action, that would bring the pressure drop across the scrubber, the scrubber water flow rate, and/or the scrubber liquor pH into compliance with the acceptable range, was determined to be necessary and was not taken; and
 - d. an identification of each incident of deviation described in (a) where proper records were not maintained for the investigation and/or the corrective action.

These quarterly reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

Emissions Unit ID: **P005**

2. The permittee shall submit quarterly deviation (excursion) reports that include the following information:
 - a. an identification of each month during which the average hourly OC emissions from the reactor line exceeded 8.00 pounds per hour, and the actual average hourly OC emissions for each such month; and
 - b. an identification of each month during which the average OC emissions from the reactor line exceeded 40.0 pounds per day, and the actual average OC emissions for each such month.

The quarterly deviation (excursion) reports shall be submitted in accordance with the General Terms and Conditions of this permit.

3. The permittee shall submit deviation (excursion) reports in accordance with Part I of the General Terms and Conditions, Section A of this permit, which include the following information for the list of emissions units referenced in A.2.b:
 - a. an identification of each month during which the rolling, 12-month individual HAP material usage and emissions exceed 9.9 tons/year based on a rolling, 12-month summation, and the actual rolling, 12-month individual HAP emissions for each such month;
 - b. an identification of each month during which the rolling, 12-month combined HAP material usage and emissions exceeds 24.9 tons/year based on a rolling, 12-month summation, and the actual rolling, 12-month combined HAP emissions for each such month;

And, for the first 12 calendar months of operation following the issuance of this permit, reports shall be submitted identifying all exceedances of the maximum allowable cumulative HAP usage and emissions rate.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

Issued: 7/17/2007

- a. Emission Limitation:
OC emissions shall not exceed 8.00 lbs/hr and 40.0 lbs/day.

Applicable Compliance Method:

Compliance with these emission limitations may be demonstrated based upon the records required pursuant to Section C.6. The emission factors were obtained from technical literature pertaining to batch process operations, and through engineering analysis of the process. The primary source of technical reference was Table A-6 known as "Average Emission Factors for Fugitive Emissions in SOCMI, source from EPA-953/R93-026" published in a book entitled, "Control of Volatile Organic Compound Emissions from Batch Processes - alternative control techniques information document (EPA-450/R-94-020)."

If required by CDAQ or Ohio EPA, compliance with the OC emission limitation shall be determined through emission testing conducted in accordance with Methods 1 through 4 and 25 or 25A, as applicable, of 40 CFR Part 60, Appendix A, or any approved alternative testing method.

- b. Emission Limitation:
9.9 tons individual HAPs/year for the list of emissions units in A.2.b, as a 12-month rolling summation.

Applicable Compliance Method:

Compliance shall be determined based upon the record keeping specified in Section C.7.

- c. Emission Limitation:
24.9 tons combined HAPs/year for the list of emissions units in A.2.b, as a 12-month rolling summation.

Applicable Compliance Method:

Compliance shall be determined based upon the record keeping specified in Section C.7.

F. Miscellaneous Requirements

Issued: 7/17/2007

1. Modeling to demonstrate compliance with the Ohio EPA's "Toxic Air Contaminant Statute," ORC 3704.03(F) was not necessary because the increase in emissions due to the modification(s) to the emissions unit was less than 1.0 ton per year of each toxic pollutant that is listed under OAC rule 3745-114-01(A).
2. The following terms are federally enforceable: A, B, C, D, and E.

Emissions Unit ID: P006

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P006) - Reactor No. 12 Process Line - Hot oil reactor, crystallizer, centrifuge and filter press. The Terms in this permit supercede those identified in PTI No. 13-02513 issued final on 8/4/1993.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-21-07(G)(2)	Organic compound (OC) emissions shall not exceed 8.00 lbs/hr and 40.0 lbs/day.
OAC rule 3745-31-05(C) Synthetic Minor to avoid Title V and MACT	See A.2.a below.
ORC 3704.03(T)(4)	See A.2.c below.

2. Additional Terms and Conditions

- 2.a The total allowable usage and emissions of Hazardous Air Pollutants (HAPs), as identified in Section 112(b) of Title III of the Clean Air Act, from emissions units at this facility (listed in A.2.b below) shall not exceed 9.9 tons/year for any individual HAP and 24.9 tons/year for any combination of HAPs. Compliance with the above limitations shall be based upon a rolling, 12-month summation of emissions for this emissions unit plus the annual HAP contribution from all other emissions units at this facility (listed in A.2.b below).
- 2.b The current list of emissions units at this facility are P005, P006, P007, P008, P009, P010, P011, P012, P013, P014, P016, P017, P019, P024, P026, P027, P028, P029, P030, P031, P033, P034, P035, P036, P037, P038, P039, P040, P041, P042, P043, P044, P047, P048, P049, P050, P051, T001, T002, T003, T004, T005, T006, T010, T011, T013, B001, B002, F001, Z001, and Z002.
- 2.c The BAT requirements under OAC rule 3745-31-05(A)(3) do not apply to the OC

Issued: 7/17/2007

emissions from this air contaminant source since the calculated annual emission rate for OC is less than 10.0 tons/year taking into account the federally enforceable rule limit of 8.00 lbs/hr and 40.0 lbs/day under OAC rule 3745-21-07(G)(2).

B. Operational Restrictions

1. The scrubber No. 5 shall be operating at all times while the emissions unit is in operation.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to continuously monitor and record the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor during operation of this emissions unit, including periods of startup and shutdown. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor of the scrubber on a daily basis.
2. Whenever the monitored value for the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor deviates from the range specified below, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation: the date and time the deviation began and the magnitude of the deviation at that time, the date(s) the investigation was conducted, the names of the personnel who conducted the investigation, and the findings and recommendations.
3. In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable ranges and values specified below, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken: a description of the corrective action, the date it was completed, the date and time the deviation ended, the total period of time (in minutes) during which there was a deviation, the pressure drop reading, water flow rate, and pH reading immediately after

Issued: 7/17/2007

the corrective action, and the names of the personnel who performed the work. Investigation and records required by this paragraph does not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

4. The acceptable ranges for the pressure drop across the scrubber, the flow rate range for the scrubber, and the pH range for the scrubber shall be based upon the manufacturer's specifications until such time as any required emission testing is conducted.
 - a. The acceptable ranges from the manufacturer's specifications are 10.5 to 14.0 inches of water for the pressure drop across the scrubber, 90-110 gallons per minute for the scrubber flow rate range, and 6.0 to 9.5 for the pH range of the scrubber.
5. These ranges and values are effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the Cleveland Division of Air Quality (CDAQ). The permittee may request revisions to the ranges and values based upon information obtained during future particulate emission tests that demonstrate compliance with the allowable particulate emission rate for this emissions unit. In addition, approved revisions to the ranges and values will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of an administrative modification.
6. The permittee shall collect and record the following information each month for P006:
 - a. the name and identification of each product;
 - b. number of batches;
 - c. number of days in operation;
 - d. number of hours in operation;
 - e. the calculated amount of OC emissions for the month using the formula provided below:

$$(\text{lbs OC emissions/batch}) \times (\text{number of batches/month}) \times (1 - 0.95 \text{ control efficiency}) = \text{lbs OC emissions/month}$$
 - f. the calculated amount of OC emissions for each day [e divided by c]; and

Emissions Unit ID: P006

- g. the average hourly OC emissions rate, in lbs/hr (average) [e divided by d].
7. The permittee shall collect and record the following information each month on a facility-wide basis, for emissions units referenced in A.2.b:
- a. the name and identification number of each HAP containing material employed;
 - b. the total individual and combined HAPs material usage and emissions, in pounds per month; and
 - c. beginning after the first 12 calendar months of operation following issuance of this permit, the rolling, 12-month summation of individual HAPs and combined HAPs material usage and emissions, in tons.

Also, during the first 12 calendar months of operation following issuance of this permit, the permittee shall record the cumulative HAP usage and emissions rate for each calendar month.

- * A listing of the HAPs can be found in Section 112(b) of the Clean Air Act or can be obtained by contacting your CDAQ contact. This information does not have to be kept on an individual emissions unit basis.

D. Reporting Requirements

1. The permittee shall submit quarterly reports that identify the following information concerning the operation of the control equipment during the operation of this emissions unit:
- a. each period of time during which the static pressure across the scrubber, the scrubber water flow rate, and/or the scrubber liquor pH were outside the range specified by the manufacturer;
 - b. an identification of each incident of deviation described in (a) where a prompt investigation was not conducted;
 - c. an identification of each incident of deviation described in (a) where prompt corrective action, that would bring the pressure drop across the scrubber, the scrubber water flow rate, and/or the scrubber liquor pH into compliance with the

Issued: 7/17/2007

acceptable range, was determined to be necessary and was not taken; and

- d. an identification of each incident of deviation described in (a) where proper records were not maintained for the investigation and/or the corrective action.

These quarterly reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

- 2. The permittee shall submit quarterly deviation (excursion) reports that include the following information:
 - a. an identification of each month during which the average hourly OC emissions from the reactor line exceeded 8.00 pounds per hour, and the actual average hourly OC emissions for each such month; and
 - b. an identification of each month during which the average OC emissions from the reactor line exceeded 40.0 pounds per day, and the actual average OC emissions for each such month.

The quarterly deviation (excursion) reports shall be submitted in accordance with the General Terms and Conditions of this permit.

- 3. The permittee shall submit deviation (excursion) reports in accordance with Part I of the General Terms and Conditions, Section A of this permit, which include the following information for the list of emissions units referenced in A.2.b:
 - a. an identification of each month during which the rolling, 12-month individual HAP material usage and emissions exceed 9.9 tons/year based on a rolling, 12-month summation, and the actual rolling, 12-month individual HAP emissions for each such month;
 - b. an identification of each month during which the rolling, 12-month combined HAP material usage and emissions exceeds 24.9 tons/year based on a rolling, 12-month summation, and the actual rolling, 12-month combined HAP emissions for each such month;

Emissions Unit ID: P006

And, for the first 12 calendar months of operation following the issuance of this permit, reports shall be submitted identifying all exceedances of the maximum allowable cumulative HAP usage and emissions rate.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation:

OC emissions shall not exceed 8.00 lbs/hr and 40.0 lbs/day.

Applicable Compliance Method:

Compliance with these emission limitations may be demonstrated based upon the records required pursuant to Section C.6. The emission factors were obtained from technical literature pertaining to batch process operations, and through engineering analysis of the process. The primary source of technical reference was Table A-6 known as "Average Emission Factors for Fugitive Emissions in SOCOMI, source from EPA-953/R93-026" published in a book entitled, "Control of Volatile Organic Compound Emissions from Batch Processes - alternative control techniques information document (EPA-450/R-94-020)."

If required by CDAQ or Ohio EPA, compliance with the OC emission limitation shall be determined through emission testing conducted in accordance with Methods 1 through 4 and 25 or 25A, as applicable, of 40 CFR Part 60, Appendix A, or any approved alternative testing method.

- b. Emission Limitation:

9.9 tons individual HAPs/year for the list of emissions units in A.2.b, as a 12-month rolling summation.

Applicable Compliance Method:

Compliance shall be determined based upon the record keeping specified in Section C.7.

- c. Emission Limitation:

Issued: 7/17/2007

24.9 tons combined HAPs/year for the list of emissions units in A.2.b, as a 12-month rolling summation.

Applicable Compliance Method:

Compliance shall be determined based upon the record keeping specified in Section C.7.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Toxic Air Contaminant Statute," ORC 3704.03(F) was not necessary because the increase in emissions due to the modification(s) to the emissions unit was less than 1.0 ton per year of each toxic pollutant that is listed under OAC rule 3745-114-01(A).
2. The following terms are federally enforceable: A, B, C, D, and E.

Issued: 7/17/2007

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P007) - Reactor No. 13 Process Line - Hot oil reactor, crystallizer, centrifuge and filter press. The Terms in this permit supercede those identified in PTI No. 13-03679 issued final on 9/21/2000.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-21-07(G)(2)	Organic compound (OC) emissions shall not exceed 8.00 lbs/hr and 40.0 lbs/day.
OAC rule 3745-31-05(C) Synthetic Minor to avoid Title V and MACT	See A.2.a below.
ORC 3704.03(T)(4)	See A.2.c below.

2. Additional Terms and Conditions

- 2.a The total allowable usage and emissions of Hazardous Air Pollutants (HAPs), as identified in Section 112(b) of Title III of the Clean Air Act, from emissions units at this facility (listed in A.2.b below) shall not exceed 9.9 tons/year for any individual HAP and 24.9 tons/year for any combination of HAPs. Compliance with the above limitations shall be based upon a rolling, 12-month summation of emissions for this emissions unit plus the annual HAP contribution from all other emissions units at this facility (listed in A.2.b below).
- 2.b The current list of emissions units at this facility are P005, P006, P007, P008, P009, P010, P011, P012, P013, P014, P016, P017, P019, P024, P026, P027, P028, P029, P030, P031, P033, P034, P035, P036, P037, P038, P039, P040, P041, P042, P043, P044, P047, P048, P049, P050, P051, T001, T002, T003, T004, T005, T006, T010, T011, T013, B001, B002, F001, Z001, and Z002.

Emissions Unit ID: P007

- 2.c** The BAT requirements under OAC rule 3745-31-05(A)(3) do not apply to the OC emissions from this air contaminant source since the calculated annual emission rate for OC is less than 10.0 tons/year taking into account the federally enforceable rule limit of 8.00 lbs/hr and 40.0 lbs/day under OAC rule 3745-21-07(G)(2).

B. Operational Restrictions

1. The scrubber No. 5 shall be operating at all times while the emissions unit is in operation.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to continuously monitor and record the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor during operation of this emissions unit, including periods of startup and shutdown. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor of the scrubber on a daily basis.
2. Whenever the monitored value for the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor deviates from the range specified below, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation: the date and time the deviation began and the magnitude of the deviation at that time, the date(s) the investigation was conducted, the names of the personnel who conducted the investigation, and the findings and recommendations.
3. In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable ranges and values specified below, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken: a description of the corrective action, the date it was completed, the date and time the deviation ended, the total period of time (in minutes) during which there was a deviation, the pressure drop reading, water flow rate, and pH reading immediately after

Issued: 7/17/2007

the corrective action, and the names of the personnel who performed the work. Investigation and records required by this paragraph does not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

4. The acceptable ranges for the pressure drop across the scrubber, the flow rate range for the scrubber, and the pH range for the scrubber shall be based upon the manufacturer's specifications until such time as any required emission testing is conducted.
 - a. The acceptable ranges from the manufacturer's specifications are 10.5 to 14.0 inches of water for the pressure drop across the scrubber, 90-110 gallons per minute for the scrubber flow rate range, and 6.0 to 9.5 for the pH range of the scrubber.
5. These ranges and values are effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the Cleveland Division of Air Quality (CDAQ). The permittee may request revisions to the ranges and values based upon information obtained during future particulate emission tests that demonstrate compliance with the allowable particulate emission rate for this emissions unit. In addition, approved revisions to the ranges and values will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of an administrative modification.
6. The permittee shall collect and record the following information each month for P007:
 - a. the name and identification of each product;
 - b. number of batches;
 - c. number of days in operation;
 - d. number of hours in operation;
 - e. the calculated amount of OC emissions for the month using the formula provided below:

$$(\text{lbs OC emissions/batch}) \times (\text{number of batches/month}) \times (1 - 0.95 \text{ control efficiency}) = \text{lbs OC emissions/month}$$
 - f. the calculated amount of OC emissions for each day [e divided by c]; and

Issued: 7/17/2007

acceptable range, was determined to be necessary and was not taken; and

- d. an identification of each incident of deviation described in (a) where proper records were not maintained for the investigation and/or the corrective action.

These quarterly reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

2. The permittee shall submit quarterly deviation (excursion) reports that include the following information:
 - a. an identification of each month during which the average hourly OC emissions from the reactor line exceeded 8.00 pounds per hour, and the actual average hourly OC emissions for each such month; and
 - b. an identification of each month during which the average OC emissions from the reactor line exceeded 40.0 pounds per day, and the actual average OC emissions for each such month.

The quarterly deviation (excursion) reports shall be submitted in accordance with the General Terms and Conditions of this permit.

3. The permittee shall submit deviation (excursion) reports in accordance with Part I of the General Terms and Conditions, Section A of this permit, which include the following information for the list of emissions units referenced in A.2.b:
 - a. an identification of each month during which the rolling, 12-month individual HAP material usage and emissions exceed 9.9 tons/year based on a rolling, 12-month summation, and the actual rolling, 12-month individual HAP emissions for each such month;
 - b. an identification of each month during which the rolling, 12-month combined HAP material usage and emissions exceeds 24.9 tons/year based on a rolling, 12-month summation, and the actual rolling, 12-month combined HAP emissions for each such month;

Emissions Unit ID: P007

And, for the first 12 calendar months of operation following the issuance of this permit, reports shall be submitted identifying all exceedances of the maximum allowable cumulative HAP usage and emissions rate.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation:

OC emissions shall not exceed 8.00 lbs/hr and 40.0 lbs/day.

Applicable Compliance Method:

Compliance with these emission limitations may be demonstrated based upon the records required pursuant to Section C.6. The emission factors were obtained from technical literature pertaining to batch process operations, and through engineering analysis of the process. The primary source of technical reference was Table A-6 known as "Average Emission Factors for Fugitive Emissions in SOCOMI, source from EPA-953/R93-026" published in a book entitled, "Control of Volatile Organic Compound Emissions from Batch Processes - alternative control techniques information document (EPA-450/R-94-020)."

If required by CDAQ or Ohio EPA, compliance with the OC emission limitation shall be determined through emission testing conducted in accordance with Methods 1 through 4 and 25 or 25A, as applicable, of 40 CFR Part 60, Appendix A, or any approved alternative testing method.

- b. Emission Limitation:

9.9 tons individual HAPs/year for the list of emissions units in A.2.b, as a 12-month rolling summation.

Applicable Compliance Method:

Compliance shall be determined based upon the record keeping specified in Section C.7.

- c. Emission Limitation:

Issued: 7/17/2007

24.9 tons combined HAPs/year for the list of emissions units in A.2.b, as a 12-month rolling summation.

Applicable Compliance Method:

Compliance shall be determined based upon the record keeping specified in Section C.7.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Toxic Air Contaminant Statute," ORC 3704.03(F) was not necessary because the increase in emissions due to the modification(s) to the emissions unit was less than 1.0 ton per year of each toxic pollutant that is listed under OAC rule 3745-114-01(A).
2. The following terms are federally enforceable: A, B, C, D, and E.

Issued: 7/17/2007

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P047) - Reactor No. 22 Process Line - Hot oil reactor, crystallizer, centrifuge and filter press. The Terms in this permit supercede those identified in PTI No. 13-04434 issued final on 5/17/2005.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-21-07(G)(2)	Organic compound (OC) emissions shall not exceed 8.00 lbs/hr and 40.0 lbs/day.
OAC rule 3745-31-05(C) Synthetic Minor to avoid Title V and MACT	See A.2.a below.
ORC 3704.03(T)(4)	See A.2.c below.

2. Additional Terms and Conditions

- 2.a The total allowable usage and emissions of Hazardous Air Pollutants (HAPs), as identified in Section 112(b) of Title III of the Clean Air Act, from emissions units at this facility (listed in A.2.b below) shall not exceed 9.9 tons/year for any individual HAP and 24.9 tons/year for any combination of HAPs. Compliance with the above limitations shall be based upon a rolling, 12-month summation of emissions for this emissions unit plus the annual HAP contribution from all other emissions units at this facility (listed in A.2.b below).
- 2.b The current list of emissions units at this facility are P005, P006, P007, P008, P009, P010, P011, P012, P013, P014, P016, P017, P019, P024, P026, P027, P028, P029, P030, P031, P033, P034, P035, P036, P037, P038, P039, P040, P041, P042, P043, P044, P047, P048, P049, P050, P051, T001, T002, T003, T004, T005, T006, T010, T011, T013, B001, B002, F001, Z001, and Z002.

Emissions Unit ID: P047

- 2.c** The BAT requirements under OAC rule 3745-31-05(A)(3) do not apply to the OC emissions from this air contaminant source since the calculated annual emission rate for OC is less than 10.0 tons/year taking into account the federally enforceable rule limit of 8.00 lbs/hr and 40.0 lbs/day under OAC rule 3745-21-07(G)(2).

B. Operational Restrictions

1. The scrubber No. 5 shall be operating at all times while the emissions unit is in operation.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to continuously monitor and record the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor during operation of this emissions unit, including periods of startup and shutdown. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor of the scrubber on a daily basis.
2. Whenever the monitored value for the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor deviates from the range specified below, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation: the date and time the deviation began and the magnitude of the deviation at that time, the date(s) the investigation was conducted, the names of the personnel who conducted the investigation, and the findings and recommendations.
3. In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable ranges and values specified below, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken: a description of the corrective action, the date it was completed, the date and time the deviation ended, the total period of time (in minutes) during which there was a deviation, the pressure drop reading, water flow rate, and pH reading immediately after

Issued: 7/17/2007

the corrective action, and the names of the personnel who performed the work. Investigation and records required by this paragraph does not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

4. The acceptable ranges for the pressure drop across the scrubber, the flow rate range for the scrubber, and the pH range for the scrubber shall be based upon the manufacturer's specifications until such time as any required emission testing is conducted.
 - a. The acceptable ranges from the manufacturer's specifications are 10.5 to 14.0 inches of water for the pressure drop across the scrubber, 90-110 gallons per minute for the scrubber flow rate range, and 6.0 to 9.5 for the pH range of the scrubber.
5. These ranges and values are effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the Cleveland Division of Air Quality (CDAQ). The permittee may request revisions to the ranges and values based upon information obtained during future particulate emission tests that demonstrate compliance with the allowable particulate emission rate for this emissions unit. In addition, approved revisions to the ranges and values will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of an administrative modification.
6. The permittee shall collect and record the following information each month for P047:
 - a. the name and identification of each product;
 - b. number of batches;
 - c. number of days in operation;
 - d. number of hours in operation;
 - e. the calculated amount of OC emissions for the month using the formula provided below:

$$(\text{lbs OC emissions/batch}) \times (\text{number of batches/month}) \times (1 - 0.95 \text{ control efficiency}) = \text{lbs OC emissions/month}$$
 - f. the calculated amount of OC emissions for each day [e divided by c]; and

Issued: 7/17/2007

acceptable range, was determined to be necessary and was not taken; and

- d. an identification of each incident of deviation described in (a) where proper records were not maintained for the investigation and/or the corrective action.

These quarterly reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

- 2. The permittee shall submit quarterly deviation (excursion) reports that include the following information:
 - a. an identification of each month during which the average hourly OC emissions from the reactor line exceeded 8.00 pounds per hour, and the actual average hourly OC emissions for each such month; and
 - b. an identification of each month during which the average OC emissions from the reactor line exceeded 40.0 pounds per day, and the actual average OC emissions for each such month.

The quarterly deviation (excursion) reports shall be submitted in accordance with the General Terms and Conditions of this permit.

- 3. The permittee shall submit deviation (excursion) reports in accordance with Part I of the General Terms and Conditions, Section A of this permit, which include the following information for the list of emissions units referenced in A.2.b:
 - a. an identification of each month during which the rolling, 12-month individual HAP material usage and emissions exceed 9.9 tons/year based on a rolling, 12-month summation, and the actual rolling, 12-month individual HAP emissions for each such month;
 - b. an identification of each month during which the rolling, 12-month combined HAP material usage and emissions exceeds 24.9 tons/year based on a rolling, 12-month summation, and the actual rolling, 12-month combined HAP emissions for each such month;

Emissions Unit ID: **P047**

And, for the first 12 calendar months of operation following the issuance of this permit, reports shall be submitted identifying all exceedances of the maximum allowable cumulative HAP usage and emissions rate.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation:

OC emissions shall not exceed 8.00 lbs/hr and 40.0 lbs/day.

Applicable Compliance Method:

Compliance with these emission limitations may be demonstrated based upon the records required pursuant to Section C.6. The emission factors were obtained from technical literature pertaining to batch process operations, and through engineering analysis of the process. The primary source of technical reference was Table A-6 known as "Average Emission Factors for Fugitive Emissions in SOCOMI, source from EPA-953/R93-026" published in a book entitled, "Control of Volatile Organic Compound Emissions from Batch Processes - alternative control techniques information document (EPA-450/R-94-020)."

If required by CDAQ or Ohio EPA, compliance with the OC emission limitation shall be determined through emission testing conducted in accordance with Methods 1 through 4 and 25 or 25A, as applicable, of 40 CFR Part 60, Appendix A, or any approved alternative testing method.

- b. Emission Limitation:

9.9 tons individual HAPs/year for the list of emissions units in A.2.b, as a 12-month rolling summation.

Applicable Compliance Method:

Compliance shall be determined based upon the record keeping specified in Section C.7.

- c. Emission Limitation:

Issued: 7/17/2007

24.9 tons combined HAPs/year for the list of emissions units in A.2.b, as a 12-month rolling summation.

Applicable Compliance Method:

Compliance shall be determined based upon the record keeping specified in Section C.7.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Toxic Air Contaminant Statute," ORC 3704.03(F) was not necessary because the increase in emissions due to the modification(s) to the emissions unit was less than 1.0 ton per year of each toxic pollutant that is listed under OAC rule 3745-114-01(A).
2. The following terms are federally enforceable: A, B, C, D, and E.

Issued: 7/17/2007

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P048) - Reactor No. 23 Process Line - Hot oil reactor, crystallizer, centrifuge, and filter press. The Terms in this permit supercede those identified in PTI No. 13-04497 issued final on 5/17/2005.

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-21-07(G)(2)	Organic compound (OC) emissions shall not exceed 8.00 lbs/hr and 40.0 lbs/day.
OAC rule 3745-31-05(C) Synthetic Minor to avoid Title V and MACT	See A.2.a below.
ORC 3704.03(T)(4)	See A.2.c below.

2. Additional Terms and Conditions

- 2.a The total allowable usage and emissions of Hazardous Air Pollutants (HAPs), as identified in Section 112(b) of Title III of the Clean Air Act, from emissions units at this facility (listed in A.2.b below) shall not exceed 9.9 tons/year for any individual HAP and 24.9 tons/year for any combination of HAPs. Compliance with the above limitations shall be based upon a rolling, 12-month summation of emissions for this emissions unit plus the annual HAP contribution from all other emissions units at this facility (listed in A.2.b below).
- 2.b The current list of emissions units at this facility are P005, P006, P007, P008, P009, P010, P011, P012, P013, P014, P016, P017, P019, P024, P026, P027, P028, P029, P030, P031, P033, P034, P035, P036, P037, P038, P039, P040, P041, P042, P043, P044, P047, P048, P049, P050, P051, T001, T002, T003, T004, T005, T006, T010, T011, T013, B001, B002, F001, Z001, and Z002.

Emissions Unit ID: P048

- 2.c** The BAT requirements under OAC rule 3745-31-05(A)(3) do not apply to the OC emissions from this air contaminant source since the calculated annual emission rate for OC is less than 10.0 tons/year taking into account the federally enforceable rule limit of 8.00 lbs/hr and 40.0 lbs/day under OAC rule 3745-21-07(G)(2).

B. Operational Restrictions

1. The scrubber No. 5 shall be operating at all times while the emissions unit is in operation.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to continuously monitor and record the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor during operation of this emissions unit, including periods of startup and shutdown. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor of the scrubber on a daily basis.
2. Whenever the monitored value for the pressure drop across the scrubber, the scrubber water flow rate, and the pH of the scrubber liquor deviates from the range specified below, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation: the date and time the deviation began and the magnitude of the deviation at that time, the date(s) the investigation was conducted, the names of the personnel who conducted the investigation, and the findings and recommendations.
3. In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable ranges and values specified below, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken: a description of the corrective action, the date it was completed, the date and time the deviation ended, the total period of time (in minutes) during which there was a deviation, the pressure drop reading, water flow rate, and pH reading immediately after

Issued: 7/17/2007

the corrective action, and the names of the personnel who performed the work. Investigation and records required by this paragraph does not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

4. The acceptable ranges for the pressure drop across the scrubber, the flow rate range for the scrubber, and the pH range for the scrubber shall be based upon the manufacturer's specifications until such time as any required emission testing is conducted.
 - a. The acceptable ranges from the manufacturer's specifications are 10.5 to 14.0 inches of water for the pressure drop across the scrubber, 90-110 gallons per minute for the scrubber flow rate range, and 6.0 to 9.5 for the pH range of the scrubber.
5. These ranges and values are effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the Cleveland Division of Air Quality (CDAQ). The permittee may request revisions to the ranges and values based upon information obtained during future particulate emission tests that demonstrate compliance with the allowable particulate emission rate for this emissions unit. In addition, approved revisions to the ranges and values will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of an administrative modification.
6. The permittee shall collect and record the following information each month for P048:
 - a. the name and identification of each product;
 - b. number of batches;
 - c. number of days in operation;
 - d. number of hours in operation;
 - e. the calculated amount of OC emissions for the month using the formula provided below:

$$(\text{lbs OC emissions/batch}) \times (\text{number of batches/month}) \times (1 - 0.95 \text{ control efficiency}) = \text{lbs OC emissions/month}$$
 - f. the calculated amount of OC emissions for each day [e divided by c]; and

Emissions Unit ID: **P048**

- g. the average hourly OC emissions rate, in lbs/hr (average) [e divided by d].
7. The permittee shall collect and record the following information each month on a facility-wide basis, for emissions units referenced in A.2.b:
- a. the name and identification number of each HAP containing material employed;
 - b. the total individual and combined HAPs material usage and emissions, in pounds per month; and
 - c. beginning after the first 12 calendar months of operation following issuance of this permit, the rolling, 12-month summation of individual HAPs and combined HAPs material usage and emissions, in tons.

Also, during the first 12 calendar months of operation following issuance of this permit, the permittee shall record the cumulative HAP usage and emissions rate for each calendar month.

- * A listing of the HAPs can be found in Section 112(b) of the Clean Air Act or can be obtained by contacting your CDAQ contact. This information does not have to be kept on an individual emissions unit basis.

D. Reporting Requirements

1. The permittee shall submit quarterly reports that identify the following information concerning the operation of the control equipment during the operation of this emissions unit:
- a. each period of time during which the static pressure across the scrubber, the scrubber water flow rate, and/or the scrubber liquor pH were outside the range specified by the manufacturer;
 - b. an identification of each incident of deviation described in (a) where a prompt investigation was not conducted;
 - c. an identification of each incident of deviation described in (a) where prompt corrective action, that would bring the pressure drop across the scrubber, the scrubber water flow rate, and/or the scrubber liquor pH into compliance with the

Issued: 7/17/2007

acceptable range, was determined to be necessary and was not taken; and

- d. an identification of each incident of deviation described in (a) where proper records were not maintained for the investigation and/or the corrective action.

These quarterly reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

- 2. The permittee shall submit quarterly deviation (excursion) reports that include the following information:
 - a. an identification of each month during which the average hourly OC emissions from the reactor line exceeded 8.00 pounds per hour, and the actual average hourly OC emissions for each such month; and
 - b. an identification of each month during which the average OC emissions from the reactor line exceeded 40.0 pounds per day, and the actual average OC emissions for each such month.

The quarterly deviation (excursion) reports shall be submitted in accordance with the General Terms and Conditions of this permit.

- 3. The permittee shall submit deviation (excursion) reports in accordance with Part I of the General Terms and Conditions, Section A of this permit, which include the following information for the list of emissions units referenced in A.2.b:
 - a. an identification of each month during which the rolling, 12-month individual HAP material usage and emissions exceed 9.9 tons/year based on a rolling, 12-month summation, and the actual rolling, 12-month individual HAP emissions for each such month;
 - b. an identification of each month during which the rolling, 12-month combined HAP material usage and emissions exceeds 24.9 tons/year based on a rolling, 12-month summation, and the actual rolling, 12-month combined HAP emissions for each such month;

Issued: 7/17/2007

And, for the first 12 calendar months of operation following the issuance of this permit, reports shall be submitted identifying all exceedances of the maximum allowable cumulative HAP usage and emissions rate.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation:

OC emissions shall not exceed 8.00 lbs/hr and 40.0 lbs/day.

Applicable Compliance Method:

Compliance with these emission limitations may be demonstrated based upon the records required pursuant to Section C.6. The emission factors were obtained from technical literature pertaining to batch process operations, and through engineering analysis of the process. The primary source of technical reference was Table A-6 known as "Average Emission Factors for Fugitive Emissions in SOCMI, source from EPA-953/R93-026" published in a book entitled, "Control of Volatile Organic Compound Emissions from Batch Processes - alternative control techniques information document (EPA-450/R-94-020)."

If required by CDAQ or Ohio EPA, compliance with the OC emission limitation shall be determined through emission testing conducted in accordance with Methods 1 through 4 and 25 or 25A, as applicable, of 40 CFR Part 60, Appendix A, or any approved alternative testing method.

- b. Emission Limitation:

9.9 tons individual HAPs/year for the list of emissions units in A.2.b, as a 12-month rolling summation.

Applicable Compliance Method:

Compliance shall be determined based upon the record keeping specified in Section C.7.

Emissions Unit ID: **P048**

- c. Emission Limitation:
24.9 tons combined HAPs/year for the list of emissions units in A.2.b, as a 12-month rolling summation.

Applicable Compliance Method:

Compliance shall be determined based upon the record keeping specified in Section C.7.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Toxic Air Contaminant Statute," ORC 3704.03(F) was not necessary because the increase in emissions due to the modification(s) to the emissions unit was less than 1.0 ton per year of each toxic pollutant that is listed under OAC rule 3745-114-01(A).
2. The following terms are federally enforceable: A, B, C, D, and E.