



State of Ohio Environmental Protection Agency

Eliokem, Inc

STREET ADDRESS:

1800 WaterMark Drive
Columbus, OH 43215-1099

TELE: (614) 644-3020 FAX: (614) 644-2329

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

June 2, 1995

CERTIFIED MAIL

Re: Modification to Permit to Install No. 16-1350
Summit County

Goodyear Tire and Rubber Co - Akron
1376 Techway Dr.
Akron, Ohio 44306

Attention: J. L. Persinger, Plant Manager

Enclosed please find a modification to the Ohio EPA Permit to Install referenced above which will modify the terms and conditions.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Board of Review pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address: Environmental Board of Review, 236 East Town Street, Room 300, Columbus, OH 43215.

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

Enclosure

cc: US EPA
AKRON AIR POLLUTION CONTROL

Permit to Install Terms and Conditions

Issuance Date: June 2, 1995
Effective Date: June 2, 1995
Modification Fee: \$200.00

OHIO ENVIRONMENTAL PROTECTION AGENCY

MODIFICATION TO PERMIT TO INSTALL

Name of Applicant: GOODYEAR TIRE AND RUBBER CO-AKRON
Address: 1376 Techway Dr
City: Akron, Ohio 44306
Telephone: 216-796-2032

The Ohio EPA has received a request for a modification for the Ohio EPA Permit to Install referenced above.


The Permit to Install issued to PTI No. 16-1350 hereby modified in the following manner:

Terms and Conditions on pages 4 and 5 of Permit to Install issued January 26, 1994.

The reason for the modification is: to modify emission limits on pages 4 and 5 of PTI No. 16-1350, issued January 26, 1994, at the request of Goodyear Tire and Rubber Company.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

Ohio Environmental Protection Agency



Director

SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies.

AIR EMISSION SUMMARY

The air contaminant sources listed below comprise the Permit to Install for GOODYEAR TIRE AND RUBBER CO - AKRON located in Summit County. The sources listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

<u>Ohio EPA Source Number</u>	<u>Source Identification Description</u>	<u>BAT Determination</u>	<u>Applicable Federal & OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
P029	#1 Resin Finishing Line. 3,000 lbs/hr.	Fabric filters.	3745-31-05 3745-17-11	1.0 lb per hr. Particulate Matter. 4.0 lbs per hr. *Total VOC and/or Organic Materials. 1.64 lbs per hr. Methylbutyrate 0.62 lb per hr. Butylacetate 0.45 lb per hr. Cumene 0.37 lb per hr. Xylene

SUMMARY

TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons/Year</u>
Particulate Matter	4.38
*Total VOC and/or Organic Materials	17.52
Methybutyrate	7.18
Butylacetate	2.72
Cumene	1.97
Xylene	1.62

* Includes specific compounds

WASTE DISPOSAL

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

MAINTENANCE OF EQUIPMENT

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

MALFUNCTION/ABATEMENT

In accordance with OAC RULE 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the Akron Air Pollution Control, 177 South Broadway, Akron, Ohio 44308.

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

CONSTRUCTION COMPLIANCE CERTIFICATION

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.