



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL  
CUYAHOGA COUNTY**

**CERTIFIED MAIL**

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049

**Application No: 13-04186**

**DATE:** 10/14/2003

Granger Materials Inc.  
Angelo Martin  
3926 Valley Road  
Cleveland, OH 441090000

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Supervisor  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: USEPA

CLAA



---

**Permit To Install  
Terms and Conditions**

**Issue Date: 10/14/2003  
Effective Date: 10/14/2003**

---

**FINAL PERMIT TO INSTALL 13-04186**

Application Number: 13-04186  
APS Premise Number: 1318228261  
Permit Fee: **\$2450**  
Name of Facility: Granger Materials Inc.  
Person to Contact: Angelo Martin  
Address: 3926 Valley Road  
Cleveland, OH 441090000

Location of proposed air contaminant source(s) [emissions unit(s)]:  
**13700 McCracken Road  
Garfield Heights, Ohio**

Description of proposed emissions unit(s):  
**Portable concrete processing plant -- P903, F005, and F006.**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

## Part I - GENERAL TERMS AND CONDITIONS

### A. Permit to Install General Terms and Conditions

#### 1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

#### 2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

#### 3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

#### 4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

**Granger Materials Inc.**  
**PTI Application: 13-04186**  
**Issued: 10/14/2003**

**Facility ID: 1318228261**

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Termination of Permit to Install**

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**9. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

**Granger Materials Inc.**  
**PTI Application: 13-04186**  
**Issued: 10/14/2003**

**Facility ID: 1318228261**

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

**10. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**11. Applicability**

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

**12. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**13. Source Operation and Operating Permit Requirements After Completion of Construction**

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

**Granger Materials Inc.**  
**PTI Application: 13-04186**  
**Issued: 10/14/2003**

**Facility ID: 1318228261**

#### **14. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

#### **15. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

### **B. Permit to Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)**  
**TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
PM	8.74
PM <sub>10</sub>	3.29
SO <sub>x</sub>	1.99
NO <sub>x</sub>	15.75
CO	4.19

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property,  
and/or Equipment

Applicable Rules/Requirements

F005 - load in and load out of material storage piles (see Section A.2.a for identification of storage piles)

OAC rule 3745-17-07 (B)(6)

OAC rule 3745-17-07 (B)(6)

OAC rule 3745-17-08 (B), (B)(6)

OAC rule 3745-17-08 (B), (B)(6)

wind erosion from storage piles (see A.2.a for identification of storage piles)

Applicable Emissions  
Limitations/Control Measures

PM, 0.876 TPY  
PM<sub>10</sub>, 0.438 TPY  
Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Section A.2)

No visible particulate emissions except for a period of time not to exceed one minute during any sixty-minute observation period.

The visible particulate emission limitation specified by this rule is less stringent than the visible particulate emission limitation established pursuant to OAC rule 3745-31-05 (A)(3).

The control measures specified by this rule are equivalent to the control measures established pursuant to OAC rule 3745-31-05 (A)(3).

PM, 0.2 TPY  
PM<sub>10</sub>, 0.1 TPY

Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see Section A.2)

No visible particulate emissions except for a period of time not to exceed one minute during any sixty-minute observation period.

The visible particulate emission limitation specified by this rule is less stringent than the visible particulate emission limitation established pursuant to OAC rule 3745-31-05 (A)(3).

The control measures specified by this rule are equivalent to the control measures established pursuant to OAC rule 3745-31-05 (A)(3).

**2. Additional Terms and Conditions**

- 2.a** The storage piles that are covered by this permit and subject to the requirements of OAC rules 3745-17-07 and 3745-17-08 are:  
-(2) crushed concrete piles
- 2.b** The permittee shall employ best available control measures on all load in and load out operations associated with the storage piles for the purpose of ensuring compliance with the above mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to applying water to the storage piles, maintaining as low a pile height as possible, and to removing the piles daily (piles are depleted by the end of the day and restarted the next day) to ensure compliance. The permittee shall also reduce the drop height of the front end loader or stacker conveyor where applicable. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.c** The above mentioned control measure(s) shall be employed for each load in and load out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary.
- 2.d** The permittee shall employ best available control measures for wind erosion from the surfaces of the storage piles for the purpose of ensuring compliance with the above mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to applying water to the storage piles, maintaining as low a pile height as possible, and to removing the piles daily (piles are depleted by the end of the day and restarted the next day) to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.e** The above mentioned control measures shall be employed for wind erosion of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above mentioned applicable requirements. Any required implementation of the control measures shall continue during any such operation until further observation confirms that use of the measures is unnecessary. Implementation of the control measures shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above mentioned applicable requirements.

- 2.f** Implementation of the above mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-17-08.

**B. Operational Restrictions**

None

**C. Monitoring and/or Record keeping Requirements**

1. Except as otherwise provided in this section, the permittee shall perform daily inspections of each load in operation at each storage pile, load out operation, and wind erosion from pile surfaces associated with each storage pile.
2. No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.
3. The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load in and load out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.
4. The permittee may, upon receipt of written approval from the Cleveland Division of Air Quality, modify the above mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above mentioned applicable requirements.
5. The permittee shall maintain records of the following information:
  - a. The date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
  - b. The date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
  - c. The dates the control measures were implemented; and

- d. On a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).
- e. The annual amount of material handled, in tons, and the size of each storage pile, in acres.

The information required in 7.d shall be kept separately for (i) the load in operations, (ii) the load out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

#### **D. Reporting Requirements**

1. The permittee shall submit quarterly deviation reports that identify any of the following occurrences:
  - a. Each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
  - b. Each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

#### **E. Testing Requirements**

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):
  - a. **Visible Emission Limit:**  
There shall be no visible particulate emissions except for a period of time not to exceed one minute during any sixty minute observation period.

Compliance with the visible particulate emission limitation for the load in/load out and wind erosion of storage piles identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources," as such Appendix existed on July 1, 1996, and

Emissions Unit ID: **F005**

the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

- b. Emission Limitation:  
 PM, 0.876 TPY from load in/load out operations  
 PM<sub>10</sub>, 0.438 TPY

**Applicable Compliance Method:**

The TPY emission limitation shall be based on calculations using the equation 1 for aggregate handling and storage piles taken from U.S. EPA reference document AP-42, 5<sup>th</sup> edition, Compilation of Air Pollution Emission Factors, section 13.2.2 (1/95) to establish the emission factor in lb per ton. The calculated emission factors are 0.002 lb per ton of materials handled for PM emissions and 0.001 lb per ton of materials handled for PM<sub>10</sub> emissions. This emission factor is multiplied by the annual tons of material processed and (1-.50) to account for the 50% watering emission control efficiency and divide by 2000 lbs/ton.

- c. Emission Limitation:  
 PM, 0.2 TPY from wind erosion  
 PM<sub>10</sub>, 0.1 TPY

**Applicable Compliance Method:**

The TPY emission limitation shall be based on calculations using the equation 1 for aggregate handling and storage piles taken from U.S. EPA reference document AP-42, 5<sup>th</sup> edition, Compilation of Air Pollution Emission Factors, section 13.2.2 (1/95) to establish the emission factor in lb/day/acre. The calculated emission factors are 0.002 lb/day/acre of material (fines) handled for PM emissions and 0.001 lb/day/acre for PM<sub>10</sub> emissions. This emission factor is multiplied by the number of piles, the annual tons of material processed, and (1-.50) to account for the 50% watering emission control efficiency and divide by 2000 lbs/ton.

**F. Miscellaneous Requirements**

1. Pursuant to Ohio Administrative Code (OAC) rule 3745-31-03(A)(1)(p)(i), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI provided the following criteria are met:
  - a. The portable emissions unit is equipped with the best available technology for such portable emissions unit;
  - b. The portable emissions unit is operating pursuant to a currently effective permit to operate

(PTO);

- c. The applicant has provided proper notice of intent to relocate the portable emissions unit to the Cleveland Division of Air Quality and the appropriate field office having jurisdiction over the new site within a minimum of thirty days prior to the scheduled relocation; and
  - d. In the Cleveland Division of Air Quality's and the appropriate field office's judgement, the proposed site is acceptable under the rule 3745-15-07 of the Administrative Code.
- 2.** In the alternative, pursuant to OAC rule 3745-31-03 (A)(1)(p)(ii), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI provided the following criteria of OAC rule 3745-31-05(F) are met:
- a. The portable emissions unit permittee possesses an Ohio EPA PTI, PTO or registration status;
  - b. The portable emissions unit is equipped with best available technology;
  - c. The portable emission unit owner has identified the proposed site to Ohio EPA;
  - d. Ohio EPA has determined that the portable emissions unit, at the proposed site, will have an acceptable environmental impact;
  - e. A public notice, consistent with Chapter 3745-47 of the Administrative Code, is published in the county where the proposed site is located;
  - f. The owner of the proposed site has provided the portable emissions unit owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable emissions unit to the proposed site; and
  - g. The portable emissions unit owner has provided the Ohio EPA with fifteen days written notice of the relocation.
- 3.** Any site approvals issued by the Ohio EPA, pursuant to F.2 above, shall be valid for no longer than three years and are subject to renewal.

In order for the Cleveland Division of Air Quality and the appropriate field office having jurisdiction over the new site to determine compliance with all of the above criteria, the owner or operator of the portable or mobile emissions unit must file a "Notice of Intent to Relocate," within the specified time frame (30 to 15 days) prior to the relocation of the emissions unit with the

**Granger Materials Inc.**

**PTI Application: 12 04196**

**Issued**

**Facility ID: 1318228261**

Emissions Unit ID: **F005**

Cleveland Division of Air Quality (1925 St. Clair Avenue, Cleveland, OH 44114) and the appropriate office jurisdiction over the new site. Upon receipt of the notice, the Cleveland Division of Air Quality and/or the appropriate field office having jurisdiction over the new site, will evaluate the request in accordance with the above criteria. Failure to submit said notification and to receive Ohio EPA approval prior to relocation of the emissions unit may result in fines and civil penalties.

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F006 - unpaved facility roadways and parking areas (see Section A.2.a for identification)	OAC rule 3745-31-05 (A)(3)	PM, 0.56 TPY PM <sub>10</sub> , 0.12 TPY Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust
	OAC rule 3745-17-07 (B)(5)	No visible particulate emissions except for a period of time not to exceed three minutes during any sixty-minute observation period
	OAC rule 3745-17-08 (B), (B)(2)	The visible particulate emission limitation specified by this rule is less stringent than the visible particulate emission limitation established pursuant to OAC Rule 3745-31-05(A)(3).
		The control measures specified by this rule are equivalent to the control measures established pursuant to OAC rule 3745-31-05(A)(3).

**2. Additional Terms and Conditions**

- 2.a** The unpaved roadways and parking areas that are covered by this permit and subject to the above mentioned requirements are 0.12 miles of unpaved roadway and 1,000 square feet of unpaved parking area.
- 2.b** The permittee shall employ best available control measures on all unpaved roadways and parking areas for the purpose of ensuring compliance with the above mentioned applicable requirements. The permittee shall treat the unpaved roadways and parking areas with water at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.c** The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for a paved or unpaved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above mentioned applicable requirements. Implementation of any control measures may be suspended if unsafe or hazardous driving conditions would be created by its use.
- 2.d** Any unpaved roadway or parking area, which during the term of this permit is paved or takes the characteristics of a paved surface due to the application of certain types of dust suppressants, may be controlled by treating the paved roadways and parking areas with water at sufficient treatment frequencies to ensure compliance. Any unpaved roadway or parking area that takes the characteristics of a paved roadway or parking area due to the application of certain types of dust suppressants shall remain subject to the visible emission limitation for unpaved roadways and parking areas. Any unpaved roadway or parking area that is paved shall be subject to the visible emission limitation for paved roadways and parking areas. The visible particulate emission limitation for paved roadways is: no visible particulate emissions except for a period of time not to exceed one minute during any sixty-minute observation period.
- 2.e** The permittee shall promptly remove, in such a manner as to minimize or prevent resuspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.
- 2.f** Open bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary for the materials being transported.
- 2.g** Implementation of the above mentioned control measures in accordance with the terms

and conditions of this permit is appropriate and sufficient to satisfy the best available technology requirements of OAC rule 3745-31-05.

**B. Operational Restrictions**

None

**C. Monitoring and/or Record keeping Requirements**

1. Except as otherwise provided in this section, the permittee shall perform daily inspections of all the roadways and parking areas.
2. The purpose of the inspections is to determine the need for implementing the above mentioned control measures. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.
3. The permittee may, upon receipt of written approval from the Cleveland Division of Air Quality, modify the above mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above mentioned applicable requirements.
4. The permittee shall maintain records of the following information:
  - a. The date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
  - b. The date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
  - c. The dates the control measures were implemented; and
  - d. On a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

- e. The annual vehicle miles traveled for unpaved roadways.

The information required in 4.d shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

#### **D. Reporting Requirements**

1. The permittee shall submit deviation reports that identify any of the following occurrences:
  - a. Each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
  - b. Each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

#### **E. Testing Requirements**

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):
  - a. Visible Emission Limit:  
There shall be no visible particulate emissions except for a period of time not to exceed three minutes during any sixty minute observation period for unpaved roadways and parking areas.  
  
Applicable Compliance Method:  
Compliance with the visible particulate emission limitation for the unpaved roadways and parking areas identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources," as such Appendix existed on July 1, 1996 and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.
  - b. Emission Limitation:  
PM, 0.56 TPY                      Unpaved roads and parking areas  
PM<sub>10</sub>, 0.12 TPY

**Applicable Compliance Method:**

The TPY emission limitation shall be based on calculations using the equation 1 for unpaved roadways and parking areas taken from U.S. EPA reference document AP-42, 5<sup>th</sup> edition, Compilation of Air Pollution Emission Factors, section 13.2.2 (1/95) to establish the emission factor in lb/VMT. The calculated emission factors are 2.52 lbs/VMT for PM emissions and 0.8 lbs/VMT for PM<sub>10</sub> emissions. This emission factor is multiplied by the annual vehicle miles traveled (VMT) and (1-.50) to account for the 50% watering emission control efficiency and divide by 2000 lbs/ton.

**F. Miscellaneous Requirements**

1. Pursuant to Ohio Administrative Code (OAC) rule 3745-31-03 (A)(1)(p)(i), the permittee of a portable of mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI providing the following criteria are met:
  - a. The portable emissions unit is equipped with the best available technology for such portable emissions unit;
  - b. The portable emissions unit is operating pursuant to a currently effective permit to operate (PTO);
  - c. The applicant has provided proper notice of intent to relocate the portable emissions unit to the Cleveland Division of Air Quality and the appropriate field office having jurisdiction over the new site within a minimum of thirty days prior to the scheduled relocation; and
  - d. In the Cleveland Division of Air Quality's and the appropriate field office's judgement, the proposed site is acceptable under the rule 3745-15-07 of the Administrative Code.
2. In the alternative, pursuant to OAC 3745-31-03 (A)(1)(p)(ii), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI providing the following criteria of OAC rule 3745-31-05 (F) are met:
  - a. The portable emissions unit permittee possesses an Ohio EPA PTI, PTO or registration status;
  - b. The portable emissions unit is equipped with the best available technology;
  - c. The portable emission unit owner has identified the proposed site to Ohio EPA;
  - d. Ohio EPA has determined that the portable emissions unit, at the proposed site, will have an acceptable environmental impact;

- e. A public notice, consistent with Chapter 3745-47 of the Administrative Code, is published in the county where the proposed site is located;
  - f. The owner of the proposed site has provided the portable emissions unit owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable emissions unit to the proposed site; and
  - g. The portable emissions unit owner has provided the Ohio EPA with fifteen days written notice of relocation.
- 3.** Any site approvals issued by the Ohio EPA, pursuant to F.2 above, shall be valid for no longer than three years and are subject to renewal.

In order for Cleveland Division of Air Quality and the appropriate field office having jurisdiction over the new site to determine compliance with all of the above criteria, the owner or operator of the portable or mobile emissions unit must file a "Notice of Intent to Relocate," within the specified time frame (15 to 30 days) prior to the relocation of the emissions units with the Cleveland Division of Air Quality (1925 St. Clair Avenue, Cleveland, Ohio 44114) and the appropriate office jurisdiction over the new site. Upon receipt of the notice, the Cleveland Division of Air Quality and/or the appropriate field office having jurisdiction over the new site, will evaluate the request in accordance with the above criteria. Failure to submit said notification and to receive Ohio EPA approval prior to relocation of the emissions unit may result in fines and civil penalties.

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	unit	<u>Applicable Rules/Requirements</u>
P903 - 150 tons/hour capacity portable concrete crusher unit		OAC rule 3745-31-05 (A)(3)
		OAC rule 3745-17-07 (B)(1)
		OAC rule 3745-17-08 (B)
3.42 mmBtu/hour diesel fired engine used to power the portable		OAC rule 3745-31-05(A)(3)

	<p style="text-align: center;"><u>Applicable Emissions Limitations/Control Measures</u></p>	
	<p>1.26 lbs/hour and 5.52 tons/year of PM emissions</p>	<p>1.38 lb/hour of SO<sub>2</sub> emissions and 1.99 ton/year</p>
<p>OAC rule 3745-17-07(A)</p>	<p>0.6 lb/hour and 2.63 tons/year of PM<sub>10</sub> emissions</p> <p>visible particulate emissions of fugitive dust shall not exceed ten percent opacity, as a six minute average.</p>	<p>The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-11(B)(5)(a) and 3745-17-07(A).</p> <p>twenty percent opacity, as a six-minute average</p>
<p>OAC rule 3745-17-11(B)(5)(a)</p>	<p>best available control measures that are sufficient to minimize or eliminate visible particulate emissions of fugitive dust (see A.2.a) from any fugitive dust emission point listed below in A.2.c.</p>	<p>0.31 pound of particulate emissions per million Btu of actual heat input</p>
<p>OAC rule 3745-18-06(G)</p>	<p>the emission limitation specified by this rule is less stringent than the emissions limitation established pursuant to OAC rule 3745-31-05(A)(3).</p>	<p>The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).</p>
	<p>the control measures specified by this rule are equivalent to the control measures established pursuant to OAC rule 3745-31-05(A)(3).</p>	
	<p>1.58 tons/year of PM emissions</p>	
	<p>10.94 lbs/hour of NO<sub>x</sub> emissions and 15.75 tons/year</p>	
	<p>2.91 lbs/hour of CO emissions and 4.19 tons/year</p>	

**2. Additional Terms and Conditions**

- 2.a** The permittee shall employ best available control measures for the concrete recycling operation for the purpose of ensuring compliance with the applicable requirements. In accordance with the permittee's permit application, the permittee has committed to employing water spray bars at the hopper introduction point and at the end of each conveyor belt within the process to ensure compliance. The permittee shall also minimize the free fall distance of the processed material. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.b** For each phase of the concrete recycling operation that is not adequately enclosed, the control measure(s) shall be implemented if the permittee determined, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) is (are) necessary to ensure compliance with the applicable requirements. Any required implementation of the control measure(s) shall continue during the operation of the concrete recycler until further observation confirms that use of the control measure(s) is unnecessary.
- 2.c** The portable concrete recycling plant that is covered by this permit and subject to the requirements of OAC rules 3745-17-07 and 3745-17-08 are listed below:
- Front end load to hopper
  - 150 ton per hour crusher
  - Screening operation
  - Conveyor belts

**B. Operational Restrictions**

1. The maximum annual operating hours for the diesel fired engine shall not exceed 2,880 hours.

**C. Monitoring and/or Record keeping Requirements**

1. Except as otherwise provided in this section, for recycling operations that are not adequately enclosed, the permittee shall perform daily inspections of such operations.
2. The above mentioned inspections shall be performed during representative, normal operating conditions.

3. The permittee may, upon receipt of written approval from the Cleveland Division of Air Quality, modify the above mentioned inspection frequencies if operating experience indicated that less frequent inspections would be sufficient to ensure compliance with the applicable requirements.
4. The permittee shall maintain records of the following information:
  - a. The date and reason any required inspection was not performed;
  - b. The date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
  - c. The dates the control measure(s) was (were) implemented; and
  - d. On a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in 4.d shall be kept separately for each material handling operation, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

5. The permittee shall maintain daily records of the following information:
  - a. The production rate of crushed material processed for each day;
  - b. The application of water and/or chemical additives;
  - c. The name of the equipment operator responsible for the treatment; and,
  - d. The general weather conditions for each day, with respect to temperature, precipitation, wind speed and wind direction.
6. For each day during which the permittee burns a fuel other than diesel fuel the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit. The permittee shall also maintain documentation on the sulfur content of all fuels received.
7. The permittee shall maintain monthly records of the operating hours for this emissions unit.

#### **D. Reporting Requirements**

1. The permittee shall submit quarterly deviation reports to the Cleveland Division of Air Quality that identify any of the following occurrences:

- a. Each day during which an inspection was not performed by the required frequency; and
- b. Each instance when a control measure, that was to be performed as a result of an inspection, was not implemented.

These deviation (excursion) reports shall be submitted in accordance with the general terms and conditions of this permit.

2. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than diesel was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
3. The owner or operator of any affected facility shall submit written reports of the results of all performance tests conducted to demonstrate compliance with the standards set forth in 60.672 of 40 CFR Part 60, including reports of opacity observations made using Method 9 to demonstrate compliance with 60.672(b) and the BAT limit for fugitive opacity contained in this permit.
4. The permittee shall submit annual reports which identify any exceedances of the annual operating hours limitation, as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year.

#### **E. Testing Requirements**

1. Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):
  - a. Emission Limitation:  
ten percent opacity as a six minute average  
  
Applicable Compliance Method:  
Compliance shall be determined by visible emission observations performed in accordance with USEPA Reference Method 9 and the procedures specified in OAC rule 3745-17-03 (B)(1) in addition to the following:
    - i. The minimum distance between the observer and the emission source shall be 4.57 meters (15 feet).
    - ii. The observer shall, when possible, select a position that minimizes interference from other fugitive emission sources (e.g. road dust). The required observer

position relative to the sun (Method 9, Section 2.1) must be followed.

- iii. For affected facilities using wet dust suppression for particulate matter control, a visible mist is sometimes generated by the spray. The water mist must not be confused with particulate matter emissions and is not to be considered a visible emission. When a water mist of this nature is present, the observation of emission is to be made at a point in the plume where the mist is no longer visible.

b. Emission Limitations:

1.20 pounds/hour of PM emissions and 0.57 pound/hour of PM<sub>10</sub> emissions (from the crushing operation)

Note: the allowable limit from Section A.1 is the total from Section E.1.b and E.1.d.

Applicable Compliance Method

Compliance with the hourly PM/PM<sub>10</sub> emission limitation shall be determined using the emission factors for crushing, screening, and material handling operations in AP-42, Chapter 11.19.2 (Crushed Stone Processing), Fifth Edition, dated 1/1995. The emission factors (for PM, 0.0050 and for PM<sub>10</sub>, 0.0024 for crushing; for PM, 0.0032 and for PM<sub>10</sub>, 0.0015 for screening; for PM, 0.0029 and for PM<sub>10</sub>, 0.0014 for conveying) in pounds per ton, shall be multiplied by the maximum process weight rate, in tons per hour, and (1-.80) to account for the 80% watering emission control efficiency for each operation identified in Section A.2 and summed.

c. Emission Limitations:

5.44 tons/year of PM emissions and 2.57 tons/year of PM<sub>10</sub> emissions (from the crushing operation)

Note: the allowable limit from Section A.1 is the total from Section E.1.c and E.1.e.

The tons per year limitations were developed by multiplying the pounds per hour by the maximum operating schedule of 8760 hours per year, and dividing by 2000 pounds per ton. Therefore, provided compliance is shown with the hourly limitations, compliance will also be shown with the annual limitation.

d. Emission Limitation:

0.06 pound/hour and of PM emissions (from pile formation operations)  
0.03 pounds/hour of PM<sub>10</sub> emissions

Applicable Compliance Method:

Emissions Unit ID: **P903**

Compliance with the hourly PM/PM<sub>10</sub> emission limitation shall be based on calculations using the equation 1 for aggregate handling and storage piles taken from U.S. EPA reference document AP-42, 5<sup>th</sup> edition, Compilation of Air Pollution Emission Factors, section 13.2.2 (1/95) to establish the emission factor in lb/ton. The calculated emission factors are 0.046 lb per ton of materials handled for PM emissions and 0.022 lb per ton of materials handled for PM<sub>10</sub> emissions. This emission factor is multiplied by the maximum hourly tons of material processed and (1-.80) to account for the 80% watering emission control efficiency.

- e. 0.086 tons/year of PM emissions (from pile formation operations)  
 0.043 tons/year of PM<sub>10</sub> emissions

The tons/year limitations were developed by multiplying the pound/hour by 8760 hours/year, and dividing by 2000 pounds/ton. Therefore, provided compliance is shown with the hourly limitations, compliance will also be shown with the annual limitation.

- f. Emission Limitation:  
 0.310 pound of particulate emissions per million Btu of actual heat input

**Applicable Compliance Method**

Compliance shall be based on the emission factor from U.S. EPA reference document AP-42, 5th edition Compilation of Air Pollution Emission Factors Section 3.4, Table 3.4-1 which provides an emission rate of 0.062 lb PE/MMBtu fuel input. If necessary, compliance shall be determined using Method 5 of 40 CFR Part 60, Appendix A.

- g. Emission Limitation:  
 1.58 tons/year of PM from the 800 KW diesel generator

**Applicable Compliance Method**

The ton/year limitation was developed by multiplying the lb/hour by the restricted operating schedule of 2880 hours/year, and dividing by 2000 lbs/ton. Therefore, provided compliance is shown with the hourly limitations and compliance is shown with the annual operating hours limitation, compliance will also be shown with the annual limitation.

- h. Emission Limitation:  
 10.94 lbs/hour of NO<sub>x</sub> emissions from the diesel fired engine

Applicable Compliance Method

Compliance with the hourly NO<sub>x</sub> emission limitation shall be determined by multiplying the emission factor taken from the U.S. EPA reference document AP-42, 5th edition Compilation of Air Pollution Emission Factors Section 3.4, Table 3.4-1 (3.2 lb/mmBtu), by the capacity (3.42 mm Btu/hour).

- i. Emission Limitation:  
15.75 tons/year of NO<sub>x</sub> emissions from the diesel fired engine

Applicable Compliance Method

The tons/year limitations were developed by multiplying the pound/hour by the restricted operating schedule of 2880 hours/year, and dividing by 2000 pounds/ton. Therefore, provided compliance is shown with the hourly limitations and compliance is shown with the annual operating hours limitation, compliance will also be shown with the annual limitation.

- j. Emission Limitation:  
2.91 lbs/hour of CO emissions from the diesel fired engine

Applicable Compliance Method

Compliance with the hourly CO emission limitation shall be determined by multiplying the emission factor taken from the U.S. EPA reference document AP-42, 5th edition Compilation of Air Pollution Emission Factors Section 3.4, Table 3.4-1 (0.85 lb/mmBtu), by the capacity (3.42 mm Btu/hour)

- k. Emission Limitation:  
4.19 tons/year of CO emissions from the diesel fired engine

Applicable Compliance Method

The tons/year limitations were developed by multiplying the pound/hour by the restricted operating schedule of 2880 hours/year, and dividing by 2000 pounds/ton. Therefore, provided compliance is shown with the hourly limitations and compliance is shown with the annual operating hours limitation, compliance will also be shown with the annual limitation.

- l. Emission Limitation:  
1.38 lb/hour of SO<sub>2</sub> emissions from the diesel fired engine

Applicable Compliance Method

Compliance with the hourly CO emission limitation shall be determined by multiplying the

Emissions Unit ID: **P903**

emission factor taken from the U.S. EPA reference document AP-42, 5th edition Compilation of Air Pollution Emission Factors Section 3.4, Table 3.4-1 (0.404 lb/mmBtu) by the capacity (3.42 mm Btu/hour).

- m. Emission Limitation:  
 1.99 tons/year of SO<sub>2</sub> emissions from the diesel fired engine

**Applicable Compliance Method**

The tons/year limitations were developed by multiplying the pound/hour by the restricted operating schedule of 2880 hours/year, and dividing by 2000 pounds/ton. Therefore, provided compliance is shown with the hourly limitations and compliance is shown with the annual operating hours limitation, compliance will also be shown with the annual limitation.

**F. Miscellaneous Requirements**

1. Pursuant to Ohio Administrative Code (OAC) rule 3745-31-03 (A)(1)(p)(i), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI providing the following criteria are met:
  - a. The portable emissions unit is equipped with the best available technology for such portable emissions unit;
  - b. The portable emissions unit is operating pursuant to a currently effective permit to operate (PTO);
  - c. The applicant has provided proper notice of intent to relocate the portable emissions unit to the Cleveland Division of Air Quality and the appropriate field office having jurisdiction over the new site within a minimum of thirty days prior to the scheduled relocation; and
  - d. In the Cleveland Division of Air Quality's and the appropriate field office's judgement, the proposed site is acceptable under the rule 3745-15-07 of the Administrative Code.
2. In the alternative, pursuant to OAC 3745-31-03 (A)(1)(p)(ii), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI providing the following criteria of OAC rule 3745-31-05 (F) are met:
  - a. The portable emissions unit permittee possesses an Ohio EPA PTI, PTO or registration status;
  - b. The portable emissions unit is equipped with the best available technology;

- c. The portable emission unit owner has identified the proposed site to Ohio EPA;
  - d. Ohio EPA has determined that the portable emissions unit, at the proposed site, will have an acceptable environmental impact;
  - e. A public notice, consistent with Chapter 3745-47 of the Administrative Code, is published in the county where the proposed site is located;
  - f. The owner of the proposed site has provided the portable emissions unit owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable emissions unit to the proposed site; and
  - g. The portable emissions unit owner has provided the Ohio EPA with fifteen days written notice of relocation.
- 3.** Any site approvals issued by the Ohio EPA, pursuant to F.2 above, shall be valid for no longer than three years and are subject to renewal.

In order for Cleveland Division of Air Quality and the appropriate field office having jurisdiction over the new site to determine compliance with all of the above criteria, the owner or operator of the portable or mobile emissions unit must file a "Notice of Intent to Relocate," within the specified time frame (15 to 30 days) prior to the relocation of the emissions units with the Cleveland Division of Air Quality (1925 St. Clair Avenue, Cleveland, Ohio 44114) and the appropriate office jurisdiction over the new site. Upon receipt of the notice, the Cleveland Division of Air Quality and/or the appropriate field office having jurisdiction over the new site, will evaluate the request in accordance with the above criteria. Failure to submit said notification and to receive Ohio EPA approval prior to relocation of the emissions unit may result in fines and civil penalties.

**NEW SOURCE REVIEW FORM B**

PTI Number: 13-04186 Facility ID: 1318228261

FACILITY NAME Granger Materials Inc.

FACILITY DESCRIPTION Portable concrete processing plant -- P903, CITY/TWP Garfield Heights  
F005, and F006.

SIC CODE 3299 SCC CODE 3-05-020-01 EMISSIONS UNIT ID F005

EMISSIONS UNIT DESCRIPTION material handling and storage piles

DATE INSTALLED May, 2003

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	attainment				0.975
PM <sub>10</sub>	attainment				0.488
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Use of water/surfactant at sufficient treatment frequencies.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no  
 OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? not applicable

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED\*? \_\_\_\_\_ YES xxx NO

IDENTIFY THE AIR CONTAMINANTS: \_\_\_\_\_

**NEW SOURCE REVIEW FORM B**

PTI Number: 13-04186 Facility ID: 1318228261

FACILITY NAME Granger Materials Inc.

FACILITY DESCRIPTION Portable concrete processing plant -- P903 CITY/TWP Garfield Heights

Emissions Unit ID: **P903**

SIC CODE 3299 SCC CODE 3-05-020-01 EMISSIONS UNIT ID F006

EMISSIONS UNIT DESCRIPTION unpaved roadways

DATE INSTALLED May, 2003

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	attainment				0.56
PM <sub>10</sub>	attainment				0.12
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

**Use of water/surfactant at sufficient treatment frequencies.**

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? not applicable

**TOXIC AIR CONTAMINANTS**

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED\*? YES XX NO XX

IDENTIFY THE AIR CONTAMINANTS: \_\_\_\_\_

