



PERMIT TO OPERATE AN AIR CONTAMINANT SOURCE

Date of Issuance 10/21/94

Application No. 1652000034F001

Effective Date 10/21/94

Permit Fee \$000

This document constitutes issuance to:

SEVILLE SAND & GRAVEL, INC.
8215 SEVILLE ROAD
HARRISVILLE TOWNSHIP OHIO 44254

of a permit to operate for:

PLANT ROADWAYS & PARKING AREAS
HAUL ROADS AND WORK AREAS

The following terms and conditions are hereby expressly incorporated into this permit to operate:

1. This permit to operate shall be effective until 10/20/97
You will be contacted approximately six months prior to this date regarding the renewal of this permit. If you are not contacted, please write to the appropriate Ohio EPA field office.
2. The above-described source is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.
3. Prior to any modification of this source, as defined in rule 3745-31-01 of the Ohio Administrative Code (OAC), a permit to install must be granted by the Ohio EPA pursuant to OAC Chapter 3745-31.
4. The Director of the Ohio EPA or an authorized representative may, subject to the safety requirements of the permit holder, enter upon the premises of this source at any time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit.
5. A permit fee in the amount specified above must be remitted within 15 days from the issuance date of this permit.
6. Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA field office must be notified in writing of any transfer of this permit.
7. This source and any associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices in order to minimize air contaminant emissions. Any malfunction of this source or any associated air pollution control system(s) shall be reported immediately to the appropriate Ohio EPA field office in accordance with OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this source.
8. Any unauthorized or emergency release of an air contaminant from this source which, due to the toxic or hazardous nature of the material, may pose a threat to public health, or otherwise endanger the safety or welfare of the public, shall be reported immediately to the appropriate Ohio EPA field office (during normal business hours) or to the Ohio EPA's Emergency Response Group (1-800-282-9378). (Additional reporting may be required pursuant to the federal Comprehensive Environmental Response, Compensation, and Liability Act.)
9. The appropriate Ohio EPA field office is:

AIR POLLUTION CONTROL
177 S. BROADWAY
AKRON, OH 44308 (216) 375-2480

10. If this term and condition is checked, the permit holder is subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY

Director

APPLICATION NUMBER: SEVILLE SAND & GRAVEL, INC.
FACILITY NAME: 1652000034F001
EQUIPMENT DESCRIPTION: PLANT ROADWAYS & PARKING AREAS
COMPANY ID: HAUL ROADS AND WORK AREAS

SPECIAL TERMS AND CONDITIONS

1) The following rules of the Ohio Administrative Code establish the applicable emission limitations and/or control requirements for this source. (This condition in no way limits the applicability of other requirements of the Ohio Administrative Code to this source.)

OAC 3475-17-07

OAC 3745-17-08

2) Control requirements:

Paved Road Segments

a) All paved road segments shall be periodically flushed of surface material in order to minimize or eliminate visible emissions of fugitive dust generated by vehicular traffic.

b) Any spillage onto paved road segments from the facility operations shall be removed immediately.

Unpaved Road Segments

c) All unpaved road segments shall be watered or treated with any other dust suppressant in order to minimize or eliminate visible emissions generated by vehicular traffic. The use of brine as a dust suppressant is prohibited. Waste oils may be used as a fugitive dust suppressant provided there are no polychlorinated biphenyls (PCBs), listed hazardous wastes, or characteristic hazardous wastes in the oil.

d) The facility shall abide by application frequencies sufficient to minimize or eliminate visible emissions unless precipitation occurs during such period which is sufficient to minimize or eliminate visible emissions generated by vehicular traffic. No watering or oiling is required for a road surface which is covered with snow and/or ice.

e) The facility shall continuously maintain haul roads by resurfacing with river gravel or other suitable aggregate.

f) The facility shall post 10 MPH speed limit signs on all unpaved haul roads and speeds shall not exceed 15 MPH.

g) The facility, upon notice to the Akron Regional Air Quality Management District or Ohio EPA, may modify the above treatment plan if operating experience indicates that a more or less stringent plan is required to comply with OAC rule 3745-17-08.

APPLICATION NUMBER: 1652000034F001
FACILITY NAME: SEVILLE SAND & GRAVEL, INC.
SPECIAL TERMS PAGE 2

3) When waste oil is used for controlling fugitive dust from the unpaved road segments and parking lots, the following restrictions shall be followed:

a) The facility shall certify or possess certification that all waste oil used to control fugitive dust meets the PCB limitation set forth in 40 CFR 761, and that there are no listed hazardous waste or characteristic hazardous waste as set forth in 40 CFR 261.

b) A record shall be kept for three years of the dates of individual applications and the quantity of all oil applied, and its certificate of compliance with 40 CFR 761, and 40 CFR 261. This certificate of compliance shall include but not be limited to the name of the oil supplier and an analysis of the oil. The analysis shall include a standard PCB test (gas chromatography) using electron capture detector, a column packing of OV-1 or OV-17 and a florisis clean up) and representative sampling methods, EP toxicity test procedures, and chemical analysis test methods as specified in 40 CFR 261, App. I, II, and III. This record shall be made available to the Director or his authorized representative for inspection at any reasonable time.

c) Waste oil shall be applied in such a manner as to prevent pollution of waters of the State as required by the Ohio Revised Code, Section 6111.

d) Waste oil shall be applied only to unpaved road and parking lot surfaces, and only between sunrise and sundown (daylight) hours.

e) Waste oil shall not be applied to a water-saturated surface nor to surfaces on days of predicted rainfall events.

f) Waste oil shall not be applied at an application rate that allows pooling of liquid.

g) Waste oil shall not be applied to the same surface more frequently than twice per week.

h) The application of waste oil shall not cause runoff from the application surface.

4) Parking and work areas shall be watered as needed to minimize or eliminate visible emissions generated by plant traffic.

PREPARED BY: WILLIAM D. MARCHAND

DATE PREPARED: September 19, 1994