



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL CERTIFIED MAIL
BUTLER COUNTY**

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 14-05163

DATE: 7/10/2001

CAE Ransohoff
Dan Bingle
4933 Provident Drive
West Chester, OH 45246

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

HCDES



**Permit To Install
Terms and Conditions**

**Issue Date: 7/10/2001
Effective Date: 7/10/2001**

FINAL PERMIT TO INSTALL 14-05163

Application Number: 14-05163
APS Premise Number: 1409000842
Permit Fee: **\$200**
Name of Facility: CAE Ransohoff
Person to Contact: Dan Bingle
Address: 4933 Provident Drive
West Chester, OH 45246

Location of proposed air contaminant source(s) [emissions unit(s)]:
**4933 Provident Drive
West Chester, Ohio**

Description of proposed emissions unit(s):
400 KW Diesel Generator.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine

whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of

6

CAE Ransohoff
PTI Application: 14-05163
Issued: 7/10/2001

Facility ID: 1409000842

construction but prior to startup of the source.

CAE Ransohoff
PTI Application: 14-05163
Issued: 7/10/2001

Facility ID: 1409000842

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM	0.74
PM-10	0.74
SO ₂	0.69
OC	0.86
NO _x	10.53
CO	2.3

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property,
and/or Equipment

Applicable Rules/Requirements

OAC rule 3745-18-06

P001 - 400 KW emergency and peak power diesel generator
OAC rule 3745-31-05(A)(3)

OAC rule 3745-17-07(A)(1)

OAC rule 3745-17-11(B)(5)(a)

CAE 1**PTI A****Issued: 7/10/2001**Emissions Unit ID: **P001**

Applicable Emissions
Limitations/Control Measures

0.74 TPY PM

1.23 lbs PM-10/hr*, 0.74 TPY
PM-101.15 lbs/hr* SO₂, 0.69 TPY SO₂

1.43 lbs OC/hr*, 0.86 TPY OC

17.55 lbs NO_x/hr*, 10.53 TPY
NO_x

3.78 lbs CO/hr*, 2.3 TPY CO

See term B.1

The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(A)(1) and OAC rule 3745-17-11(B)(5)(a).

*The hourly emissions limitations are based on the maximum capacity of the emissions unit therefore no hourly records are required

Visible particulate emissions from any stack shall not exceed 20 percent opacity, as a six-minute average, except as specified by rule

0.310 lb PM/MMBtu actual heat input

Exempt

2. Additional Terms and Conditions

- 2.a** Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emission limitations and hours of operation limitation.

B. Operational Restrictions

1. The maximum annual operating hours for this emissions unit shall not exceed 1200 hours per year.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of the operating hours for this emissions unit.

D. Reporting Requirements

1. The permittee shall submit annual reports which identify any exceedances of the annual operating hours limitation, as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year.

E. Testing Requirements

1. Compliance with the emissions limitations in term A.1 shall be determined based on emissions factors from AP-42, Table 3.3-1. and the recordkeeping in term C.1.
2. Compliance with the OAC rule 3745-17-07(A)(1) shall be determined by the method specified in 40 CFR Part 60, Appendix A, Test Method 9.
3. Compliance with the hours of operation limit in term B.1 shall be determined by the recordkeeping in term C.1

F. Miscellaneous Requirements.

1. None

NEW SOURCE REVIEW FORM B

PTI Number: 14-05163 Facility ID: 1409000842
 FACILITY NAME CAE Ransohoff
 FACILITY DESCRIPTION 400 KW Diesel Generator CITY/TWP West Chester
 SIC CODE 3589 SCC CODE 2-02-001-02 EMISSIONS UNIT ID P001
 EMISSIONS UNIT DESCRIPTION 400 KW emergency and peak power diesel generator
 DATE INSTALLED May 1996
 EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	1.23 lb/hr	.74	1.23 lb/hr	.74
PM ₁₀	Attainment	1.23 lb/hr	.74	1.23 lb/hr	.74
Sulfur Dioxide	Attainment	1.15 lb/hr	.69	1.15 lb/hr	.69
Organic Compounds	Attainment	1.43 lb/hr	.86	1.43 lb/hr	.86
Nitrogen Oxides	Attainment	17.55 lb/hr	10.53	17.55 lb/hr	10.53
Carbon Monoxide	Attainment	3.78 lb/hr	2.3	3.78 lb/hr	2.3
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?
BAT is satisfied by compliance with emissions limitations and hours of operation limitation.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No
 OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES X NO

IDENTIFY THE AIR CONTAMINANTS:

Ohio EPA Permit to Install Information Form Please describe below any documentation which is being submitted with this recommendation (must be sent the same day). Electronic items should be submitted with the e-mail transmitting the PTI terms, and in software that CO can utilize. If mailing any hard copy, this section must be printed as a cover page. All items must be clearly labeled indicating the PTI name and number. Submit **hard copy items to Pam McGraner**, AQM&P, DAPC, Central Office, and electronic files to airpti@epa.state.oh.us

Please fill out the following. If the checkbox does not work, replace it with an 'X'

	Electronic	<u>Additional information</u> File Name Convention (your PTI # plus this letter)	Hard Copy	None
<u>Calculations (required)</u>	<input type="checkbox"/>	000000c.wpd	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Modeling form/results</u>	<input type="checkbox"/>	000000s.wpd	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>PTI Application (complete or partial)*</u>	<input type="checkbox"/>	000000a.wpd	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>BAT Study</u>	<input type="checkbox"/>	000000b.wpd	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>Other/misc.</u>	<input type="checkbox"/>	000000t.wpd	<input type="checkbox"/>	<input checked="" type="checkbox"/>

NEW SOURCE REVIEW FORM B

PTI Number: 14-05163 Facility ID: 1409000842

FACILITY NAME CAE Ransohoff

FACILITY DESCRIPTION 400 KW Diesel Generator CITY/TWP West Chester

* Mandatory for netting, PSD, nonattainment NSR, 112(g), 21-07(G)(9)(g) and 21-09(U)(2)(f) - 2 complete copies.

Please complete (see comment bubble to the left for additional instructions):

Permit Review Narrative
14-05163CAE Ransohoff, Inc.
4933 Provident Drive
West Chester, Ohio 45246

Facility ID: 1409000842

CAE Ransohoff installed a 400 KW (540 HP) diesel generator in May of 1996. This diesel generator, P001, was installed as an emergency electrical generator which was exempt from permitting per OAC rule 3745-31-03(A)(4)(a) as it was operated less than 500 hours per year. In Permit to Install Application 14-05163, CAE Ransohoff has requested this generator be permitted as a peak shaving generator so that it may be operated in non-emergency situations. The PTI application proposes a maximum operating schedule of 1200 hours per year.

The applicable regulations are OAC rules 3745-31-05(A)(3) BAT, 3745-15-07, 3745-17-07(A) and 3745-17-11(B)(5)(a).

This change in the method of operation constitutes a modification and requires a Permit to Install. The emissions expected are from the use of diesel as fuel. The emissions calculations, based on 1200 annual hours of operation are 10.53 TPY NO_x, 0.86 TPY VOCs, 2.3 TPY CO, 0.74 TPY PM-PM₁₀ and 0.69 TPY SO₂.

BAT is satisfied by compliance with emission limitations and hours of operation limitation. The emissions unit will be in compliance with all applicable regulations. A final PTI should be issued for this emissions unit.

Permit Fee for P001: \$200 (based on minimum PWR)

Prepared by: Michael Ploetz
Date Prepared: June 15, 2001

Please complete for these type permits (For PSD/NSR Permit, place mouse over this text):

 Synthetic Minor Determination and/or Netting Determination

Permit To Install ENTER PTI NUMBER HERE

A. Source Description

NEW SOURCE REVIEW FORM B

PTI Number: 14-05163

Facility ID: 1409000842

FACILITY NAME CAE Ransohoff

FACILITY DESCRIPTION 400 KW Diesel Generator

CITY/TWP West Chester

B. [Facility Emissions and Attainment Status](#)C. [Source Emissions](#)D. [Conclusion](#)

PLEASE PROVIDE ADDITIONAL NOTES OR COMMENTS AS NECESSARY:

NONE

Please complete:

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM	0.74
PM-10	0.74
SO ₂	0.69
OC	0.86
NO _x	10.53
CO	2.3