State of Ohio Environmental Protection Agency

Street Address: Lazarus Gov. Center **TELE:** (614) 644-3020 **FAX:** (614) 644-2329 Mailing Address: Lazarus Gov. Center

RE: DRAFT PERMIT TO INSTALL **CERTIFIED MAIL**
BUTLER COUNTY
Application No: 14-04931
DATE: 6/7/00

Upper Mill Creek Water Reclamation Facil
MaryLynn Keppler
130 High Street
Hamilton, OH

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43266-0149.

A Permit to Install may be issued in proposed of final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install a fee of **$600** will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Very truly yours,

Thomas G. Rigo

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

CC: **USEPA** **HCDES** **KY**
Ohio-Kentucky-Indana Regional Council of Governments **IN**

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit To Install	**Issue Date: To be entered upon final issuance**
Terms and Conditions	**Effective Date: To be entered upon final issuance**

DRAFT PERMIT TO INSTALL 14-04931

Application Number:	14-04931
APS Premise Number:	1409000919
Permit Fee:	**To be entered upon final issuance**
Name of Facility:	Upper Mill Creek Water Reclamation Facil
Person to Contact:	MaryLynn Keppler
Address:	130 High Street Hamilton, OH 45011

Location of proposed air contaminant source(s) [emissions unit(s)]:
6055 Centre Park Drive
West Chester, **Ohio**

Description of proposed emissions unit(s):
Two 1000 Kilowatt and one 500 Kilowatt Diesel Generators for Peak Shaving.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

_____

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any

information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may

lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

Pollutant	Tons Per Year
PM	0.3
PM-10	0.3
SO2	3.5
VOC	0.5
NOx	20
CO	4.5

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
P001 - 1000 KW Peak Shaving Diesel Generator - UMC Generator #1	OAC rule 3745-31-05(A)(3)	0.1 TPY PM 0.6 lb PM-10/hr, 0.1 TPY PM-10 5.4 lbs/hr* SO2, 1.4 TPY SO2 0.9 lb VOC/hr*, 0.2 TPY VOC 32.2 lbs NOx/hr* 7.4 lbs CO/hr*, 1.8 TPY CO See term B.1 *The hourly emissions limitation is based on the maximum capacity of the equipment therefore no hourly records are required.
	OAC rule 3745-31-05(D)	8 TPY NOx as a rolling, 12-month summation.
	OAC rule 3745-17-07(A)(1)	Visible particulate emissions from any stack shall not exceed 20 percent opacity, as a six minute average, except as specified by rule
	OAC rule 3745-17-11(B)(5)	0.062 lb PM/MMBtu actual heat input

2. Additional Terms and Conditions

2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emission limitations and hours of operation limitation.

B. Operational Restrictions

1. The maximum annual operating hours for this emissions unit shall not exceed 500 hours per year, based upon a rolling, 12-month summation of the operating hours.

   To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the operating hours levels specified in the following table:

Month(s)	Maximum Allowable Cumulative Operating Hours
1	42
1-2	84
1-3	126
1-4	168
1-5	210
1-6	252
1-7	294
1-8	336
1-9	378
1-10	420
1-11	462
1-12	500

   After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a rolling, 12-month summation of the operating hours.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of following information:

   a. The operating hours for each month.

   b. Beginning after the first 12 calendar months of operation following the issuance of the permit, the rolling, 12-month summation of the operating hours.

   Also, during the first 12 calendar months of operation following the issuance of the permit, the

permittee shall record the cumulative operating hours for each calendar month.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify all exceedances of the rolling, 12-month operating hours limitation and, for the first 12 calendar months of operation following the issuance of the permit, all exceedances of the maximum allowable cumulative operating hours levels.

2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Compliance with the emissions limitations in term A.1 shall be determined based on emissions factors from AP-42, Table 3.4-1, Revised 10/96 and the recordkeeping in term C.1.

2. Compliance with the OAC rule 3745-17-07(A)(1) shall be determined by the method specified in 40 CFR Part 60, Appendix A, Test Method 9.

3. Compliance with the hours of operation limit in term B.1 shall be determined by the recordkeeping in term C.1.

F. Miscellaneous Requirements

1. None

Emissions Unit ID: **P002**

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
P002 - 1000 KW Peak Shaving Diesel Generator - UMC Generator #2	OAC rule 3745-31-05(A)(3)	0.1 TPY PM, 0.6 lb PM-10/hr, 0.1 TPY PM-10 5.4 lbs/hr* SO2, 1.4 TPY SO2 0.9 lb VOC/hr*, 0.2 TPY VOC 32.2 lbs NOx/hr* 7.4 lbs CO/hr*, 1.8 TPY CO See term B.1 *The hourly emissions limitation is based on the maximum capacity of the equipment therefore no hourly records are required.
	OAC rule 3745-31-05(D)	8 TPY NOx as a rolling, 12-month summation.
	OAC rule 3745-17-07(A)(1)	Visible particulate emissions from any stack shall not exceed 20 percent opacity, as a six minute average, except as specified by rule
	OAC rule 3745-17-11(B)(5)	0.062 lb PM/MMBtu actual heat input

2. Additional Terms and Conditions

2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with

the emission limitations and hours of operation limitation.

B. Operational Restrictions

1. The maximum annual operating hours for this emissions unit shall not exceed 500 hours per year, based upon a rolling, 12-month summation of the operating hours.

   To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the operating hours levels specified in the following table:

Month(s)	Maximum Allowable Cumulative Operating Hours
1	42
1-2	84
1-3	126
1-4	168
1-5	210
1-6	252
1-7	294
1-8	336
1-9	378
1-10	420
1-11	462
1-12	500

   After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a rolling, 12-month summation of the operating hours.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of following information:

   a. The operating hours for each month.

   b. Beginning after the first 12 calendar months of operation following the issuance of the permit, the rolling, 12-month summation of the operating hours.

   Also, during the first 12 calendar months of operation following the issuance of the permit, the

permittee shall record the cumulative operating hours for each calendar month.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify all exceedances of the rolling, 12-month operating hours limitation and, for the first 12 calendar months of operation following the issuance of the permit, all exceedances of the maximum allowable cumulative operating hours levels.

2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Compliance with the emissions limitations in term A.1 shall be determined based on emissions factors from AP-42, Table 3.4-1, Revised 10/96 and the recordkeeping in term C.1.

2. Compliance with the OAC rule 3745-17-07(A)(1) shall be determined by the method specified in 40 CFR Part 60, Appendix A, Test Method 9.

3. Compliance with the hours of operation limit in term B.1 shall be determined by the recordkeeping in term C.1.

F. Miscellaneous Requirements

1. None

Emissions Unit ID: **P003**

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
P003 - 500 KW Peak Shaving Diesel Generator - UMC Generator #3	OAC rule 3745-31-05(A)(3)	0.1 TPY PM, 0.3 lb PM-10/hr, 0.1 TPY PM-10 2.7 lbs/hr* SO2, 0.7 TPY SO2 0.5 lb VOC/hr*, 0.1 TPY VOC 16.1 lbs NOx/hr* 3.7 lbs CO/hr*, 0.9 TPY CO See term B.1 *The hourly emissions limitation is based on the maximum capacity of the equipment therefore no hourly records are required.
	OAC rule 3745-31-05(D)	4 TPY NOx as a rolling, 12-month summation.
	OAC rule 3745-17-07(A)(1)	Visible particulate emissions from any stack shall not exceed 20 percent opacity, as a six minute average, except as specified by rule
	OAC rule 3745-17-11(B)(5)	0.062 lb PM/MMBtu actual heat input

2. Additional Terms and Conditions

2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with

the emission limitations and hours of operation limitation.

B. Operational Restrictions

1. The maximum annual operating hours for this emissions unit shall not exceed 500 hours per year, based upon a rolling, 12-month summation of the operating hours.

   To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the operating hours levels specified in the following table:

Month(s)	Maximum Allowable Cumulative Operating Hours
1	42
1-2	84
1-3	126
1-4	168
1-5	210
1-6	252
1-7	294
1-8	336
1-9	378
1-10	420
1-11	462
1-12	500

   After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual operating hours limitation shall be based upon a rolling, 12-month summation of the operating hours.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of following information:

   a. The operating hours for each month.

   b. Beginning after the first 12 calendar months of operation following the issuance of the permit, the rolling, 12-month summation of the operating hours.

   Also, during the first 12 calendar months of operation following the issuance of the permit, the

permittee shall record the cumulative operating hours for each calendar month.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which identify all exceedances of the rolling, 12-month operating hours limitation and, for the first 12 calendar months of operation following the issuance of the permit, all exceedances of the maximum allowable cumulative operating hours levels.

2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Compliance with the emissions limitations in term A.1 shall be determined based on emissions factors from AP-42, Table 3.4-1, Revised 10/96 and the recordkeeping in term C.1.

2. Compliance with the OAC rule 3745-17-07(A)(1) shall be determined by the method specified in 40 CFR Part 60, Appendix A, Test Method 9.

3. Compliance with the hours of operation limit in term B.1 shall be determined by the recordkeeping in term C.1.

F. Miscellaneous Requirements

1. None

NEW SOURCE REVIEW FORM B

PTI Number: 14-04931 Facility ID: 1409000919

FACILITY NAME Upper Mill Creek Water Reclamation Facil

FACILITY DESCRIPTION Two 1000 Kilowatt and one 500 Kilowatt Diesel Generators for Peak Shaving. CITY/TWP West Chester

SIC CODE 4952 SCC CODE 2-02-001-02 EMISSIONS UNIT ID P001

EMISSIONS UNIT DESCRIPTION 1000 KW Peak Shaving Diesel Generator - UMC Generator #1

DATE INSTALLED January 2000

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	0.6 lb/hr	0.1	0.6 lb/hr	0.1
PM_{10}	Attainment	0.6 lb/hr	0.1	0.6 lb/hr	0.1
Sulfur Dioxide	Attainment	5.4 lbs/hr	1.4	5.4 lbs/hr	1.4
Organic Compounds	Non-attainment	0.9 lb/hr	0.2	0.9 lb/hr	0.2
Nitrogen Oxides	Attainment	32.2 lbs/hr	8	32.2 lbs/hr	8
Carbon Monoxide	Attainment	7.4 lbs/hr	1.8	7.4 lbs/hr	1.8
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?
BAT is satisfied by compliance with emission limitations and hours of operation limitation.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? $

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 14-04931 Facility ID: 1409000919

FACILITY NAME Upper Mill Creek Water Reclamation Facil

FACILITY DESCRIPTION Two 1000 Kilowatt and one 500 Kilowatt CITY/TWP West Chester

Emissions Unit ID: **P003**

SIC CODE 4952 SCC CODE 2-02-001-02 EMISSIONS UNIT ID P002

EMISSIONS UNIT DESCRIPTION 1000 KW Peak Shaving Diesel Generator - UMC Generator #2

DATE INSTALLED January 2000

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	0.6 lb/hr	0.1	0.6 lb/hr	0.1
PM_{10}	Attainment	0.6 lb/hr	0.1	0.6 lb/hr	0.1
Sulfur Dioxide	Attainment	5.4 lbs/hr	1.4	5.4 lbs/hr	1.4
Organic Compounds	Non-attainment	0.9 lb/hr	0.2	0.9 lb/hr	0.2
Nitrogen Oxides	Attainment	32.2 lbs/hr	8	32.2 lbs/hr	8
Carbon Monoxide	Attainment	7.4 lbs/hr	1.8	7.4 lbs/hr	1.8
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?
BAT is satisfied by compliance with emission limitations and hours of operation limitation.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? $

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____

12028.wpd

NEW SOURCE REVIEW FORM B

PTI Number: 14-04931 Facility ID: 1409000919

FACILITY NAME Upper Mill Creek Water Reclamation Facil

FACILITY DESCRIPTION Two 1000 Kilowatt and one 500 Kilowatt CITY/TWP West Chester

Emissions Unit ID: **P003**

SIC CODE 4952 SCC CODE 2-02-001-02 EMISSIONS UNIT ID P003

EMISSIONS UNIT DESCRIPTION 500 KW Peak Shaving Diesel Generator - UMC Generator #3

DATE INSTALLED January 1992

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	0.3 lb/hr	0.1	0.3 lb/hr	0.1
PM_{10}	Attainment	0.3 lb/hr	0.1	0.3 lb/hr	0.1
Sulfur Dioxide	Attainment	2.7 lbs/hr	0.7	2.7 lbs/hr	0.7
Organic Compounds	Non-attainment	0.5 lb/hr	0.1	0.5 lb/hr	0.1
Nitrogen Oxides	Attainment	16.1 lbs/hr	4	16.1 lbs/hr	4
Carbon Monoxide	Attainment	3.7 lbs/hr	0.9	3.7 lbs/hr	0.9
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?
BAT is satisfied by compliance with emission limitations and hours of operation limitation.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? $

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____