



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
BUTLER COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 14-05803

Fac ID: 1409010979

DATE: 3/9/2006

Century Mold Company, Inc
Greg Pike
25 Vantage Point Drive
Rochester, NY 14624

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

HCDES



**Permit To Install
Terms and Conditions**

**Issue Date: 3/9/2006
Effective Date: 3/9/2006**

FINAL PERMIT TO INSTALL 14-05803

Application Number: 14-05803
Facility ID: 1409010979
Permit Fee: **\$2800**
Name of Facility: Century Mold Company, Inc
Person to Contact: Greg Pike
Address: 25 Vantage Point Drive
Rochester, NY 14624

Location of proposed air contaminant source(s) [emissions unit(s)]:

**55 Wright Drive
Middletown, Ohio**

Description of proposed emissions unit(s):

The facility has proposed the installation of (11) injection molding presses with associated pneumatic conveyors and silos.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Century Mold Company, Inc
PTI Application: 14-05803
Issued: 3/9/2006

Facility ID: 1409010979

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

Century Mold Company, Inc
PTI Application: 14-05803
Issued: 3/9/2006

Facility ID: 1409010979

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

Century Mold Company, Inc
 PTI Application: 14-05803
 Issued: 3/9/2006

Facility ID: 1409010979

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC	57.6

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P001 - Injection Molding Press - 1	OAC rule 3745-31-05(A)(3)	Volatile organic compound (VOC) emissions shall not exceed 1.7 pounds per hour and 7.56 tons per year.

See term and condition A.2.b.

2. Additional Terms and Conditions

- 2.a The hourly emissions limitation specified above is based on the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this emissions limitation.
- 2.b When molding a resin other than polystyrene or nylon in this emissions unit, the permittee shall determine the hourly potential to emit for VOC emissions from the use of that resin and shall maintain hourly records of resin use to determine compliance with the hourly limit of A.1, except that no hourly record keeping is necessary when molding a resin with a potential to emit equal to or less than hourly emissions limitation in Section A.1. of this permit.
- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on an hourly basis for this emissions unit :
 - a. the company identification for each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.;
 - b. the total amount of each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.; and
 - c. the calculated VOC emissions from plastic molding when using plastic pellets, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.
2. The permittee shall collect and record the following information on a monthly basis for this emissions unit:
 - a. the company identification for each polymer type of plastic pellets employed;
 - b. the total amount of each polymer type of plastic pellets molded, in pounds or tons; and
 - c. the calculated VOC emissions from plastic molding.

D. Reporting Requirements

1. The permittee shall submit an annual report to the Hamilton County Department of Environmental Services which specifies the total annual VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year.
2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any record showing the hourly VOC emissions exceeded the applicable limitation specified in Section A.1 of this permit. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

E. Testing Requirements

1. Compliance with the emissions limitations specified in Section A.1. of the terms and

conditions of this permit shall be determined in accordance with the following methods:

Emissions Limitations:

Volatile organic compound (VOC) emissions shall not exceed 1.7 pounds/hour and 7.56 tons/year.

Century Mold Company, Inc
PTI Application: 14-05803
Issue

Facility ID: 1409010979

Emissions Unit ID: P001

Applicable Compliance Method:

The hourly VOC emissions limitation is based on the maximum hourly plastic pellet throughput in this emissions unit and the emissions factor of 0.005 pound of VOC per pound of nylon as provided in PTI application 14-05803 submitted on January 5, 2006.

The annual VOC emissions shall be calculated by using the recorded annual throughput of material times the emissions factors in PTI application 14-05803 submitted on January 5, 2006.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P002 - Injection Molding Press - 2	OAC rule 3745-31-05(A)(3)	Volatile organic compound (VOC) emissions shall not exceed 0.9 pound per hour and 4.14 tons per year. See term and condition A.2.b.

2. Additional Terms and Conditions

- 2.a The hourly emissions limitation specified above is based on the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this emissions limitation.
- 2.b When molding a resin other than polystyrene or nylon in this emissions unit, the permittee shall determine the hourly potential to emit for VOC emissions from the use of that resin and shall maintain hourly records of resin use to determine compliance with the hourly limit of A.1, except that no hourly record keeping is necessary when molding a resin with a potential to emit equal to or less than hourly emissions limitation in Section A.1. of this permit.
- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on an hourly basis for this emissions unit :
 - a. the company identification for each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.;
 - b. the total amount of each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.; and
 - c. the calculated VOC emissions from plastic molding when using plastic pellets, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.
2. The permittee shall collect and record the following information on a monthly basis for this emissions unit:
 - a. the company identification for each polymer type of plastic pellets employed;
 - b. the total amount of each polymer type of plastic pellets molded, in pounds or tons; and
 - c. the calculated VOC emissions from plastic molding.

D. Reporting Requirements

1. The permittee shall submit an annual report to the Hamilton County Department of Environmental Services which specifies the total annual VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year.
2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any record showing the hourly VOC emissions exceeded the applicable limitation specified in Section A.1 of this permit. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

E. Testing Requirements

1. Compliance with the emissions limitations specified in Section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:

Emissions Limitations:

Volatile organic compound (VOC) emissions shall not exceed 0.9 pound/hour and 4.14 tons/year.

Applicable Compliance Method:

The hourly VOC emissions limitation is based on the maximum hourly plastic pellet throughput in this emissions unit and the emissions factor of 0.005 pound of VOC per pound of nylon as provided in PTI application 14-05803 submitted on January 5, 2006.

The annual VOC emissions shall be calculated by using the recorded annual throughput of material times the emissions factors in PTI application 14-05803 submitted on January 5, 2006.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P003 - Injection Molding Press - 3	OAC rule 3745-31-05(A)(3)	<p>Volatile organic compound (VOC) emissions shall not exceed 1.0 pound per hour and 4.16 tons per year.</p> <p>See term and condition A.2.b.</p>

2. Additional Terms and Conditions

- 2.a The hourly emissions limitation specified above is based on the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this emissions limitation.
- 2.b When molding a resin other than polystyrene or nylon in this emissions unit, the permittee shall determine the hourly potential to emit for VOC emissions from the use of that resin and shall maintain hourly records of resin use to determine compliance with the hourly limit of A.1, except that no hourly record keeping is necessary when molding a resin with a potential to emit equal to or less than hourly emissions limitation in Section A.1. of this permit.
- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on an hourly basis for this emissions unit :
 - a. the company identification for each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.;
 - b. the total amount of each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.; and
 - c. the calculated VOC emissions from plastic molding when using plastic pellets, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.
2. The permittee shall collect and record the following information on a monthly basis for this emissions unit:
 - a. the company identification for each polymer type of plastic pellets employed;
 - b. the total amount of each polymer type of plastic pellets molded, in pounds or tons; and
 - c. the calculated VOC emissions from plastic molding.

D. Reporting Requirements

1. The permittee shall submit an annual report to the Hamilton County Department of Environmental Services which specifies the total annual VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year.
2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any record showing the hourly VOC emissions exceeded the applicable limitation specified in Section A.1 of this permit. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

Century Mold Company, Inc
PTI Application: 11-05903
Issue

Facility ID: 1409010979

Emissions Unit ID: P003

E. Testing Requirements

1. Compliance with the emissions limitations specified in Section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:

Emissions Limitations:

Volatile organic compound (VOC) emissions shall not exceed 1.0 pound/hour and 4.16 tons/year.

Applicable Compliance Method:

The hourly VOC emissions limitation is based on the maximum hourly plastic pellet throughput in this emissions unit and the emissions factor of 0.005 pound of VOC per pound of nylon as provided in PTI application 14-05803 submitted on January 5, 2006.

The annual VOC emissions shall be calculated by using the recorded annual throughput of material times the emissions factors in PTI application 14-05803 submitted on January 5, 2006.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P004 - Injection Molding Press - 4	OAC rule 3745-31-05(A)(3)	<p>Volatile organic compound (VOC) emissions shall not exceed 1.0 pound per hour and 4.16 tons per year.</p> <p>See term and condition A.2.b.</p>

2. Additional Terms and Conditions

- 2.a The hourly emissions limitation specified above is based on the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this emissions limitation.
- 2.b When molding a resin other than polystyrene or nylon in this emissions unit, the permittee shall determine the hourly potential to emit for VOC emissions from the use of that resin and shall maintain hourly records of resin use to determine compliance with the hourly limit of A.1, except that no hourly record keeping is necessary when molding a resin with a potential to emit equal to or less than hourly emissions limitation in Section A.1. of this permit.
- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on an hourly basis for this emissions unit :
 - a. the company identification for each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.;
 - b. the total amount of each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.; and
 - c. the calculated VOC emissions from plastic molding when using plastic pellets, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.
2. The permittee shall collect and record the following information on a monthly basis for this emissions unit:
 - a. the company identification for each polymer type of plastic pellets employed;
 - b. the total amount of each polymer type of plastic pellets molded, in pounds or tons; and
 - c. the calculated VOC emissions from plastic molding.

D. Reporting Requirements

1. The permittee shall submit an annual report to the Hamilton County Department of Environmental Services which specifies the total annual VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year.
2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any record showing the hourly VOC emissions exceeded the applicable limitation specified in Section A.1 of this permit. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

Century Mold Company, Inc
PTI Application: 11-05903
Issue

Facility ID: 1409010979

Emissions Unit ID: P004

E. Testing Requirements

1. Compliance with the emissions limitations specified in Section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:

Emissions Limitations:

Volatile organic compound (VOC) emissions shall not exceed 1.0 pound/hour and 4.16 tons/year.

Applicable Compliance Method:

The hourly VOC emissions limitation is based on the maximum hourly plastic pellet throughput in this emissions unit and the emissions factor of 0.005 pound of VOC per pound of nylon as provided in PTI application 14-05803 submitted on January 5, 2006.

The annual VOC emissions shall be calculated by using the recorded annual throughput of material times the emissions factors in PTI application 14-05803 submitted on January 5, 2006.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P005 - Injection Molding Press - 5	OAC rule 3745-31-05(A)(3)	<p>Volatile organic compound (VOC) emissions shall not exceed 1.6 pounds per hour and 7.16 tons per year.</p> <p>See term and condition A.2.b.</p>

2. Additional Terms and Conditions

- 2.a The hourly emissions limitation specified above is based on the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this emissions limitation.
- 2.b When molding a resin other than polystyrene or nylon in this emissions unit, the permittee shall determine the hourly potential to emit for VOC emissions from the use of that resin and shall maintain hourly records of resin use to determine compliance with the hourly limit of A.1, except that no hourly record keeping is necessary when molding a resin with a potential to emit equal to or less than hourly emissions limitation in Section A.1. of this permit.
- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on an hourly basis for this emissions unit :
 - a. the company identification for each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.;
 - b. the total amount of each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.; and
 - c. the calculated VOC emissions from plastic molding when using plastic pellets, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.
2. The permittee shall collect and record the following information on a monthly basis for this emissions unit:
 - a. the company identification for each polymer type of plastic pellets employed;
 - b. the total amount of each polymer type of plastic pellets molded, in pounds or tons; and
 - c. the calculated VOC emissions from plastic molding.

D. Reporting Requirements

1. The permittee shall submit an annual report to the Hamilton County Department of Environmental Services which specifies the total annual VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year.
2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any record showing the hourly VOC emissions exceeded the applicable limitation specified in Section A.1 of this permit. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

E. Testing Requirements

1. Compliance with the emissions limitations specified in Section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:

Emissions Limitations:

Volatile organic compound (VOC) emissions shall not exceed 1.6 pounds/hour and 7.16 tons/year.

Applicable Compliance Method:

The hourly VOC emissions limitation is based on the maximum hourly plastic pellet throughput in this emissions unit and the emissions factor of 0.005 pound of VOC per pound of nylon as provided in PTI application 14-05803 submitted on January 5, 2006.

The annual VOC emissions shall be calculated by using the recorded annual throughput of material times the emissions factors in PTI application 14-05803 submitted on January 5, 2006.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P006 - Injection Molding Press - 6	OAC rule 3745-31-05(A)(3)	<p>Volatile organic compound (VOC) emissions shall not exceed 1.5 pounds per hour and 6.73 tons per year.</p> <p>See term and condition A.2.b.</p>

2. Additional Terms and Conditions

- 2.a The hourly emissions limitation specified above is based on the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this emissions limitation.
- 2.b When molding a resin other than polystyrene or nylon in this emissions unit, the permittee shall determine the hourly potential to emit for VOC emissions from the use of that resin and shall maintain hourly records of resin use to determine compliance with the hourly limit of A.1, except that no hourly record keeping is necessary when molding a resin with a potential to emit equal to or less than hourly emissions limitation in Section A.1. of this permit.
- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on an hourly basis for this emissions unit :
 - a. the company identification for each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.;
 - b. the total amount of each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.; and
 - c. the calculated VOC emissions from plastic molding when using plastic pellets, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.
2. The permittee shall collect and record the following information on a monthly basis for this emissions unit:
 - a. the company identification for each polymer type of plastic pellets employed;
 - b. the total amount of each polymer type of plastic pellets molded, in pounds or tons; and
 - c. the calculated VOC emissions from plastic molding.

D. Reporting Requirements

1. The permittee shall submit an annual report to the Hamilton County Department of Environmental Services which specifies the total annual VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year.
2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any record showing the hourly VOC emissions exceeded the applicable limitation specified in Section A.1 of this permit. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

Century Mold Company, Inc
PTI Application: 11-05903
Issue

Facility ID: 1409010979

Emissions Unit ID: P006

E. Testing Requirements

1. Compliance with the emissions limitations specified in Section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:

Emissions Limitations:

Volatile organic compound (VOC) emissions shall not exceed 1.5 pounds/hour and 6.73 tons/year.

Applicable Compliance Method:

The hourly VOC emissions limitation is based on the maximum hourly plastic pellet throughput in this emissions unit and the emissions factor of 0.005 pound of VOC per pound of nylon as provided in PTI application 14-05803 submitted on January 5, 2006.

The annual VOC emissions shall be calculated by using the recorded annual throughput of material times the emissions factors in PTI application 14-05803 submitted on January 5, 2006.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P007 - Injection Molding Press - 7	OAC rule 3745-31-05(A)(3)	Volatile organic compound (VOC) emissions shall not exceed 1.4 pounds per hour and 5.96 tons per year. See term and condition A.2.b.

2. Additional Terms and Conditions

- 2.a The hourly emissions limitation specified above is based on the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this emissions limitation.
- 2.b When molding a resin other than polystyrene or nylon in this emissions unit, the permittee shall determine the hourly potential to emit for VOC emissions from the use of that resin and shall maintain hourly records of resin use to determine compliance with the hourly limit of A.1, except that no hourly record keeping is necessary when molding a resin with a potential to emit equal to or less than hourly emissions limitation in Section A.1. of this permit.
- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on an hourly basis for this emissions unit :
 - a. the company identification for each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.;
 - b. the total amount of each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.; and
 - c. the calculated VOC emissions from plastic molding when using plastic pellets, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.
2. The permittee shall collect and record the following information on a monthly basis for this emissions unit:
 - a. the company identification for each polymer type of plastic pellets employed;
 - b. the total amount of each polymer type of plastic pellets molded, in pounds or tons; and
 - c. the calculated VOC emissions from plastic molding.

D. Reporting Requirements

1. The permittee shall submit an annual report to the Hamilton County Department of Environmental Services which specifies the total annual VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year.
2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any record showing the hourly VOC emissions exceeded the applicable limitation specified in Section A.1 of this permit. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

Century Mold Company, Inc
PTI Application: 11-05902
Issue

Facility ID: 1409010979

Emissions Unit ID: P007

E. Testing Requirements

1. Compliance with the emissions limitations specified in Section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:

Emissions Limitations:

Volatile organic compound (VOC) emissions shall not exceed 1.4 pounds/hour and 5.96 tons/year.

Applicable Compliance Method:

The hourly VOC emissions limitation is based on the maximum hourly plastic pellet throughput in this emissions unit and the emissions factor of 0.005 pound of VOC per pound of nylon as provided in PTI application 14-05803 submitted on January 5, 2006.

The annual VOC emissions shall be calculated by using the recorded annual throughput of material times the emissions factors in PTI application 14-05803 submitted on January 5, 2006.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P008 - Injection Molding Press - 8	OAC rule 3745-31-05(A)(3)	Volatile organic compound (VOC) emissions shall not exceed 1.0 pound per hour and 4.14 tons per year. See term and condition A.2.b.

2. Additional Terms and Conditions

- 2.a The hourly emissions limitation specified above is based on the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this emissions limitation.
- 2.b When molding a resin other than polystyrene or nylon in this emissions unit, the permittee shall determine the hourly potential to emit for VOC emissions from the use of that resin and shall maintain hourly records of resin use to determine compliance with the hourly limit of A.1, except that no hourly record keeping is necessary when molding a resin with a potential to emit equal to or less than hourly emissions limitation in Section A.1. of this permit.
- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on an hourly basis for this emissions unit :
 - a. the company identification for each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.;
 - b. the total amount of each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.; and
 - c. the calculated VOC emissions from plastic molding when using plastic pellets, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.
2. The permittee shall collect and record the following information on a monthly basis for this emissions unit:
 - a. the company identification for each polymer type of plastic pellets employed;
 - b. the total amount of each polymer type of plastic pellets molded, in pounds or tons; and
 - c. the calculated VOC emissions from plastic molding.

D. Reporting Requirements

1. The permittee shall submit an annual report to the Hamilton County Department of Environmental Services which specifies the total annual VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year.
2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any record showing the hourly VOC emissions exceeded the applicable limitation specified in Section A.1 of this permit. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

Century Mold Company, Inc
PTI Application: 11-05903
Issue

Facility ID: 1409010979

Emissions Unit ID: P008

E. Testing Requirements

1. Compliance with the emissions limitations specified in Section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:

Emissions Limitations:

Volatile organic compound (VOC) emissions shall not exceed 1.0 pounds/hour and 4.14 tons/year.

Applicable Compliance Method:

The hourly VOC emissions limitation is based on the maximum hourly plastic pellet throughput in this emissions unit and the emissions factor of 0.005 pound of VOC per pound of nylon as provided in PTI application 14-05803 submitted on January 5, 2006.

The annual VOC emissions shall be calculated by using the recorded annual throughput of material times the emissions factors in PTI application 14-05803 submitted on January 5, 2006.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P009 - Injection Molding Press - 9	OAC rule 3745-31-05(A)(3)	Volatile organic compound (VOC) emissions shall not exceed 1.6 pounds per hour and 7.21 tons per year. See term and condition A.2.b.

2. Additional Terms and Conditions

- 2.a The hourly emissions limitation specified above is based on the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this emissions limitation.
- 2.b When molding a resin other than polystyrene or nylon in this emissions unit, the permittee shall determine the hourly potential to emit for VOC emissions from the use of that resin and shall maintain hourly records of resin use to determine compliance with the hourly limit of A.1, except that no hourly record keeping is necessary when molding a resin with a potential to emit equal to or less than hourly emissions limitation in Section A.1. of this permit.
- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on an hourly basis for this emissions unit :
 - a. the company identification for each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.;
 - b. the total amount of each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.; and
 - c. the calculated VOC emissions from plastic molding when using plastic pellets, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.
2. The permittee shall collect and record the following information on a monthly basis for this emissions unit:
 - a. the company identification for each polymer type of plastic pellets employed;
 - b. the total amount of each polymer type of plastic pellets molded, in pounds or tons; and
 - c. the calculated VOC emissions from plastic molding.

D. Reporting Requirements

1. The permittee shall submit an annual report to the Hamilton County Department of Environmental Services which specifies the total annual VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year.
2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any record showing the hourly VOC emissions exceeded the applicable limitation specified in Section A.1 of this permit. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

Century Mold Company, Inc
PTI Application: 11-05903
Issue

Facility ID: 1409010979

Emissions Unit ID: P009

E. Testing Requirements

1. Compliance with the emissions limitations specified in Section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:

Emissions Limitations:

Volatile organic compound (VOC) emissions shall not exceed 1.6 pounds/hour and 7.21 tons/year.

Applicable Compliance Method:

The hourly VOC emissions limitation is based on the maximum hourly plastic pellet throughput in this emissions unit and the emissions factor of 0.005 pound of VOC per pound of nylon as provided in PTI application 14-05803 submitted on January 5, 2006.

The annual VOC emissions shall be calculated by using the recorded annual throughput of material times the emissions factors in PTI application 14-05803 submitted on January 5, 2006.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P010 - Injection Molding Press - 10	OAC rule 3745-31-05(A)(3)	<p>Volatile organic compound (VOC) emissions shall not exceed 0.8 pound per hour and 3.38 tons per year.</p> <p>See term and condition A.2.b.</p>

2. Additional Terms and Conditions

- 2.a The hourly emissions limitation specified above is based on the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this emissions limitation.
- 2.b When molding a resin other than polystyrene or nylon in this emissions unit, the permittee shall determine the hourly potential to emit for VOC emissions from the use of that resin and shall maintain hourly records of resin use to determine compliance with the hourly limit of A.1, except that no hourly record keeping is necessary when molding a resin with a potential to emit equal to or less than hourly emissions limitation in Section A.1. of this permit.
- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on an hourly basis for this emissions unit :
 - a. the company identification for each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.;
 - b. the total amount of each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.; and
 - c. the calculated VOC emissions from plastic molding when using plastic pellets, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.
2. The permittee shall collect and record the following information on a monthly basis for this emissions unit:
 - a. the company identification for each polymer type of plastic pellets employed;
 - b. the total amount of each polymer type of plastic pellets molded, in pounds or tons; and
 - c. the calculated VOC emissions from plastic molding.

D. Reporting Requirements

1. The permittee shall submit an annual report to the Hamilton County Department of Environmental Services which specifies the total annual VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year.
2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any record showing the hourly VOC emissions exceeded the applicable limitation specified in Section A.1 of this permit. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

Century Mold Company, Inc
PTI Application: 11-05902
Issue

Facility ID: 1409010979

Emissions Unit ID: P010

E. Testing Requirements

1. Compliance with the emissions limitations specified in Section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:

Emissions Limitations:

Volatile organic compound (VOC) emissions shall not exceed 0.8 pound/hour and 3.38 tons/year.

Applicable Compliance Method:

The hourly VOC emissions limitation is based on the maximum hourly plastic pellet throughput in this emissions unit and the emissions factor of 0.005 pound of VOC per pound of nylon as provided in PTI application 14-05803 submitted on January 5, 2006.

The annual VOC emissions shall be calculated by using the recorded annual throughput of material times the emissions factors in PTI application 14-05803 submitted on January 5, 2006.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P011 - Injection Molding Press - 11	OAC rule 3745-31-05(A)(3)	<p>Volatile organic compound (VOC) emissions shall not exceed 0.7 pound per hour and 3.02 tons per year.</p> <p>See term and condition A.2.b.</p>

2. Additional Terms and Conditions

- 2.a The hourly emissions limitation specified above is based on the emissions unit's potential to emit. Therefore, no hourly records are required to demonstrate compliance with this emissions limitation.
- 2.b When molding a resin other than polystyrene or nylon in this emissions unit, the permittee shall determine the hourly potential to emit for VOC emissions from the use of that resin and shall maintain hourly records of resin use to determine compliance with the hourly limit of A.1, except that no hourly record keeping is necessary when molding a resin with a potential to emit equal to or less than hourly emissions limitation in Section A.1. of this permit.
- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with the emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on an hourly basis for this emissions unit :
 - a. the company identification for each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.;
 - b. the total amount of each type of plastic pellets employed, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.; and
 - c. the calculated VOC emissions from plastic molding when using plastic pellets, other than polystyrene or nylon, if the potential to emit from the use of that resin exceeds the emissions limitation in Section A.1.
2. The permittee shall collect and record the following information on a monthly basis for this emissions unit:
 - a. the company identification for each polymer type of plastic pellets employed;
 - b. the total amount of each polymer type of plastic pellets molded, in pounds or tons; and
 - c. the calculated VOC emissions from plastic molding.

D. Reporting Requirements

1. The permittee shall submit an annual report to the Hamilton County Department of Environmental Services which specifies the total annual VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year.
2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any record showing the hourly VOC emissions exceeded the applicable limitation specified in Section A.1 of this permit. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 30 days following the end of the calendar month.

Century Mold Company, Inc
PTI Application: 11-05903
Issue

Facility ID: 1409010979

Emissions Unit ID: P011

E. Testing Requirements

1. Compliance with the emissions limitations specified in Section A.1. of the terms and conditions of this permit shall be determined in accordance with the following methods:

Emissions Limitations:

Volatile organic compound (VOC) emissions shall not exceed 0.7 pound/hour and 3.02 tons/year.

Applicable Compliance Method:

The hourly VOC emissions limitation is based on the maximum hourly plastic pellet throughput in this emissions unit and the emissions factor of 0.005 pound of VOC per pound of nylon as provided in PTI application 14-05803 submitted on January 5, 2006.

The annual VOC emissions shall be calculated by using the recorded annual throughput of material times the emissions factors in PTI application 14-05803 submitted on January 5, 2006.

F. Miscellaneous Requirements

None