John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

10/17/2014

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	MAJOR GHG
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

Mr. Robert Sennish
Erie County Sanitary Landfill
10102 Hoover Rd.
Milan, OH 44846

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL
Facility ID: 0322010254
Permit Number: P0117722
Permit Type: Administrative Modification
County: Erie

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA)Air Pollution Permit-to-Install (PTI) which will allow you to install or modify the described emissions unit(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, we urge you to read it carefully. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**

How to appeal this permit

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of $70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

How to save money, reduce pollution and reduce energy consumption

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: www.ohioairquality.org/clean_air

How to give us feedback on your permitting experience

Please complete a survey at www.epa.ohio.gov/survey.aspx and give us feedback on your permitting experience. We value your opinion.

How to get an electronic copy of your permit

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

If you have any questions, please contact Ohio EPA DAPC, Northwest District Office at (419)352-8461 or the Office of Compliance Assistance and Pollution Prevention at (614)644-3469.

Sincerely,

Erica R. Engel-Ishida, Interim Manager
Permit Issuance and Data Management Section, DAPC

Cc: U.S. EPA
Ohio EPA-NWDO; Michigan; Canada

FINAL

Division of Air Pollution Control
Permit-to-Install
for
Erie County Sanitary Landfill

Facility ID:	0322010254
Permit Number:	P0117722
Permit Type:	Administrative Modification
Issued:	10/17/2014
Effective:	10/17/2014

Division of Air Pollution Control
Permit-to-Install
for
Erie County Sanitary Landfill

Table of Contents

Authorization 1
A. Standard Terms and Conditions 3
1. Federally Enforceable Standard Terms and Conditions 4
2. Severability Clause 4
3. General Requirements 4
4. Monitoring and Related Record Keeping and Reporting Requirements 5
5. Scheduled Maintenance/Malfunction Reporting 6
6. Compliance Requirements 6
7. Best Available Technology 7
8. Air Pollution Nuisance 8
9. Reporting Requirements 8
10. Applicability 8
11. Construction of New Sources(s) and Authorization to Install 8
12. Permit-To-Operate Application 9
13. Construction Compliance Certification 10
14. Public Disclosure 10
15. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations 10
16. Fees 10
17. Permit Transfers 10
18. Risk Management Plans 10
19. Title IV Provisions 10
B. Facility-Wide Terms and Conditions 11
C. Emissions Unit Terms and Conditions 13
1. F002, Landfill Operations 14

Authorization

Facility ID:	0322010254
Facility Description:	Municipal Solid Waste Landfill.
Application Number(s):	M0003023
Permit Number:	P0117722
Permit Description:	Municipal Solid Waste Landfill - with (optional) gas collection system and flare /generator - Administrative Modification to remove daily waste receipt restriction
Permit Type:	Administrative Modification
Permit Fee:	$100.00
Issue Date:	10/17/2014
Effective Date:	10/17/2014

This document constitutes issuance to:

Erie County Sanitary Landfill
10102 Hoover Rd.
Milan, OH 44846

of a Permit-to-Install for the emissions unit(s) identified on the following page.

Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northwest District Office
347 North Dunbridge Road
Bowling Green, OH 43402
(419)352-8461

The above named entity is hereby granted a Permit-to-Install for the emissions unit(s) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Craig W. Butler
Director

Authorization (continued)

Permit Number: P0117722
Permit Description: Municipal Solid Waste Landfill - with (optional) gas collection system and flare /generator - Administrative Modification to remove daily waste receipt restriction

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	**F002**
Company Equipment ID:	Landfill Operations
Superseded Permit Number:	P0114365
General Permit Category and Type:	Not Applicable

A. Standard Terms and Conditions

1. Federally Enforceable Standard Terms and Conditions

a) All Standard Terms and Conditions are federally enforceable, with the exception of those listed below which are enforceable under State law only:

(1) Standard Term and Condition A.2.a), Severability Clause

(2) Standard Term and Condition A.3.c) through A. 3.e)General Requirements

(3) Standard Term and Condition A.6.c) and A. 6.d), Compliance Requirements

(4) Standard Term and Condition A.9., Reporting Requirements

(5) Standard Term and Condition A.10., Applicability

(6) Standard Term and Condition A.11.b) through A.11.e), Construction of New Source(s) and Authorization to Install

(7) Standard Term and Condition A.14., Public Disclosure

(8) Standard Term and Condition A.15., Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations

(9) Standard Term and Condition A.16., Fees

(10) Standard Term and Condition A.17., Permit Transfers

2. Severability Clause

a) A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

b) All terms and conditions designated in parts B and C of this permit are federally enforceable as a practical matter, if they are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. Terms and conditions in parts B and C of this permit shall not be federally enforceable and shall be enforceable under State law only, only if specifically identified in this permit as such.

3. General Requirements

a) Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification.

b) It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.

c) This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.

d) This permit does not convey any property rights of any sort, or any exclusive privilege.

e) The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

4. Monitoring and Related Record Keeping and Reporting Requirements

a) Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:

(1) The date, place (as defined in the permit), and time of sampling or measurements.

(2) The date(s) analyses were performed.

(3) The company or entity that performed the analyses.

(4) The analytical techniques or methods used.

(5) The results of such analyses.

(6) The operating conditions existing at the time of sampling or measurement.

b) Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

c) Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:

(1) Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the Ohio EPA DAPC, Northwest District Office.

(2) Quarterly written reports of (i) any deviations from federally enforceable emissionlimitations, operationalrestrictions, andcontroldeviceoperatingparameterlimitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the Ohio EPA DAPC, Northwest District Office. The written reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See A.15. below if no deviations occurred during the quarter.

(3) Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, andreportingrequirements contained in this permit shall be submitted to the Ohio EPA DAPC, Northwest District Office every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.

(4) This permit is for an emissions unit located at a Title V facility. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

d) The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to theOhio EPA DAPC, Northwest District Officein accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

6. Compliance Requirements

a) All applications, notifications or reports required by terms and conditions in this permit to be submitted or "reported in writing" are to be submitted to Ohio EPA through the Ohio EPA's eBusiness Center: Air Services web service ("Air Services"). Ohio EPA will accept hard copy submittals on an as-needed basis if the permittee cannot submit the required documents through the Ohio EPA eBusiness Center. In the event of an alternative hard copy submission in lieu of the eBusiness Center, the post-marked date or the date the document is delivered in person will be recognized as the date submitted. Electronic submission of applications, notifications or reports required to be submitted to Ohio EPA fulfills the requirement to submit the required information to the Director, the appropriate Ohio EPA District Office or contracted

local air agency, and/or any other individual or organization specifically identified as an additional recipient identified in this permit unless otherwise specified. Consistent with OAC rule 3745-15-03, the electronic signature date shall constitute the date that the required application, notification or report is considered to be "submitted". Any document requiring signature may be represented by entry of the personal identification number (PIN) by responsible official as part of the electronic submission process or by the scanned attestation document signed by the Authorized Representative that is attached to the electronically submitted written report.

Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a Responsible Official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.

b) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:

(1) At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.

(2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.

(3) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.

(4) As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.

c) The permittee shall submit progress reports to the Ohio EPA DAPC, Northwest District Office concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:

(1) Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.

(2) An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

7. Best Available Technology

As specified in OAC Rule 3745-31-05, new sources that must employ Best Available Technology (BAT) shall comply with the Applicable Emission Limitations/Control Measures identified as BAT for each subject emissions unit.

8. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

9. Reporting Requirements

The permittee shall submit required reports in the following manner:

a) Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the Ohio EPA DAPC, Northwest District Office.

b) Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the Ohio EPA DAPC, Northwest District Office. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

10. Applicability

This Permit-to-Install is applicable only to the emissions unit(s) identified in the Permit-to-Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s)not exempt from the requirement to obtain a Permit-to-Install.

11. Construction of New Sources(s) and Authorization to Install

a) This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

b) If applicable, authorization to install any new emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or has not entered into a binding contractual

obligation to undertake and complete within a reasonable time a continuing program of installation. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the permittee shows good cause for any such extension.

c) The permittee may notify Ohio EPA of any emissions unit that is permanently shut down (i.e., the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31) by submitting a certification from the authorized official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the authorized official that the emissions unit was permanently shut down. At a minimum, notification of permanent shut down shall be made or confirmed by marking the affected emissions unit(s) as "permanently shut down" in "Air Services" along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update electronically will constitute notifying the Director of the permanent shutdown of the affected emissions unit(s).

d) The provisions of this permit shall cease to be enforceable for each affected emissions unit after the date on which an emissions unit is permanently shut down (i.e., emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31). All records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law. All reports required by this permit must be submitted for any period an affected emissions unit operated prior to permanent shut down. At a minimum, the permit requirements must be evaluated as part of the reporting requirements identified in this permit covering the last period the emissions unit operated.

Unless otherwise exempted,no emissions unit certified by the responsible official as being permanently shut down may resume operation without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31 and OAC Chapter 3745-77 if the restarted operation is subject to one or more applicable requirements.

e) The permittee shall comply with any residual requirements related to this permit, such as the requirement to submit a deviation report, air fee emission report, or other any reporting required by this permit for the period the operating provisions of this permit were enforceable, or as required by regulation or law. All reports shall be submitted in a form and manner prescribed by the Director. All records relating to this permit must be maintained in accordance with law.

12. Permit-To-Operate Application

The permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77. The permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if operation of the proposed new or modified source(s) as authorized by this permit would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d)must be <u>obtained before</u>operating the source in a manner that would violate the existing Title V permit requirements.

13. Construction Compliance Certification

The applicant shall identify the following dates in the "Air Services"facility profile for each new emissions unit identified in this permit.

a) Completion of initial installation date shall be enteredupon completion of construction and prior to start-up.

b) Commence operation after installation or latest modification date shall be entered within 90 days after commencing operation of the applicable emissions unit.

14. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

15. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

16. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.

17. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The new owner must update and submit the ownership information via the "Owner/Contact Change" functionality in "Air Services" once the transfer is legally completed.The change must be submitted through "Air Services" within thirty days of the ownership transfer date.

18. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

19. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding

any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

B. Facility-Wide Terms and Conditions

1. All the following facility-wide terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:

   a) None.

2. Based on the Landfill Gas Emission Model (LandGEM), this facility will not exceed an emission rate of 50 megagrams per year of NMOC for the duration of the life of the landfill. Therefore, based on the current capacity and annual waste acceptance rate, the permittee will not trigger the requirements of 40 CFR Part 60, Subpart WWW to collect and control the landfill gas. However, the permittee has installed an active gas collection system with a flare for the primary purpose of distributing landfill gas to off-site facilities where the landfill gas will be combusted to generate heat and/or electricity.

3. During time periods when the permittee is under contract to provide landfill gas to off-site facilities, this facility will operate under the terms and conditions provided for in both emission units F002 and P901. However, during time periods when the permittee is not actively collecting landfill gas, this facility will operate under the terms and conditions provided for in emissions unit F002. Emissions unit P901 serves to present, in a simplified manner, the additional requirements associated with the installation and operation of an active gas collection system. It should be noted that the requirements presented under emissions unit F002, are in effect at all times even when the landfill is operated with an active gas collection system.

4. The permittee shall maintain daily records that identify whether the landfill is operating with an active gas collection system (active system) or as a passive venting system without control (passive system).

5. The permittee shall submit annual reports that summarize (a) the time periods when the landfill was operated as an active system and (b) the time periods when the landfill was operated as a passive system. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

C. Emissions Unit Terms and Conditions

1. F002, Landfill Operations

Operations, Property and/or Equipment Description:

Municipal Solid Waste Landfill

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	ORC 3704.03(T)	21.45 tons fugitive volatile organic compounds (VOC)/year [See b)(2)a and b)(2)b.]
b.	OAC rule 3745-31-05(A)(3), as effective 11/30/01	See b)(2)c. 3.93 tons fugitive particulate matter ≤ 10 microns (PM_{10})/year Visible emissions from fugitive dust shall not exceed 20% opacity, as a three-minute average. Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust [See b)(2)e through b)(2)g.]
c.	OAC rule 3745-31-05(A)(3)(a)(ii), as effective 12/01/06	See b)(2)d.
d.	OAC rule 3745-17-07(B)(1)	See b)(2)p.
e.	OAC rule 3745-17-08(B)	See b)(2)q.
f.	40 CFR 60.750 et seq. (NSPS Subpart WWW)	See b)(2)h through b)(2)k.
g.	40 CFR 63.1930 et seq. (MACT Subpart AAAA)	None [See b)(2)l]
h.	40 CFR 61, Subpart M, Section 141 (NESHAP) and/or OAC 3745-20	Requirements for Asbestos-Containing Material (ACM) [See b)(2)m and b)(2)n.]
i.	OAC rule 3745-31-05(E)	Non-Regulated Asbestos Disposal Operating Procedure and Spill

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		Contingency Plan [See b)(2)o.]

(2) Additional Terms and Conditions

a. Best Available Technology (BAT) requirements for VOC emissions for this emissions unit have been determined to be compliance with the emission limitation established in b)(1)a.

b. The annual emission limitation of 21.45 tons VOC represents the VOC portion of the fugitive nonmethane organic compound (NMOC) emission rate from the landfill. For the purpose of this permit and federal enforceability, NMOC emissions have been converted to VOC by applying the AP-42 Chapter 2.4 (11/98) conversion rate of 39% to the predicted NMOC emission rate from the Landfill Gas Emission Model (LandGEM). An NMOC emission limit was not established under this rule because there is not an established national ambient air quality standard (NAAQS) associated with NMOC [See b)(2)d.]. 40 CFR 60.750 et seq. (NSPS, Subpart WWW) addresses NMOC emissions; therefore, the monitoring, recordkeeping, and reporting requirements of this permit will reflect NMOC rather than VOC.

c. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to OAC rule 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 Changes), such that BAT is no longer required by State regulations for NAAQS pollutants less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of 3745-31-05, then these emission limits/control measures no longer apply.

d. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3)(a) do not apply to the PE, NMOC, and methane emitted from this emissions unit. BAT (under Senate Bill 265 changes) is only applicable to emissions of an air contaminant or precursor of an air contaminant for which a national ambient air quality standard (NAAQS) has been adopted under the Clean Air Act. PE (also referred to as total suspended particulate or particulate matter), NMOC, and methane are air contaminants that do not involve an established NAAQS.

Additionally, the Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3)(a) do not apply to the PM_{10}emissions from this air contaminant source because they are less than 10 tons per year.

e. The following landfill fugitive dust operations/sources are covered by this permit and subject to the above requirements:

i. daily cover and handling and placement
ii. solid waste handling (dumping)
iii. spreading, grading and compaction
iv. truck loading and unloading
v. soil transport
vi. storage pile activities (loading, unloading, wind erosion)
[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

f. The permittee shall employ best available control measures for the above-identified landfill fugitive dust operations/sources for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat with water and/or any other suitable dust suppression chemicals at sufficient treatment frequencies to ensure compliance.
[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

g. The above-mentioned control measures shall be employed if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measures shall continue during any such operation until further observation confirms that use of the measures is unnecessary.

Implementation of the control measures shall not be necessary for fugitive dust sources which are covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

h. The permittee (owner or operator), for the MSW landfill having a design capacity greater than 2.5 million cubic meters by volume or 2.5 million megagrams by mass, shall calculate the landfill nonmethane organic compounds (NMOC) emission rate annually or may elect to calculate and submit an estimate of the annual NMOC emission rate for the next 5-year period, in lieu of an annual report; and if the estimated NMOC emission rate can be documented to be less than 50 megagrams for each of the next five consecutive years. The estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for the next 5 years. The NMOC emissions for each year shall be calculated using the procedures and appropriate equation contained in this permit [and 40 CFR 60.754(a)]. The landfill NMOC emissions can be calculated in 1, 2, or 3 Tiers as follows:

i. Tier 1: the NMOC emissions are calculated using the appropriate formula and the default values from 40 CFR 60.754(a)(1);

ii. Tier 2: the NMOC emissions are calculated, using the appropriate formula from 40 CFR 60.754(a)(1), using the site specific NMOC concentration (instead of the default value), obtained through the sampling procedures specified in 40 CFR 60.754(a)(3), using either Method 25C or Method 18 of Part 60 appendix A;

iii. Tier 3: the NMOC emissions are calculated, using the appropriate formula from 40 CFR 60.754(a)(1), using the site-specific methane generation rate constant, k, determined as required in 40 CFR 60.754(a)(4), using Method 2E of Part 60 appendix A, and the site-specific NMOC concentration determined from the sampling in Tier 2, 40 CFR 60.754(a)(3).

If the actual waste acceptance rate exceeds the estimated acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate shall be submitted to the director (the Ohio EPA, Northwest District Office). The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate, or the reporting frequency shall be changed to annual.

The initial 5-year NMOC emissions report shall be submitted to the director by January 31st, following the first year in which the landfill design capacity exceeded 2.5 million cubic meters by volume or 2.5 million megagrams by mass, and shall cover the preceding calendar year and the 5 consecutive years that follow. The NMOC emissions report shall be submitted by January 31st every 5 years, until a collection and control system is installed in compliance with 60.752(b)(2) and operating in accordance with 40 CFR 60.753 and 60.755.
[40 CFR 60.752(b), 60.754(a), & 60.757(b)]

i. As long as the calculated NMOC emission rate is calculated to be less than 50 megagrams per year the permittee shall:

i. submit the initial 5-year NMOC emission rate report and either annual or 5-year emission reports thereafter; and

ii. recalculate the NMOC emission rate following the fifth year and every 5 years thereafter, using the procedures and calculation specified in 40 CFR 60.754(a) and contained in the testing section of this permit.

The NMOC emissions report shall be submitted by January 31st every 5 years (unless reverting to annually), until such time a collection and control system is installed in compliance with 60.752(b)(2) and operated in accordance with 40 CFR 60.753 and 60.755, or the landfill is closed.

If Tier 2 is used to calculate the estimated annual NMOC emissions, the site-specific NMOC concentration shall be re-tested every 5 years, as required in 40 CFR 60.754(a)(3).

If Tier 3 is used to calculate the estimated annual NMOC emissions, the initial/original site-specific methane generation rate constant shall be used in all future annual NMOC emission calculations and reports.

Unless other arrangements are made with the director, the permittee shall submit a permit to install (PTI) application with the first annual report where the calculated NMOC emissions exceed 50 megagrams per year, in order to permit the facility for the collection and control system(s) required by the Standards of Performance for Municipal Solid Waste Landfills, Subpart WWW.
[40 CFR 60.752(b)]

j. The permittee shall submit a permit to install (PTI) modification application and be issued a new PTI, before and where an expansion or an increase in the waste material received increases the NMOC emissions to equal or exceed 50 megagrams/year. If the amended design capacity report is not submitted with the PTI application, the permittee shall submit an amended design capacity report to the director within 90 days of the increase in the maximum design capacity of the landfill.
[40 CFR 60.752(a) and 60.757(a)]

k. If the calculated NMOC emission rate is equal to or greater than 50 megagrams per year, then the permittee shall request the appropriate Ohio EPA District Office or local air agency to reopen the Title V permit for review, or determine a site-specific methane generation rate constant and recalculate the NMOC emission rate using the procedures provided in this permit.
[40 CFR 60.752(c)]

l. This facility is not subject to 40 CFR Part 63, Subpart AAAA, pursuant to 40 CFR 63.1935.

m. The facility shall not accept for disposal any asbestos-containing materials (ACM) that are subject to the provisions of the National Emission Standards for Hazardous Air Pollutants (NESHAP) for asbestos, 40 CFR Part 61, Subpart M, Section 141, and/or OAC rule 3745-20, or any subsequent revisions to either rule.

n. The facility shall treat any suspected ACM that are not subject to the provisions of the NESHAP for asbestos, 40 CFR Part 61, Subpart M, Section 141, in a manner to prevent those materials from becoming friable. In the event that the unregulated ACM becomes friable, it is subject to the provisions of the NESHAP.

o. The permittee shall develop, implement, and maintain a “Non-Regulated Asbestos Disposal Operating Procedure and Spill Contingency Plan” (Plan) which contains the following, at a minimum:

   i. facility policy regarding the acceptance of non-regulated ACM;

   ii. procedures for handling suspected non-regulated ACM in order to prevent the asbestos from becoming friable;

iii. procedures for handling any non-regulated ACM that becomes friable due to landfilling activities;

iv. procedures for handling any accidental disturbance and/or re-excavation of disposed ACM;

v. recordkeeping procedures regarding the disposal and location of non-regulated ACM; and

vi. emergency notification procedures.

Authorized personnel shall be knowledgeable in the procedures of the Plan. Emissions control equipment shall be available for wetting and containing asbestos in the event of a release. All equipment required to implement the Plan shall be maintained in accordance with good engineering practices to ensure that the equipment is in a ready-to-use condition and in an appropriate location for use. The Plan shall be available for inspection at this facility at all times.
[OAC rule 3745-31-05(E)]

p. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).

q. The facility is not located within an "Appendix A" areaas identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B)(1).

c) Operational Restrictions

(1) The maximum waste receipt rates for this emissions unit shall not exceed 240,800 tons waste per year.
[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall maintain the following records monthly regarding their waste receipt rates:

a. records of the amount of total waste accepted by the landfill, in tons, for each calendar month; and

b. records of the annual, year-to-date amount of total waste accepted by the landfill, in tons [summation of d)(1), for each calendar month, year-to-date].
[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

(2) Except as otherwise provided in this section, the permittee shall perform inspections of the landfill fugitive dust operations/sources in accordance with the following frequencies:

Landfill Fugitive Dust Operation/Source	Minimum Inspection Frequency
daily cover and handling and placement	once during each day of operation
solid waste handling (dumping)	once during each day of operation

Landfill Fugitive Dust Operation/Source	Minimum Inspection Frequency
spreading, grading and compaction	once during each day of operation
truck loading and unloading	once during each day of operation
soil transport	once during each day of operation
storage pile activities [as in b)(2)e.vi]	once during each day of operation

[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

(3) The purpose of the inspections is to determine the need for implementing the above-mentioned control measures for particulate emissions. The inspections shall be performed during representative, normal operating conditions. No inspection shall be necessary for a landfill fugitive dust operation/source that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified event shall be performed as soon as such event(s) has (have) ended, except if the next inspection is within one week.
[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

(4) The permittee shall maintain records of the following information:

a. the date and reason any required inspection was not performed;

b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);

c. the dates the control measure(s) was (were) implemented; and

d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in d)(4)d shall be kept separately for each landfill fugitive dust operation/source listed above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.
[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

(5) The permittee shall keep for at least 5 years, up-to-date, readily accessible, on-site records of the design capacity report which showed the landfill capacity to equal or exceed 2.5 million megagrams and/or 2.5 million cubic meters, the current amount of solid waste in place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. Either hardcopy or electronic formats are acceptable.
[40 CFR 60.758(a)]

(6) This solid waste landfill has a design capacity greater than 2.5 million megagrams or 2.5 million cubic meters; therefore, the permittee shall calculate the NMOC emission rate for the landfill using the procedures specified in 40 CFR 60.754(a)(1) and this permit, and shall maintain records of such calculations. The permittee has chosen to calculate and submit the estimated NMOC emission rate in 5-year periods, as allowed per 40 CFR 60.757(b)(1)(ii); therefore, the NMOC emission rate shall be calculated and reported each consecutive 5-year period, until a collection and control system is installed, as

required by 40 CFR 60.752(b)(2), that meets the requirements of 40 CFR 60.753 and 60.755, or the landfill is closed.
[40 CFR 60.752(b)(2)]

(7) The permittee shall keep readily accessible documentation of the nature, date of deposition, amount, and location of asbestos-containing and/or nondegradable wastes, excluded from collection as provided in 40 CFR 60.759(a)(3)(i), as well as any nonproductive areas excluded from collection as provided in 40 CFR 60.759(a)(3)(ii).
[40 CFR 60.758(d)(2)]

e) Reporting Requirements

(1) Unless other arrangements have been approved by the Director, all notifications and reports shall be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal.

(2) The permittee shall submit quarterly deviation (excursion) reports that identify any exceedances of the waste receipt restriction of 240,800 tons/year.

The quarterly deviation (excursion) reports shall be submitted in accordance with the reporting requirements of the Standard Terms and Conditions of this permit.
[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

(3) In accordance with the Monitoring and Recordkeeping Requirements established in d)(2), d)(3), and d)(4), the permittee shall submit quarterly deviation (excursion) reports that identify any of the following:

a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and

b. each instance when a control measure that was to be implemented as a result of an inspection was not implemented.

The quarterly deviation (excursion) reports shall be submitted in accordance with the reporting requirements of the Standard Terms and Conditions of this permit.
[OAC 3745-31-05(A)(3), as effective 11/30/01]

(4) Until a collection and control system is installed, meeting the requirements of 40 CFR 60.753 and 60.755, the permittee shall submit an annual NMOC emission rate report to the Director, except for the provisions for the ‘5-year’ estimate below. The Director may request such additional information as may be necessary to verify the reported NMOC emission rate.

a. The NMOC emission rate report shall contain an annual or 5-year estimate of the NMOC emission rate, calculated using the formula from 40 CFR 60.754(a), also contained in this permit:

i. The initial NMOC emission rate report may be combined with the initial design capacity report. Subsequent NMOC emission rate reports shall be submitted annually thereafter, except as provided for below.

ii. If the estimated NMOC emission rate as reported in the annual report to the Director is less than 50 megagrams per year in each of the next 5 consecutive years, the permittee may elect to submit an estimate of the NMOC emission rate for the next 5-year period in lieu of the annual report. This estimate shall include the current amount of solid waste in place and the estimated waste acceptance rate for each year of the 5 years for which an NMOC emission rate is estimated. This estimate shall be recalculated at least once every 5 years. If the actual waste acceptance rate exceeds the estimated waste acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate shall be submitted to the Director. The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate. The NMOC emission rate report shall include all the data, calculations, sample reports and measurements used to estimate the annual or 5-year emissions and is due by January 31 every 5th year if the estimated waste acceptance rate is not exceeded during the 5-year reporting period.

b. The permittee is exempted from the requirements of submitting the 5-year NMOC emission estimate report following the installation of a collection and control system, as required by 40 CFR 60.752(b)(2), meeting the requirements of 40 CFR 60.753 and 60.755, or when the landfill is closed.

[40 CFR 60.757(b)]

(5) Unless otherwise approved by the Director, the permittee shall submit a PTI application along with the first NMOC emissions report in which the emission rate exceeds 50 megagrams per year; and a collection and control system design plan shall be submitted within 1 year of the first NMOC emissions report in which the emission rate exceeds 50 megagrams per year, except as follows:

a. If the permittee elects to recalculate the NMOC emission rate after Tier 2 NMOC sampling and analysis, as provided in 40 CFR 60.754(a)(3), and the resulting rate is less than 50 megagrams per year, annual periodic reporting shall be resumed, using the Tier 2 determined site-specific NMOC concentration, until the calculated emission rate is equal to or greater than 50 megagrams per year or the landfill is closed. The revised NMOC emission rate report, with the recalculated emission rate based on NMOC sampling and analysis, shall be submitted to the Director within 180 days of the first calculated emission rate exceeding 50 megagrams per year.

b. If the permittee elects to recalculate the NMOC emission rate after determining a site-specific methane generation rate constant (k), as provided in Tier 3 in 40 CFR 60.754(a)(4), and the resulting NMOC emission rate is less than 50 megagrams per year, annual periodic reporting shall be resumed. The resulting site-specific methane generation rate constant (k) shall be used in the emission rate calculation until such time as the emissions rate calculation results in an

exceedance of 50 megagrams per year. The revised NMOC emission rate report, based on the provisions of 40 CFR 754(a)(4) and the resulting site-specific methane generation rate constant (k), shall be submitted to the Director within 1 year of the first calculated emission rate exceeding 50 megagrams per year.
[40 CFR 60.757(c)]

(6) Pursuant to the New Source Performance Standards (NSPS), the source owner/operator is hereby advised of the requirements to report the following at the appropriate times:

a. construction date (no later than 30 days after such date);
b. actual start-up date (within 15 days after such date); and
c. date of performance testing (if required, at least 30 days prior to testing).

Ohio EPA, Northwest District Office
347 NorthDunbridge Road
Bowling Green, Ohio 43402
[40 CFR 60.7]

(7) The permittee shall submit a closure report to the Division of Air Pollution Control at the appropriate Ohio EPA office of jurisdiction, within 30 days of waste acceptance cessation. Permanent closure shall be conducted in accordance with the requirements of 40 CFR 258.60; and the Ohio EPA may request additional information, as may be necessary, to verify that all of these conditions are met. If a closure report has been submitted to the Ohio EPA, no additional wastes may be placed into the landfill without filing a notification of modification as described in 40 CFR 60.7(a)(4).
[40 CFR 60.757(d)]

(8) Within 60 days following the issuance of this permit, the permittee shall submit a copy of the “Non-Regulated Asbestos Disposal Operating Procedure and Spill Contingency Plan” required in b)(2)o to the appropriate Ohio EPA District Office or local air agency for approval. Any subsequent revisions to the Plan shall be submitted to the appropriate Ohio EPA District Office or local air agency at the time of the revision.
[OAC rule 3745-31-05(E)]

f) Testing Requirements

(1) The permittee shall calculate the NMOC emission rate using either the equation provided in 40 CFR 60.754(a)(1)(i) or the equation provided in 40 CFR 60.754(a)(1)(ii), and specified below. Both equations may be used if the actual year-to-year solid waste acceptance rate is known, as specified in 40 CFR 60.754(a)(1)(i), for part of the life of the landfill. The default values to be used in both equations are 0.05 per year for "k", unless a site-specific methane generation rate constant is determined as specified in a Tier 3 determination; 170 cubic meters per megagram for "L_0"; and 4,000 ppm by volume as hexane for "C_{NMOC}", unless samples are collected and the actual NMOC concentration is determined, as specified in a Tier 2 determination.

a. The following equation shall be used if the actual year-to-year solid waste acceptance rate is known:

$$M_{NMOC} = \sum_{i=1}^{n} 2k\, L_0 M_i\, (e^{-kti})\, (C_{NMOC})\, (3.6\times10^{-9})$$

where,
M_{NMOC} = Total NMOC emission rate from the landfill, megagrams per year
k = methane generation rate constant, $year^{-1}$
L_o = methane generation potential, cubic meters per megagram solid waste
M_i = mass of solid waste in the ith section, megagrams
t_i = age of the ith section, years
C_{NMOC} = concentration of NMOC, parts per million by volume as hexane
3.6×10^{-9} = conversion factor
n = number of sections

The mass of nondegradable solid waste may be subtracted from the total mass of solid waste in a particular section of the landfill when calculating the value for M_i, if documentation of the nature and amount of such wastes is maintained.

b. The following equation shall be used if the actual year-to-year solid waste acceptance rate is unknown:

$$M_{NMOC} = 2L_oR(e^{-kc} - e^{-kt})\, (C_{NMOC})(3.6 \times 10^{-9})$$

where:

M_{NMOC} = mass emission rate of NMOC, megagrams per year
L_o = methane generation potential, cubic meters per megagram solid waste
R = average annual acceptance rate, megagrams per year
k = methane generation rate constant, $year^{-1}$
t = age of landfill, years
C_{NMOC} = concentration of NMOC, parts per million by volume as hexane
c = time since closure, years; for active landfill c=0 and e^{-kc}=1
3.6×10^{-9} = conversion factor

The mass of nondegradable solid waste may be subtracted from the total mass of solid waste in a particular section of the landfill when calculating the value of R, if documentation of the nature and amount of such wastes is maintained.

[40 CFR 60.754(a)(1)]

(2) The permittee shall compare the calculated NMOC mass emission rate to the standard of 50 megagrams per year. If the calculated NMOC emission rate is calculated to be less than 50 megagrams per year, then the permittee shall submit an emission rate report as required in 40 CFR 60.757(b)(1), and shall recalculate the NMOC mass emission rate annually and submit the report to the Director, as required under 40 CFR 60.752(b)(1) and as provided in this permit.

If the calculated NMOC emission rate is equal to or greater than 50 megagrams per year, the permittee shall submit, within one year, a collection and control system design plan, prepared by a professional engineer, and shall install it in compliance with 40 CFR 60.752(b)(2); or shall determine a site-specific NMOC concentration and recalculate the

NMOC emission rate using the procedures provided in a Tier 2 determination, in 40 CFR 60.754(a)(3).
[40 CFR 60.754(a)(2)]

(3) For a Tier 2 determination of the NMOC emission rate, the permittee shall determine the NMOC concentration using the following sampling procedure:

a. The permittee shall install at least two sample probes per hectare of landfill surface that has retained waste for at least 2 years. If the landfill is larger than 25 hectares in area, only 50 sample probes are required. The sample probes should be located to avoid known areas of nondegradable solid waste.

b. The permittee shall collect and analyze one sample of landfill gas from each probe to determine the NMOC concentration using Method 25 or 25C of Appendix A of 40 CFR Part 60. Method 18 of Appendix A of 40 CFR Part 60 may be used to analyze the samples collected by the Method 25 or 25C sampling procedure.

c. Taking composite samples from different probes into a single cylinder is allowed; however, equal sample volumes must be taken from each probe. For each composite, the sampling rate, collection times, beginning and ending cylinder vacuums, or alternative volume measurements must be recorded to verify that composite volumes are equal. Composite sample volumes should not be less than one liter, unless evidence can be provided to substantiate the accuracy of smaller volumes. The compositing shall be terminated before the cylinder approaches ambient pressure where measurement accuracy diminishes.

d. If using Method 18, the permittee must identify all compounds in the sample, and, at a minimum, test for those compounds published in the most recent Compilation of Air Pollutant Emission Factors (AP-42), minus carbon monoxide, hydrogen sulfide, and mercury. At a minimum, the instrument must be calibrated for each of the compounds on the list. The concentration of each Method 18 compound shall be converted to C_{NMOC} as hexane by multiplying it by the ratio of its carbon atoms divided by six.

e. The permittee shall also divide the NMOC concentration determined from Method 25 or 25C of Appendix A of 40 CR Part 60 by six, to convert from C_{NMOC} as carbon to C_{NMOC} as hexane.

f. If the landfill has an active or passive gas removal system in place, Method 25 or 25C samples may be collected from these systems instead of surface probes, provided the removal system can be shown to provide sampling as representative as the two sampling probe per hectare requirement. For active collection systems, samples may be collected from the common header pipe before the gas moving or condensate removal equipment. For these systems, a minimum of three samples must be collected from the header pipe.

g. If more than the required number of samples are taken, all samples must be used in the analysis.

h. The permittee shall recalculate the NMOC mass emission rate using the average NMOC concentration from the collected samples instead of the default value.

i. If the resulting mass emission rate, recalculated using the site-specific NMOC concentration is equal to or greater than 50 megagrams per year, the permittee shall either:

i. comply with 40 CFR 60.752(b)(2) and submit, within one year, a collection and control system design plan, and install the system within 30 months after the first annual report in which the emission rate equals or exceeds 50 megagrams per year, as required by rule; or

ii. determine the site-specific methane generation rate constant, k, in a Tier 3 determination, and recalculate the NMOC emission rate using the site-specific NMOC concentration from Tier 2 and site-specific methane generation rate constant, k, from Tier 3.

j. If the resulting mass emission rate, recalculated using the site-specific NMOC concentration is less than 50 megagrams per year, the permittee shall submit annual reports (or 5-year submission per 40 CFR 60.757(b)(1)(ii)) for the estimated NMOC emissions, recalculated each year using the site-specific NMOC concentration and as provided in 40 CFR 60.757(b)(1). The site-specific NMOC concentration shall be retested, as above, every 5 years.

[40 CFR 60.754(a)(3)]

(4) For a Tier 3 determination of the NMOC emission rate, the permittee shall determine the site-specific methane generation rate constant, using the procedures provided in Method 2E of Appendix A of 40 CFR, Part 60. The permittee shall estimate the NMOC mass emission rate using the equations from 40 CFR 60.754(a)(1), and included in this permit, using a site-specific methane generation rate constant k and the site-specific NMOC concentration from Tier 2, instead of the default values provided with the calculation in the rule. The permittee shall compare the resulting NMOC mass emission rate to the standard of 50 megagrams per year.

a. If the resulting NMOC mass emission rate, calculated using the site-specific methane generation rate constant from Tier 3 and the site-specific concentration of NMOC from Tier 2, is equal to or greater than 50 megagrams per year, the permittee shall comply with 40 CFR 60.752(b)(2) and submit, within one year, a collection and control system design plan, and install the system within 30 months after the first annual report in which the emission rate equals or exceeds 50 megagrams per year, as required by rule; or

b. If the resulting NMOC mass emission rate, calculated using the site-specific methane generation rate constant from Tier 3 and the site-specific concentration of NMOC from Tier 2, is less than 50 megagrams per year, the permittee shall submit annual reports (or 5-year submission per 40 CFR 60.757(b)(1)(ii)) for the estimated NMOC emissions, recalculated each year using the site-specific methane generation rate constant k and the site-specific NMOC concentration from Tier 2, and submitted as provided in 40 CFR 60.757(b)(1).

c. The site-specific NMOC concentration shall be retested, as above, every 5 years, to be used in the NMOC emission estimate calculations. However, the calculation of the methane generation rate constant is performed only once, and the value obtained from this test shall be used in all subsequent annual NMOC emission rate calculations.

[40 CFR 60.754(a)(4)]

(5) The permittee may use other methods to determine the NMOC concentration or site-specific methane generation rate constant k, as an alternative to the methods required in 40 CFR 754(a)(3) or (4), only if the method has been approved by the Administrator of the U.S. Environmental Protection Agency.
[40 CFR 60.754(a)(5)]

(6) When calculating emissions for PSD purposes, the permittee shall estimate the NMOC emission rate for comparison to the PSD major source and significance levels in 40 CFR 51.166 or 40 CFR 52.21 using AP-42 or other approved measurement procedures.
[40 CFR 60.754(c)]

(7) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following methods:

a. Emission Limitation:
21.45 tons fugitive VOC/year

Applicable Compliance Method:
These emissions represent the highest gas generation/emissions rates which could occur at this facility based on the following landfill capacities:

Landfill Unit	Landfill Capacity (tons)	Maximum Receiving Rate
Closed Unit	1,109,999	Landfill Closed 1988
Closed South Unit	1,413,130	Landfill Closed 2002
Active/BAT Unit	4,720,422	800 tons/day; 240,800 tons/year

The landfill emissions and limitations contained in this permit can be documented as follows:

i. NMOC emissions were calculated by Landfill Gas Emission Model (LandGEM). The predicted NMOC emissions were converted to VOC emissions by applying the AP-42 Chapter 2.4 (11/98) conversion rate of 39%.

[40 CFR 60, Subpart WWW; OAC rule 3745-31-05(A)(3), as effective 11/30/01]

b. Emission Limitation:
3.93 tonsfugitive PM_{10}/year

Applicable Compliance Method:
The emission limitation was established by combining the emissions as calculated for the landfill fugitive dust operations/sources in the table below:

Activity	**PE Emission Factor; PM_{10} Scaling/Ratio Factor**	**Source of Emission Factor or Equation**	**Annual Basis**	**Total Emissions (tons/year)**
Soil Loading	0.0005 lb/ton; 0.0002 lb/ton	AP-42, Section 13.2.4 (1/95)	90,300 tons	PE – 0.02 PM_{10} – 0.01
Soil Unloading	0.0005 lb/ton; 0.0002 lb/ton	AP-42, Section 13.2.4 (1/95)	90,300 tons	PE – 0.02 PM_{10} – 0.01
Waste Dumping	0.0002 lb/ton; 0.0001 lb/ton	AP-42, Section 13.2.4 (1/95)	125,000 tons	PE – 0.01 PM_{10} – 0.006
Waste Compaction - Dozer	2.64 lb/dozer hr; 0.52 lb/dozer hr	AP-42, Section 11.9-1 (7/98)	2,800 hours	PE – 3.67 PM_{10} – 0.73
Soil Transport	8.16 lb/VMT; 2.20 lb/VMT	AP-42, Section 13.2.2 (12/03)	15,050 VMT	[Applied 85% control for watering.] PE – 9.21 PM_{10} – 2.48
Wind Erosion – Exposed Surfaces	0.38 ton/acre/yr; 0.049 ton/acre/yr	AP-42, Section 11.9-4 (7/98)	20 acres	[Applied 30% control for natural mitigation.] PE – 5.32 PM_{10} – 0.69
TOTAL				**PE – 18.25** **PM_{10} – 3.93**

Therefore, provided compliance is shown with the requirements associated with Best Available Control Measures, compliance with the annual limitation will be assumed.
[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

c. Emission Limitation:
Visible emissions of fugitive dust shall not exceed 20% opacity as a three-minute average.

Applicable Compliance Method:
If required, compliance shall be determined by visible emission evaluations performed in accordance with USEPA Reference Method 9 as set forth in "Appendix A on Test Methods" in 40 CFR Part 60 ("Standards of Performance for New Stationary Sources") and the modifications listed in paragraphs (B)(3)(a) and B)(3)(b) of OAC rule 3745-17-03.
[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

g) Miscellaneous Requirements

(1) The application and enforcement of the provisions of the New Source Performance Standards (NSPS), as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements for 40 CFR Part 60 are also federally enforceable.