



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL CERTIFIED MAIL
BUTLER COUNTY**

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 14-05664

Fac ID: 1409030972

DATE: 2/1/2005

O Gara Hess and Eisenhardt
Jerry LaFayette
9113 LeSaint Drive
Fairfield, OH 45014

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

HCDES



**Permit To Install
Terms and Conditions**

**Issue Date: 2/1/2005
Effective Date: 2/1/2005**

FINAL PERMIT TO INSTALL 14-05664

Application Number: 14-05664
Facility ID: 1409030972
Permit Fee: **\$600**
Name of Facility: O Gara Hess and Eisenhardt
Person to Contact: Jerry LaFayette
Address: 9113 LeSaint Drive
Fairfield, OH 45014

Location of proposed air contaminant source(s) [emissions unit(s)]:

**4175 Muhlhauser
Fairfield, Ohio**

Description of proposed emissions unit(s):

Installation of three paint booths.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

O Gara Hess and Eisenhardt
 PTI Application: 14-05664
 Issued: 2/1/2005

Facility ID: 1409030972

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC	10.1

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
K001 - Paint Spray Booth Number 1	OAC rule 3745-31-05(A)(3)	<p>Volatile Organic Compound (VOC) emissions shall not exceed 82.9 lbs/day, including cleanup.</p> <p>VOC emissions shall not exceed 5.07 tons per year (TPY), including cleanup</p> <p>See terms A.2.a and B.1</p> <p>Exempt per OAC rule 3745-21-09(U)(2)(c).</p>
	OAC rule 3745-21-09(U)(1)	

2. Additional Terms and Conditions

- 2.a The VOC content of each coating and cleanup material employed in this emissions unit shall not exceed 7.2 lbs/gallon, as applied.
- 2.b Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the specified mass emission rates, coating and cleanup material VOC content limitations, and usage limits.

B. Operational Restrictions

- 1. The maximum combined amount of coatings and cleanup materials employed in this emissions unit shall not exceed 11.5 gallons/day and 1407 gallons/year.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall maintain daily records of the following:
 - a. The company identification of each coating and cleanup material employed;
 - b. The number of gallons of each coating and cleanup material employed;
 - c. The volatile organic compound (VOC) content of each coating and cleanup material employed, in lbs/gallon, as applied;
 - d. The VOC emissions from each coating and cleanup material employed, i.e., (b)x(c), in pounds;
 - e. The total VOC emissions from this emissions unit, i.e., the sum of (d) for all coatings and cleanup materials employed, in pounds; and
 - f. The total gallons of all coatings and cleanup materials employed.
2. The permittee shall maintain monthly records of the total VOC emissions and the total volume, in gallons, of all coatings and cleanup materials employed in this emissions unit. The monthly emissions and usage records shall be summarized at the end of each calendar year.

D. Reporting Requirements

1. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any daily record showing an exceedance of the coating and cleanup material usage limit, the daily VOC emission limit, or the VOC content limit. A copy of such record shall be sent to the Director within 45 days after the exceedance occurs.
2. The permittee shall submit annual reports to the Hamilton County Department of Environmental Services of the total VOC emissions and the total coating and cleanup material usage. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Emissions Limitations

82.9 lbs VOC/day from the application of coatings and cleanup material

Applicable Compliance Method

Compliance with the daily VOC emissions limitations shall be demonstrated by the record keeping requirement in term and condition C.1.

2. Emissions Limitations

5.07 TPY VOC from the application of coatings and cleanup material

Applicable Compliance Method

Compliance with the annual VOC emissions limitations shall be demonstrated by a summation of the daily VOC emissions as recorded in term and condition C.1. for coatings and a summation of the daily VOC emissions as recorded in term and condition C.1. for cleanup materials, and the summations divided by 2000 pounds, such that the summations equal Tons per Year (TPY) VOC emissions.

3. Emissions Limitations

7.2 pounds of VOC per gallon of coating, as applied,
7.2 pounds of VOC per gallon of cleanup material, as applied

Applicable Compliance Method

USEPA methods 24 and 24A shall be used to determine the VOC content for coatings and cleanup materials, respectively. If, pursuant to 40 CFR Part 60, Appendix A, an owner or operator determines that Method 24 or 24A cannot be used for a particular coating or cleanup material, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating or cleanup material to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24 or 24A.

4. Compliance with the usage limitations in term and condition B.1 shall be demonstrated by the record keeping in terms and conditions C.1 and C.2.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The

O Gara Hess and Eisenhardt

PTI Application: 14-05664

Issued

Facility ID: 1409030972

Emissions Unit ID: **K001**

permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
K002 - Paint Spray Booth Number 2	OAC rule 3745-31-05(A)(3)	Volatile Organic Compound (VOC) emissions shall not exceed 82.9 lbs/day, including cleanup.
		VOC emissions shall not exceed 2.5 tons per year (TPY), including cleanup
	OAC rule 3745-21-09(U)(1)	See terms A.2.a and B.1
		Exempt per OAC rule 3745-21-09(U)(2)(c).

2. Additional Terms and Conditions

- 2.a The VOC content of each coating and cleanup material employed in this emissions unit shall not exceed 7.2 lbs/gallon, as applied.
- 2.b Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the specified mass emission rates, coating and cleanup material VOC content limitations, and usage limits.

B. Operational Restrictions

1. The maximum combined amount of coatings and cleanup materials employed in this emissions unit shall not exceed 11.5 gallons/day and 701 gallons/year.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall maintain daily records of the following:
 - a. The company identification of each coating and cleanup material employed;
 - b. The number of gallons of each coating and cleanup material employed;
 - c. The volatile organic compound (VOC) content of each coating and cleanup material employed, in lbs/gallon, as applied;
 - d. The VOC emissions from each coating and cleanup material employed, i.e., (b)x(c), in pounds;
 - e. The total VOC emissions from this emissions unit, i.e., the sum of (d) for all coatings and cleanup materials employed, in pounds; and
 - f. The total gallons of all coatings and cleanup materials employed.
2. The permittee shall maintain monthly records of the total VOC emissions and the total volume, in gallons, of all coatings and cleanup materials employed in this emissions unit. The monthly emissions and usage records shall be summarized at the end of each calendar year.

D. Reporting Requirements

1. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any daily record showing an exceedance of the coating and cleanup material usage limit, the daily VOC emission limit, or the VOC content limit. A copy of such record shall be sent to the Director within 45 days after the exceedance occurs.
2. The permittee shall submit annual reports to the Hamilton County Department of Environmental Services of the total VOC emissions and the total coating and cleanup material usage. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Emissions Limitations

82.9 lbs VOC/day from the application of coatings and cleanup material

Applicable Compliance Method

Compliance with the daily VOC emissions limitations shall be demonstrated by the record keeping requirement in term and condition C.1.

2. Emissions Limitations

2.5 TPY VOC from the application of coatings and cleanup material

Applicable Compliance Method

Compliance with the annual VOC emissions limitations shall be demonstrated by a summation of the daily VOC emissions as recorded in term and condition C.1. for coatings and a summation of the daily VOC emissions as recorded in term and condition C.1. for cleanup materials, and the summations divided by 2000 pounds, such that the summations equal Tons per Year (TPY) VOC emissions.

3. Emissions Limitations

7.2 pounds of VOC per gallon of coating, as applied,
7.2 pounds of VOC per gallon of cleanup material, as applied

Applicable Compliance Method

USEPA methods 24 and 24A shall be used to determine the VOC content for coatings and cleanup materials, respectively. If, pursuant to 40 CFR Part 60, Appendix A, an owner or operator determines that Method 24 or 24A cannot be used for a particular coating or cleanup material, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating or cleanup material to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24 or 24A.

4. Compliance with the usage limitations in term and condition B.1 shall be demonstrated by the record keeping in terms and conditions C.1 and C.2.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The

14

O Gar

PTI A

Issued: 2/1/2005

Emissions Unit ID: **K002**

permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
K003 - Paint Spray Booth Number 3	OAC rule 3745-31-05(A)(3)	Volatile Organic Compound (VOC) emissions shall not exceed 82.9 lbs/day, including cleanup.
	OAC rule 3745-21-09(U)(1)	VOC emissions shall not exceed 2.5 tons per year (TPY), including cleanup See terms A.2.a and B.1 Exempt per OAC rule 3745-21-09(U)(2)(c).

2. Additional Terms and Conditions

- 2.a The VOC content of each coating and cleanup material employed in this emissions unit shall not exceed 7.2 lbs/gallon, as applied.
- 2.b Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the specified mass emission rates, coating and cleanup material VOC content limitations, and usage limits.

B. Operational Restrictions

1. The maximum combined amount of coatings and cleanup materials employed in this emissions unit shall not exceed 11.5 gallons/day and 701 gallons/year.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall maintain daily records of the following:
 - a. The company identification of each coating and cleanup material employed;
 - b. The number of gallons of each coating and cleanup material employed;
 - c. The volatile organic compound (VOC) content of each coating and cleanup material employed, in lbs/gallon, as applied;
 - d. The VOC emissions from each coating and cleanup material employed, i.e., (b)x(c), in pounds;
 - e. The total VOC emissions from this emissions unit, i.e., the sum of (d) for all coatings and cleanup materials employed, in pounds; and
 - f. The total gallons of all coatings and cleanup materials employed.
2. The permittee shall maintain monthly records of the total VOC emissions and the total volume, in gallons, of all coatings and cleanup materials employed in this emissions unit. The monthly emissions and usage records shall be summarized at the end of each calendar year.

D. Reporting Requirements

1. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any daily record showing an exceedance of the coating and cleanup material usage limit, the daily VOC emission limit, or the VOC content limit. A copy of such record shall be sent to the Director within 45 days after the exceedance occurs.
2. The permittee shall submit annual reports to the Hamilton County Department of Environmental Services of the total VOC emissions and the total coating and cleanup material usage. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

E. Testing Requirements

1. Emissions Limitations

82.9 lbs VOC/day from the application of coatings and cleanup material

Applicable Compliance Method

Compliance with the daily VOC emissions limitations shall be demonstrated by the record keeping requirement in term and condition C.1.

2. Emissions Limitations

2.5 TPY VOC from the application of coatings and cleanup material

Applicable Compliance Method

Compliance with the annual VOC emissions limitations shall be demonstrated by a summation of the daily VOC emissions as recorded in term and condition C.1. for coatings and a summation of the daily VOC emissions as recorded in term and condition C.1. for cleanup materials, and the summations divided by 2000 pounds, such that the summations equal Tons per Year (TPY) VOC emissions.

3. Emissions Limitations

7.2 pounds of VOC per gallon of coating, as applied,
7.2 pounds of VOC per gallon of cleanup material, as applied

Applicable Compliance Method

USEPA methods 24 and 24A shall be used to determine the VOC content for coatings and cleanup materials, respectively. If, pursuant to 40 CFR Part 60, Appendix A, an owner or operator determines that Method 24 or 24A cannot be used for a particular coating or cleanup material, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating or cleanup material to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24 or 24A.

4. Compliance with the usage limitations in term and condition B.1 shall be demonstrated by the record keeping in terms and conditions C.1 and C.2.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The

18

O Gar

PTI A

Issued: 2/1/2005

Emissions Unit ID: **K003**

permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Emissions Unit ID: **K003**

SIC CODE 3711 SCC CODE 40202501 EMISSIONS UNIT ID K001

EMISSIONS UNIT DESCRIPTION Paint Spray Booth Number 1

DATE INSTALLED na

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter					
PM ₁₀					
Sulfur Dioxide					
Organic Compounds	nonattainment	50.0 lbs per day	0.30	82.9 lbs/day	5.07
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Compliance with emissions limitations, VOC content limitations and usage limitations.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no
 OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: na

O Gara Hess and Eisenhardt
PTI Application: 14-05664
Issued: 2/1/2005

Facility ID: 1409030972

Emissions Unit ID: **K003**

SIC CODE 3711 SCC CODE 40202501 EMISSIONS UNIT ID K002
 EMISSIONS UNIT DESCRIPTION Paint Spray Booth Number 2
 DATE INSTALLED na

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter					
PM ₁₀					
Sulfur Dioxide					
Organic Compounds	nonattainment	50.0 lbs/day	0.30	82.9 lbs/day	2.5
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Compliance with emissions limitations, VOC content limitations and usage limitations.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no
 OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: na

O Gara Hess and Eisenhardt
PTI Application: 14-05664
Issued: 2/1/2005

Facility ID: 1409030972

Emissions Unit ID: **K003**

SIC CODE 3711 SCC CODE 40202501 EMISSIONS UNIT ID K003
 EMISSIONS UNIT DESCRIPTION Paint Spray Booth Number 3
 DATE INSTALLED na

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter					
PM ₁₀					
Sulfur Dioxide					
Organic Compounds	nonattainment	50.0 lbs/day	0.30	82.9 lbs/day	2.5
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?
Compliance with emissions limitations, VOC content limitations and usage limitations.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no
 OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: na