



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL MODIFICATION
BUTLER COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 14-04844

DATE: 9/25/2001

Conestoga Wood Specialties
Jeff Huser
2620 Bobmeyer Rd
Hamilton, OH 45015

Enclosed Please find a modification to the Ohio EPA Permit To Install referenced above which will modify the terms and conditions.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

HCDES



**Permit To Install
Terms and Conditions**

**Issue Date: 9/25/2001
Effective Date: 9/25/2001**

FINAL ADMINISTRATIVE MODIFICATION OF PERMIT TO INSTALL 14-04844


Application Number: 14-04844
APS Premise Number: 1409040857
Permit Fee: **\$100**
Name of Facility: Conestoga Wood Specialties
Person to Contact: Jeff Huser
Address: 2620 Bobmeyer Rd
Hamilton, OH 45015

Location of proposed air contaminant source(s) [emissions unit(s)]:
**2620 Bobmeyer Rd
Hamilton, Ohio**

Description of proposed emissions unit(s):
Modification to increase the OC content of coatings for spray booth R003, which changes the allowable coating usages.

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

This permit is granted subject to the conditions attached hereto.


Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Conestoga Wood Specialties
PTI Application: 14-04844
Modification Issued: 9/25/2001

Facility ID: 1409040857

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or

modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).

- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
OC	8.5

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
R003 - Paint spray booth with drying oven - Modification	OAC rule 3745-31-05(A)(3)	7.3 TPY OC excluding cleanup materials 1.2 TPY OC for cleanup materials 8.5 TPY OC total 6.5 lbs. OC/day for cleanup materials See T&C A.2.2.a., A.2.2.b., A.2.2.c., A.2.2.d., B.1. , B.2. and B.3. The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07(G)(2).
	OAC rule 3745-21-07(G)(2)	8 lbs. OC/hr and 40 lbs. OC/day excluding cleanup material emissions

2. Additional Terms and Conditions

- 2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the use of air-assisted airless spray guns, coating and cleanup material usage limitations, emissions limitations, OC content limitations, and compliance with Ohio EPA Air Toxics Policy.

2.b The total allowable usage of Hazardous Air Pollutants (HAPs) as identified in Section 112(b) of Title III of the Clean Air Act from this facility shall not exceed 9.9* TPY for any single HAP and 24.9* TPY for any combination of HAPs. Compliance with the above limitations shall be determined based upon a rolling, 12-month summation. The permittee has existing records to demonstrate compliance with the rolling, 12-month summation limit.

* This assumes the HAPs emitted are the same as the amount of HAPs used since all HAPs used evaporate.

2.c The maximum OC content of the cleanup material shall not exceed 6.5 pounds per gallon.

2.d The maximum OC content of the coating materials employed in this emissions unit shall not exceed 6.0 pounds per gallon.

B. Operational Restrictions

1. The permittee shall not employ photochemically reactive cleanup material, as defined in OAC rule 3745-21-01(C)(5), in emissions unit R003.
2. The maximum coating usages for this emissions unit shall not exceed 6.7 gallons per day and 2433.3 gallons per year.
3. The maximum amount of cleanup material evaporated for this emissions unit shall not exceed 1.0 gallon per day and 365 gallons per year.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each day for this emissions unit:
 - a. The company identification for each coating and cleanup material employed.
 - b. Documentation on whether or not each cleanup material is a photochemically reactive material.
 - c. The number of gallons of each coating and cleanup material employed.
 - d. The OC content of each coating and cleanup material, in pounds per gallon, as-applied.

- e. The total organic compound emission rate for each coating and cleanup material, in pounds per day $\text{C} \times \text{D}$.
- f. The total organic compound emission rate for all coatings, in pounds per day.
- g. The total number of hours the spray gun was in operation.
- h. The average hourly organic compound emission rate for all coatings, i.e., $(f)/(g)$, in pounds per hour (average).

The coating information must be for the coatings as applied, including any thinning solvents added at the emissions unit.

- 2. The permittee shall collect and record the following information each month for the entire facility:
 - a. The name and identification number of each coating, employed.
 - b. The individual Hazardous Air Pollutant (HAP) content for each HAP of each coating in pounds of individual HAP per gallon of coating, as applied.
 - c. The total combined HAP content of each coating in pounds of combined HAPs per gallon of coating, as applied [sum all the individual HAP contents from (b)].
 - d. The number of gallons of each coating employed.
 - e. The name and identification of each cleanup material employed.
 - f. The individual HAP content for each HAP of each cleanup material in pounds of individual HAP per gallon of cleanup material, as applied.
 - g. The total combined HAP content of each cleanup material in pounds of combined HAPs per gallon of cleanup material, as applied [sum all the individual HAP contents from (f)].
 - h. The number of gallons of each cleanup material employed.
 - i. The total individual HAP usage for each HAP from all coatings and cleanup materials employed, in pounds or tons per month [for each HAP the sum of (b) times (d) for each coating and the sum of (f) times (h) for each cleanup material].

Emissions Unit ID: **R003**

- j. The total combined HAP usage from all coatings and cleanup materials employed, in pounds or tons per month [the sum of (c) times (d) for each coating plus the sum of (g) times (h) for each cleanup material].
- k. The updated rolling, 12-month summation for individual HAP emissions** for each HAP, in pounds or tons. This shall include the information for the current month and the preceding eleven calendar months.
- l. The updated rolling, 12-month summation for total combined HAP emissions**, in pounds or tons. This shall include the information for the current month and the preceding eleven calendar months.

A listing of the HAPs can be found in Section 112(b) of the Clean Air Act or can be obtained by contacting your Ohio EPA field office or local air agency contact. This information does not have to be kept on a line-by-line basis.

** This assumes the HAPs emitted are the same as the amount of HAPs used since all HAPs used evaporate.

- 3. The permit to install for this emissions unit R003 was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration from the use of the SCREEN 3.0 model was compared to the Maximum Ground-Level Concentration (MAGLC).

The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: Xylene
 TLV (ug/m3): 434192
 Maximum Hourly Emission Rate (lbs/hr): 1.81
 Predicted 1-Hour Maximum Ground-Level
 Concentration (ug/m3): 165.7
 MAGLC (ug/m3): 10,338

Pollutant: Toluene
 TLV (ug/m3): 188405
 Maximum Hourly Emission Rate (lbs/hr): 1.2

Predicted 1-Hour Maximum Ground-Level
Concentration (ug/m3): 109.7
MAGLC (ug/m3): 4486

Physical changes to or in the method of operation of the emissions unit after it's installation or modification could affect the parameters used to determine whether or not the "Air Toxics Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;
- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled: and
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied with the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01(VV)(1)(a)(ii), and a modification of the existing permit to install will not be required. If the change(s) is(are) defined as a modification under other provisions of the modification definition [other than (VV)(1)(a)(ii)], then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will satisfy the Air Toxic Policy:"

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
- b. documentation of it's evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and

- c. where the computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly organic compound emissions from the coatings exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for each such day.
 - b. An identification of each day during which the organic compound emissions from the coatings exceeded 40 pounds per day, and the actual organic compound emissions for each such day.
2. The permittee shall submit deviation (excursion) reports which include the following information:
 - a. An identification of any cleanup material containing photochemically reactive material [as defined in OAC rule 3745-21-01(C)(5)] which was employed in this emissions unit. This report shall identify the cause for the use of the photochemically reactive material(s) in the cleanup material and the estimated total quantity of material(s) emitted each such day.
 - b. Any exceedances of the coating and cleanup material usage limitations .
 - c. Any exceedances of the OC content limitations for all coatings and cleanup materials.
3. The permittee shall notify the Hamilton County Department of Environmental Services of any exceedance of the HAP emissions limitations set forth in this permit. The permittee shall submit annual reports which identify all exceedances of these limitations, as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year. If no exceedances occurred during the reporting period then a report is required stating so.
4. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Formulation data or USEPA method 24 (for coatings) or 24A (for flexographic and rotogravure printing inks and related coatings) shall be used to determine the OC contents of the inks and coatings.

Cones

PTI A

Modification Issued: 9/25/2001

Emissions Unit ID: **R003**

2. Compliance with the emission limitations outlined in this permit shall be demonstrated by the emission factors, control efficiencies (if applicable) and the operational parameters as submitted in the PTI application 14-4844 submitted 11/08/99.
3. Compliance with the usage limits cited in term B.2 and B.3 shall be demonstrated by the record keeping in terms C.1.
4. Compliance with the OC content limits cited in term A.2.2.c. and A.2.2.d. shall be demonstrated by the record keeping in term C.1.
5. Compliance with the HAP emissions limits cited in term A.2.2.b shall be demonstrated by the record keeping in term C.2.
6. Compliance with term B.1 shall be demonstrated by the record keeping in term C.1.

F. Miscellaneous Requirements

None