



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL  
HURON COUNTY**

**CERTIFIED MAIL**

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov.  
Center

**Application No: 03-3292**

**DATE: September 29, 1999**

Central Soya Company, Inc.  
Ray Bowns  
605 Goodrich Road, PO Box 369  
Bellevue, OH 44811-0369

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
236 East Town Street, Room 300  
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: USEPA  
DAPC, NWDO



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

**Permit To Install  
Terms and  
Conditions**

**Issue Date: September 29, 1999  
Effective Date: September 29, 1999**

**FINAL PERMIT TO INSTALL 03-3292**

Application Number: 03-3292  
APS Premise Number: 0339010005  
Permit Fee: **\$4400**  
Name of Facility: Central Soya Company, Inc.  
Person to Contact: Ray Bowns  
Address: 605 Goodrich Road PO Box 369  
Bellevue, OH 44811-0369


Location of proposed air contaminant source(s) [emissions unit(s)]:  
**605 Goodrich Road  
Bellevue, Ohio**

Description of proposed emissions unit(s):  
**TEXTURED SOY PROTEIN PLANT: INGREDIENT TRANSFER; ASPIRATION; DRYER; COOLER;  
FINES REMOVAL; REJECT REMOVAL; VACUUM SYSTEM.**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

  
\_\_\_\_\_  
Director

## Part I - GENERAL TERMS AND CONDITIONS

### A. State and Federally Enforceable Permit To Install General Terms and Conditions

#### 1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
  - i. The date, place (as defined in the permit), and time of sampling or measurements.
  - ii. The date(s) analyses were performed.
  - iii. The company or entity that performed the analyses.
  - iv. The analytical techniques or methods used.
  - v. The results of such analyses.
  - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
  - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
  - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous

calendar quarters. See B.11 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

## 2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

## 3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

## 4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

## 5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

## 6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

## 7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

## 8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

## 9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
  - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
  - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:

Central Soya Company, Inc.  
PTI Application: 03-3292  
September 29, 1999

Facility ID: 0339010005

- i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
- ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

#### 10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

Central Soya Company, Inc.

PTI Application: 03-3292

September 29, 1999

Facility ID: 0339010005

**B. State Only Enforceable Permit To Install General Terms and Conditions**

**1. Compliance Requirements**

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

**2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

**3. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**4. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Central Soya Company, Inc.

PTI Application: 03-3292

September 29, 1999

Facility ID: 0339010005

#### **5. Termination of Permit To Install**

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

#### **6. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

#### **7. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**8. Applicability**

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

**9. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**10. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**11. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)**

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

**C. Permit To Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)  
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
Particulate Emissions (PE)	7.78

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

Facility ID: **0339010005**

**Part II - FACILITY SPECIFIC TERMS AND CONDITIONS**

**A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions**

None

**B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions**

None

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
soy protein ingredient transfer, with baghouse	OAC rule 3745-17-11(B)	4.23 pounds particulate emissions (PE)/hour
	OAC rule 3745-17-07(A)	visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

**2. Additional Terms and Conditions**

- 2.a None

**II. Operational Restrictions**

1. The pressure drop across the baghouse shall be maintained within the range of 1-10 inches of water while the emissions unit is in operation.

**III. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

Facility ID: **0339010005**

**IV. Reporting Requirements**

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

a. Emission Limitation:

4.23 pounds PE/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (500 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

b. Emission Limitation:

20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method:

OAC rule 3745-17-03(B)(1).

**VI. Miscellaneous Requirements**

None

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
soy protein ingredient transfer, with baghouse	OAC rule 3745-31-05	0.005 grain/dry standard cubic foot (gr/dscf)  0.021 pound particulate emissions (PE)/hour, 0.092 ton PE/year  (see B.2.a)

\*all PE is assumed to be PM<sub>10</sub>.

**2. Additional Terms and Conditions**

- 2.a Best Available Technology (BAT) for this emissions unit has been determined to be use of a baghouse for particulate emission control and compliance with the terms and conditions of this permit.

**II. Operational Restrictions**

See A.II.1.

**III. Monitoring and/or Recordkeeping Requirements**

See A.III.1.

**IV. Reporting Requirements**

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

See A.IV.1.

Facility ID: 0339010005

Facility ID: **0339010005**

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

0.005 gr/dscf

Applicable Compliance Method:

This limitation was determined in accordance with the baghouse manufacturer's guaranteed outlet grain loading. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- b. Emission Limitation:

0.021 pound PE/hour

Applicable Compliance Method:

This limitation was developed by applying the emission limitation of 0.005 gr/dscf to a maximum volumetric airflow rate of 500 dscfm. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- c. Emission Limitation:

0.092 ton PE/year

Applicable Compliance Method:

The annual PE limitation was developed by multiplying the pound/hour limitation by the maximum operating schedule of 8,760 hours/year and dividing by 2,000 pounds/ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

**VI. Miscellaneous Requirements**

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

Facility ID: **0339010005**

None

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
extruder aspiration, with baghouse	OAC rule 3745-17-11(B)  OAC rule 3745-17-07(A)	86.6 pounds particulate emissions (PE)/hour  visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

**2. Additional Terms and Conditions**

2.a None

**II. Operational Restrictions**

1. The pressure drop across the baghouse shall be maintained within the range of 1-10 inches of water while the emissions unit is in operation.

**III. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

**IV. Reporting Requirements**

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with

**September 29, 1999**

the allowable range specified in section A.II.1 of the terms and conditions of this permit.

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

86.6 pounds PE/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (19,600 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

- b. Emission Limitation:

20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method:

OAC rule 3745-17-03(B)(1).

**VI. Miscellaneous Requirements**

None

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
extruder aspiration, with baghouse	OAC rule 3745-31-05	0.005 grain/dry standard cubic foot (gr/dscf)  0.84 pound particulate emissions (PE)/hour, 3.68 tons PE/year  (see B.2.a)

\*all PE is assumed to be PM<sub>10</sub>.

**2. Additional Terms and Conditions**

- 2.a Best Available Technology (BAT) for this emissions unit has been determined to be use of a baghouse for particulate emission control and compliance with the terms and conditions of this permit.

**II. Operational Restrictions**

See A.II.1.

**III. Monitoring and/or Recordkeeping Requirements**

See A.III.1.

**IV. Reporting Requirements**

See A.IV.1.

September 29, 1999

## **V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

0.005 gr/dscf

Applicable Compliance Method:

This limitation was determined in accordance with the baghouse manufacturer's guaranteed outlet grain loading. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- b. Emission Limitation:

0.84 pound PE/hour

Applicable Compliance Method:

This limitation was developed by applying the emission limitation of 0.005 gr/dscf to a maximum volumetric airflow rate of 19,600 dscfm. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- c. Emission Limitation:

3.68 tons PE/year

Applicable Compliance Method:

The annual PE limitation was developed by multiplying the pound/hour limitation by the maximum operating schedule of 8,760 hours/year and dividing by 2,000 pounds/ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

## **VI. Miscellaneous Requirements**

**September 29, 1999**

None

Emissions Unit ID: **P085**

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein dryer, with baghouse	OAC rule 3745-17-11(B)	49.8 pounds particulate emissions (PE)/hour
	OAC rule 3745-17-07(A)	visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

**2. Additional Terms and Conditions**

- 2.a None

**II. Operational Restrictions**

1. The pressure drop across the baghouse shall be maintained within the range of 1-10 inches of water while the emissions unit is in operation.

**III. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

Central Soya Company, Inc.  
PTI Application Number: 03-3292  
September 29, 1999

Facility ID: 0339010005

Facility ID: 0339010005

#### IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

#### V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

49.8 pounds PE/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (10,000 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

- b. Emission Limitation:

20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method:

OAC rule 3745-17-03(B)(1).

#### VI. Miscellaneous Requirements

None

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein dryer, with baghouse	OAC rule 3745-31-05	0.005 grain/dry standard cubic foot (gr/dscf)  0.43 pound particulate emissions (PE)/hour, 1.88 tons PE/year  (see B.2.a)

\*all PE is assumed to be PM<sub>10</sub>.

**2. Additional Terms and Conditions**

- 2.a Best Available Technology (BAT) for this emissions unit has been determined to be use of a baghouse for particulate emission control and compliance with the terms and conditions of this permit.

**II. Operational Restrictions**

See A.II.1.

**III. Monitoring and/or Recordkeeping Requirements**

See A.III.1.

**IV. Reporting Requirements**

See A.IV.1.

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

Facility ID: **0339010005**

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

0.005 gr/dscf

Applicable Compliance Method:

This limitation was determined in accordance with the baghouse manufacturer's guaranteed outlet grain loading. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- b. Emission Limitation:

0.43 pound PE/hour

Applicable Compliance Method:

This limitation was developed by applying the emission limitation of 0.005 gr/dscf to a maximum volumetric airflow rate of 10,000 dscfm. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- c. Emission Limitation:

1.88 tons PE/year

Applicable Compliance Method:

The annual PE limitation was developed by multiplying the pound/hour limitation by the maximum operating schedule of 8,760 hours/year and dividing by 2,000 pounds/ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

**VI. Miscellaneous Requirements**

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

None

Facility ID: **0339010005**

Facility ID: **0339010005**

September 29, 1999

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]****A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein cooler, with baghouse	OAC rule 3745-17-11(B)	32.7 pounds particulate emissions (PE)/hour
	OAC rule 3745-17-07(A)	visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

**2. Additional Terms and Conditions**

2.a None

**II. Operational Restrictions**

1. The pressure drop across the baghouse shall be maintained within the range of 1-10 inches of water while the emissions unit is in operation.

**III. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

**September 29, 1999**

**IV. Reporting Requirements**

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

a. Emission Limitation:

32.7 pounds PE/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (6,000 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

b. Emission Limitation:

20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method:

OAC rule 3745-17-03(B)(1).

**VI. Miscellaneous Requirements**

None

September 29, 1999

**B. State Only Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein cooler, with baghouse	OAC rule 3745-31-05	0.005 grain/dry standard cubic foot (gr/dscf)  0.26 pound particulate emissions (PE)/hour, 1.14 tons PE/year  (see B.2.a)

\*all PE is assumed to be PM<sub>10</sub>.

**2. Additional Terms and Conditions**

- 2.a Best Available Technology (BAT) for this emissions unit has been determined to be use of a baghouse for particulate emission control and compliance with the terms and conditions of this permit.

**II. Operational Restrictions**

See A.II.1.

**III. Monitoring and/or Recordkeeping Requirements**

See A.III.1.

**IV. Reporting Requirements**

See A.IV.1.

**Central Soya Company, Inc.**  
RTFA 11/11/2011 03:33:33

Facility ID: **0339010005**

Emissions Unit ID: **P087**

**September 29, 1999**

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

0.005 gr/dscf

Applicable Compliance Method:

This limitation was determined in accordance with the baghouse manufacturer's guaranteed outlet grain loading. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- b. Emission Limitation:

0.26 pound PE/hour

Applicable Compliance Method:

This limitation was developed by applying the emission limitation of 0.005 gr/dscf to a maximum volumetric airflow rate of 6,000 dscfm. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- c. Emission Limitation:

1.14 tons PE/year

Applicable Compliance Method:

The annual PE limitation was developed by multiplying the pound/hour limitation by the maximum operating schedule of 8,760 hours/year and dividing by 2,000 pounds/ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

**VI. Miscellaneous Requirements**

**September 29, 1999**

None

Emissions Unit ID: **P087**

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein fines, with baghouse	OAC rule 3745-17-11(B)	none (see A.I.2.a)
	OAC rule 3745-17-07(A)	none (see A.I.2.b)

**2. Additional Terms and Conditions**

- 2.a The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Huron County, which is identified as a P-3 county.
- 2.b This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.

**II. Operational Restrictions**

None

**III. Monitoring and/or Recordkeeping Requirements**

None

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

Facility ID: **0339010005**

**IV. Reporting Requirements**

None

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

Facility ID: **0339010005**

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein fines, with baghouse	OAC rule 3745-31-05	0.005 grain/dry standard cubic foot (gr/dscf)  0.0064 pound particulate emissions (PE)/hour, 0.028 ton PE/year  (see B.2.a)

\*all PE is assumed to be PM<sub>10</sub>.

**2. Additional Terms and Conditions**

- 2.a Best Available Technology (BAT) for this emissions unit has been determined to be use of a baghouse for particulate emission control and compliance with the terms and conditions of this permit.

**II. Operational Restrictions**

1. The pressure drop across the baghouse shall be maintained within the range of 1-10 inches of water while the emissions unit is in operation.

**III. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating

Facility ID: 0339010005

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

Facility ID: **0339010005**

manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

#### IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section B.II.1 of the terms and conditions of this permit.

#### V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

0.005 gr/dscf

Applicable Compliance Method:

This limitation was determined in accordance with the baghouse manufacturer's guaranteed outlet grain loading. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- b. Emission Limitation:

0.0064 pound PE/hour

Applicable Compliance Method:

This limitation was developed by applying the emission limitation of 0.005 gr/dscf to a maximum volumetric airflow rate of 150 dscfm. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- c. Emission Limitation:

0.028 ton PE/year

Applicable Compliance Method:

The annual PE limitation was developed by multiplying the pound/hour limitation by the

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

Facility ID: **0339010005**

maximum operating schedule of 8,760 hours/year and dividing by 2,000 pounds/ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

Facility ID: **0339010005**

**VI. Miscellaneous Requirements**

None

September 29, 1999

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]****A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein reject transfer, with baghouse	OAC rule 3745-17-11(B)	3.52 pounds particulate emissions (PE)/hour
	OAC rule 3745-17-07(A)	visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

**2. Additional Terms and Conditions**

2.a None

**II. Operational Restrictions**

1. The pressure drop across the baghouse shall be maintained within the range of 1-10 inches of water while the emissions unit is in operation.

**III. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

**Central Soya Company, Inc.**

PERMIT NO. 1-03-0002

Facility ID: **0339010005**

Emissions Unit ID: **P089**

#### **IV. Reporting Requirements**

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

**September 29, 1999**

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

3.52 pounds PE/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (400 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

- b. Emission Limitation:

20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method:

OAC rule 3745-17-03(B)(1).

**VI. Miscellaneous Requirements**

None

September 29, 1999

**B. State Only Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein reject transfer, with baghouse	OAC rule 3745-31-05	0.005 grain/dry standard cubic foot (gr/dscf)  0.017 pound particulate emissions (PE)/hour, 0.074 ton PE/year  (see B.2.a)

\*all PE is assumed to be PM<sub>10</sub>.

**2. Additional Terms and Conditions**

- 2.a Best Available Technology (BAT) for this emissions unit has been determined to be use of a baghouse for particulate emission control and compliance with the terms and conditions of this permit.

**II. Operational Restrictions**

See A.II.1.

**III. Monitoring and/or Recordkeeping Requirements**

See A.III.1.

**IV. Reporting Requirements**

See A.IV.1.

**September 29, 1999**

Emissions Unit ID: **P089**

**September 29, 1999**

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

0.005 gr/dscf

Applicable Compliance Method:

This limitation was determined in accordance with the baghouse manufacturer's guaranteed outlet grain loading. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- b. Emission Limitation:

0.017 pound PE/hour

Applicable Compliance Method:

This limitation was developed by applying the emission limitation of 0.005 gr/dscf to a maximum volumetric airflow rate of 400 dscfm. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- c. Emission Limitation:

0.074 ton PE/year

Applicable Compliance Method:

The annual PE limitation was developed by multiplying the pound/hour limitation by the maximum operating schedule of 8,760 hours/year and dividing by 2,000 pounds/ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

**VI. Miscellaneous Requirements**

**Central Soya Company, Inc.**

**RTFA 11/11/2011 03:33:33**

Facility ID: **0339010005**

Emissions Unit ID: **P089**

None

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]**

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein aspiration, with baghouse	OAC rule 3745-17-11(B)	25.8 pounds particulate emissions (PE)/hour
	OAC rule 3745-17-07(A)	visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

**2. Additional Terms and Conditions**

2.a None

**II. Operational Restrictions**

1. The pressure drop across the baghouse shall be maintained within the range of 1-10 inches of water while the emissions unit is in operation.

**III. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

**IV. Reporting Requirements**

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

a. Emission Limitation:

25.8 pounds PE/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (4,500 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

b. Emission Limitation:

20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method:

OAC rule 3745-17-03(B)(1).

**VI. Miscellaneous Requirements**

None

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein aspiration, with baghouse	OAC rule 3745-31-05	0.005 grain/dry standard cubic foot (gr/dscf)  0.19 pound particulate emissions (PE)/hour, 0.83 ton PE/year  (see B.2.a)

\*all PE is assumed to be PM<sub>10</sub>.

**2. Additional Terms and Conditions**

- 2.a Best Available Technology (BAT) for this emissions unit has been determined to be use of a baghouse for particulate emission control and compliance with the terms and conditions of this permit.

**II. Operational Restrictions**

See A.II.1.

**III. Monitoring and/or Recordkeeping Requirements**

See A.III.1.

**IV. Reporting Requirements**

See A.IV.1.

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

Facility ID: **0339010005**

Facility ID: **0339010005**

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

0.005 gr/dscf

Applicable Compliance Method:

This limitation was determined in accordance with the baghouse manufacturer's guaranteed outlet grain loading. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- b. Emission Limitation:

0.19 pound PE/hour

Applicable Compliance Method:

This limitation was developed by applying the emission limitation of 0.005 gr/dscf to a maximum volumetric airflow rate of 4,500 dscfm. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- c. Emission Limitation:

0.83 ton PE/year

Applicable Compliance Method:

The annual PE limitation was developed by multiplying the pound/hour limitation by the maximum operating schedule of 8,760 hours/year and dividing by 2,000 pounds/ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

**VI. Miscellaneous Requirements**

**Central Soya Company, Inc.**  
PTI Application Number: **03-3292**  
**September 29, 1999**

Facility ID: **0339010005**

None

September 29, 1999

**Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]****A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein vacuum system, with baghouse	OAC rule 3745-17-11(B)  OAC rule 3745-17-07(A)	2.79 pounds particulate emissions (PE)/hour  visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

**2. Additional Terms and Conditions**

2.a None

**II. Operational Restrictions**

1. The pressure drop across the baghouse shall be maintained within the range of 1-10 inches of water while the emissions unit is in operation.

**III. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

**September 29, 1999**

**IV. Reporting Requirements**

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

**September 29, 1999**

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

- 2.79 pounds PE/hour

- Applicable Compliance Method:

- The permittee shall demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (300 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

- b. Emission Limitation:

- 20 percent opacity, as a six-minute average, except as otherwise provided by rule

- Applicable Compliance Method:

- OAC rule 3745-17-03(B)(1).

**VI. Miscellaneous Requirements**

None

**B. State Only Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
textured soy protein vacuum system, with baghouse	OAC rule 3745-31-05	0.005 grain/dry standard cubic foot (gr/dscf)  0.013 pound particulate emissions (PE)/hour, 0.057 ton PE/year  (see B.2.a)

\*all PE is assumed to be PM<sub>10</sub>.

**2. Additional Terms and Conditions**

- 2.a Best Available Technology (BAT) for this emissions unit has been determined to be use of a baghouse for particulate emission control and compliance with the terms and conditions of this permit.

**II. Operational Restrictions**

See A.II.1.

**III. Monitoring and/or Recordkeeping Requirements**

See A.III.1.

**IV. Reporting Requirements**

See A.IV.1.

**September 29, 1999**

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- a. Emission Limitation:

0.005 gr/dscf

Applicable Compliance Method:

This limitation was determined in accordance with the baghouse manufacturer's guaranteed outlet grain loading. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- b. Emission Limitation:

0.013 pound PE/hour

Applicable Compliance Method:

This limitation was developed by applying the emission limitation of 0.005 gr/dscf to a maximum volumetric airflow rate of 300 dscfm. If required, compliance with this limitation shall be determined in accordance with the test methods and procedures in U.S. EPA Method 5, which is located in 40 CFR Part 60, Appendix A.

- c. Emission Limitation:

0.057 ton PE/year

Applicable Compliance Method:

The annual PE limitation was developed by multiplying the pound/hour limitation by the maximum operating schedule of 8,760 hours/year and dividing by 2,000 pounds/ton. Therefore, provided compliance is shown with the hourly limitation, compliance will also be shown with the annual limitation.

**VI. Miscellaneous Requirements**

**September 29, 1999**

None

Emissions Unit ID: **P091**