



State Of Ohio Environmental Protection Agency

P.O. Box 1049, 361 East Broad St., Columbus, Ohio 43216-1049
(614)466-8565



Re: Permit to Install
Pickaway County

Richard F. Celeste, Governor

August 13, 1986

E.I. DUPONT DE NEMOURS & CO., INC.
P.O. BOX 89
CIRCLEVILLE, OHIO 43113
01-1266
ATTN: JAMES F. RILEY

CERTIFIED MAIL

Dear Sir:

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions I urge you to read it carefully.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Board of Review pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency and the Environmental Law Division of the Office of the Attorney General within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address:

Environmental Board of Review
250 East Town Street, Room 101
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations Section
Division of Air Pollution Control

TGR/gs

cc: US EPA
Central District Office
Central Office - Wastewater
Central Office - DSHWM



Permit to Install Terms and Conditions

Application No. 01-1266
APS Premise No. 0165010004
Permit Fee: \$200.

Name of Facility: E.I. Du PONT de NEMOURS & CO INC

Person to Contact: JAMES F. RILEY

Address: P.O. BOX 89
CIRCLEVILLE, OHIO 43113

Location of proposed source(s): RT 23
CIRCLEVILLE, OHIO

Description of proposed source(s): ~~NEW AIR CONTAMINANT SOURCE & NEW
WASTEWATER TREATMENT WORKS & NEW
SOLID WASTE DISPOSAL FACILITY - SP
RESIN SOLVENT RECOVERY FACILITY.~~


Date of Issuance: AUGUST 13, 1986

Effective Date: AUGUST 13, 1986

The above named entity is hereby granted a permit to install for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Warren W. Tyler

E. I. du PONT de NEMOURS & CO INC
APPLICATION NO 01-1266
PAGE 2
AUGUST 13, 1986

Substantial construction for installation must take place within eighteen months of the effective date of this permit. This deadline may be extended by up to twelve months, if application is made to the Director no less than sixty days before the expiration of this permit and the party shows good cause for any such extension.

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, examining records or reports pertaining to the construction, modification or installation of the above described source of environmental pollutants.

The proposed source shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

The specified permit fee must be remitted within 15 days of the effective date of this permit to install.

This permit shall apply only to the source(s) shown on the application approved by the Ohio Environmental Protection Agency.

Prior to disposing of any material generated by this operation, applicant shall obtain Ohio EPA approval regarding the proposed ultimate disposal site and method.

Sample the wastewater decanter underflow associated with the SP Resin Solvent Recovery for cyclohexane once per month for the first 4 months of operation. Samples should be representative of the decanter underflow. Test procedure used for determining cyclohexane concentration in wastewater should be specified.

Sample results should be submitted to Ohio EPA - Central District Office - Division of Water Pollution Control within 15 days after receiving results.

E. I. du PONT de NEMOURS & CO INC
APPLICATION NO 01-1266
PAGE 3
AUGUST 13, 1986

Sources/Limitations

<u>Ohio EPA Number</u>	<u>Source and Identification</u>	<u>BAT Determination</u>	<u>Applicable OAC Rule</u>	<u>Annual Emissions (tons/yr)</u>
P021	SP Resin Solvent Recovery Facility	5 tray, vent scrubber	3745-21-07 (G)(2)	Cyclohexane 2.5 lb/hr & 0.45 TPY

7008

8/15/86

Clara Dailey

Please modify PTI 01-1266 by
changing the DESCRIPTION OF PROPOSED
SOURCE(S) to:

New Air Contaminant Source - SP
Resin Solvent Recovery Facility

We want to remove: New Wastewater
Treatment Works & New Solid Waste
Disposal Facility

The new source is strictly an air
pollution source. There is not nor
will there be a new wastewater treatment
works or a new solid waste disposal
facility.

Please cc USEPA
Central District Office
Central Office - Wastewater
Central Office - DSHWM

Thanks Bob Miles