



1/29/2015

Certified Mail

Meghann Quinn
Dominion Transmission - Mullett Compressor Station
5000 Dominion Blvd
Glen Allen, VA 23060

No	TOXIC REVIEW
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0656005002
Permit Number: P0117073
Permit Type: Initial Installation
County: Monroe

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA) Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**

How to appeal this permit

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

How to save money, reduce pollution and reduce energy consumption

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: www.ohioairquality.org/clean_air

How to give us feedback on your permitting experience

Please complete a survey at www.epa.ohio.gov/survey.aspx and give us feedback on your permitting experience. We value your opinion.

How to get an electronic copy of your permit

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

If you have any questions, please contact Ohio EPA DAPC, Southeast District Office at (740)385-8501 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,



Erica R. Engel-Ishida, Manager
Permit Issuance and Data Management Section, DAPC

Cc: Ohio EPA-SEDO



FINAL

**Division of Air Pollution Control
Permit-to-Install and Operate
for**

Dominion Transmission - Mullett Compressor Station

Facility ID:	0656005002
Permit Number:	P0117073
Permit Type:	Initial Installation
Issued:	1/29/2015
Effective:	1/29/2015
Expiration:	3/22/2022



Division of Air Pollution Control
Permit-to-Install and Operate
for
Dominion Transmission - Mullett Compressor Station

Table of Contents

Authorization	1
A. Standard Terms and Conditions	3
1. What does this permit-to-install and operate ("PTIO") allow me to do?.....	4
2. Who is responsible for complying with this permit?	4
3. What records must I keep under this permit?	4
4. What are my permit fees and when do I pay them?.....	4
5. When does my PTIO expire, and when do I need to submit my renewal application?	4
6. What happens to this permit if my project is delayed or I do not install or modify my source?	5
7. What reports must I submit under this permit?	5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?	5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ...	5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?	6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?	6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently?	6
13. Can I transfer this permit to a new owner or operator?.....	6
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?	7
15. What happens if a portion of this permit is determined to be invalid?	7
B. Facility-Wide Terms and Conditions.....	8
C. Emissions Unit Terms and Conditions	11
1. Emissions Unit Group -Engines: P004,P005,	12



Final Permit-to-Install and Operate
Dominion Transmission - Mullett Compressor Station
Permit Number: P0117073
Facility ID: 0656005002
Effective Date: 1/29/2015

Authorization

Facility ID: 0656005002
Application Number(s): A0051041, A0052143
Permit Number: P0117073
Permit Description: Installation of two engines for a compressor station.
Permit Type: Initial Installation
Permit Fee: \$800.00
Issue Date: 1/29/2015
Effective Date: 1/29/2015
Expiration Date: 3/22/2022
Permit Evaluation Report (PER) Annual Date: Apr 1 - Mar 31, Due May 15

This document constitutes issuance to:

Dominion Transmission - Mullett Compressor Station
52174 Township Highway 964
Switzerland Twp., OH 43942

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.


Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Southeast District Office
2195 Front Street
Logan, OH 43138
(740)385-8501

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Craig W. Butler
Director



Authorization (continued)

Permit Number: P0117073

Permit Description: Installation of two engines for a compressor station.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Group Name: Engines

Emissions Unit ID:	P004
Company Equipment ID:	Compressor Engine #2
Superseded Permit Number:	
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	P005
Company Equipment ID:	Compressor Engine #3
Superseded Permit Number:	
General Permit Category and Type:	Not Applicable



Final Permit-to-Install and Operate
Dominion Transmission - Mullett Compressor Station
Permit Number: P0117073
Facility ID: 0656005002
Effective Date: 1/29/2015

A. Standard Terms and Conditions



1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is



very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions of this permit will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.



10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the [DO/LAA] in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the



change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



B. Facility-Wide Terms and Conditions



1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) 2.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.
2. Modeling to demonstrate compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F)(4)(b), for this project were not necessary because for the emissions units not exempted from modeling per OEPA Engineering Guide #69 and #70, maximum annual emissions for each toxic air contaminant, as defined in OAC rule 3745-114-01, will be less than 1.0 ton per year when controlled. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified PTIO prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials or use of new materials that would cause the emissions of any toxic air contaminant to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new PTIO.
3. The Ohio EPA has determined that this facility is subject to the requirements of 40 CFR Part 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. At this time, the Ohio EPA is not accepting the delegating authority to enforce NESHAP standards for area sources. The requirements of this rule, that are applicable to the area source(s) for HAPs identified in this permit, shall be enforceable by U.S. EPA Region 5. The complete requirements of this rule (including the Part 63 General Provisions) may be accessed via the Internet from the Electronic code of Federal Regulations (e-CFR) website <http://www.ecfr.gov/> or by contacting the appropriate Ohio EPA District Office or Local Air Agency.
4. Specific emissions units contained in this permit are subject to 40 CFR Part 60, Subparts JJJJ (P004 and P005). The complete NSPS requirements, including the NSPS General Provisions, may be accessed via the internet from the e-CFR website <http://ecfr.gpoaccess.gov> or by contacting the appropriate Ohio EPA District office or local air agency.
5. Air contaminant sources that qualify as *de minimis* under OAC rule 3745-15-05, or are exempt under OAC rule 3745-31-03(A)(1) or (4) are not subject to emission standards established within this permit. Although this permit does not apply to *de minimis* or exempt sources, emissions from *de minimis* or exempt sources must be included in the total PTE calculations for this permit. PTE calculations should include sources such as:
 - a) Dehydrator reboiler (2.0 MMBtu/hr) heater, B001 (*de minimis* and exempt per 3745-15-05 & 3745-31-03(A)(1)(a)),
 - b) Material loadout, J002 and Roadways and Parking Areas, F002 (*de minimis* per OAC rule 3745-15-05),



c) Methanol Tank, T007 (*de minimis* and exempt per 3745-31-03(A)(1)(I)).

6. The Compressor Station must comply with the Used Oil Management Standards of OAC Chapter 3745-279.
7. Abbreviations throughout are as follows:

Pollutants

NO _x	nitrogen oxides
CO	carbon monoxide
VOC	volatile organic carbon
PE	particulate emissions

Units

lb	pound
g	gram
MM	million
Btu	British thermal units
hp	horsepower
bhp	brake horsepower
hr	hour
m	month

Regulations

OAC	Ohio Administrative Code
ORC	Ohio Revised Code
CFR	Code of Federal Regulations
e-CFR	Electronic Code of Federal Regulation
BAT	Best Available Technology
NSPS	New Source Performance Standards
NESHAP	National Emission Standards for Hazardous Air Pollutants
GACT	Generally Available Control Technology

General

PTE	Potential to Emit
PTIO	Permit to Install and Operate



C. Emissions Unit Terms and Conditions



1. Emissions Unit Group -Engines: P004,P005,

EU ID	Operations, Property and/or Equipment Description
P004	4735 HP CAT G3616, non-emergency, 4-stroke lean-burn natural gas compressor engine with catalytic oxidation, model year 2014
P005	4735 HP CAT G3616, non-emergency, 4-stroke lean-burn natural gas compressor engine with catalytic converter, model year 2014.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3), as effective 6/30/2008.	Install engines designed to meet 0.5 g NO _x /bhp-hr Install engines designed to meet 0.7 g VOC/bhp-hr. Install engines designed to meet 0.275 g CO/bhp-hr.
b.	OAC rule 3745-31-05(A)(3), as effective 6/30/2008	PM ₁₀ shall not exceed 0.13 ton/m as a rolling, 12-month average. See b)(2)a. below.
c.	OAC rule 3745-31-05(A)(3)(a)(ii), as effective 6/30/2008	The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to PE from this air contaminant source since the potential to



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		emit is less than 10 tons/year. See b)(2)b. below.
d.	40 CFR Part 60, Subpart JJJJ (40 CFR 60. 4230 – 60.4248) [In accordance with 40 CFR Part 60.4233(e) and 40 CFR Part 60, Subpart JJJJ, Table 1, this emissions unit is a 4735 hp, natural gas-fired, stationary spark internal combustion engine manufactured after July 1, 2007 that is located at a new natural gas compressor station and is subject to the emission limitations and control measures specified in this section.]	NO _x emissions shall not exceed 1.00 g/hp-hr or 82 ppmvd at 15% O ₂ . CO emissions shall not exceed 2.0 g/hp-hr or 270 ppmvd at 15% O ₂ . VOC emissions shall not exceed 0.7 g/hp-hr or 60 ppmvd at 15% O ₂ . [40 CFR Part 60.4233(e) and 40 CFR Part 60, Subpart JJJJ, Table 1] See b(2)c. below.
e.	40 CFR Part 60.1-19 (40 CFR 60.4246)	Table 3 to Subpart JJJJ of 40 CFR Part 60 – Applicability of General Provisions to Subpart JJJJ shows which part of the General Provisions in 40 CFR Part 60.1 – 19 apply.
f.	OAC rule 3745-17-11(B)(5)(b)	PE shall not exceed 0.062 lb/MMBtu actual heat input.
g.	OAC rule 3745-17-07(A)(1)	Visible PE from the stack serving this emissions unit shall not exceed 20% opacity as a six-minute average, except as provided by the rule.
h.	OAC rule 3745-18-06(E)	This emissions unit is exempt from the requirements of OAC rule 3745-18-06 pursuant to OAC rule 3745-18-06(A).

(2) Additional Terms and Conditions

- a. This Best Available Technology (BAT) emission limit applies until U.S. EPA approves Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3)(a)(ii) (the less than 10 tons per year BAT exemption) into the Ohio State Implementation Plan (SIP).
- b. These requirements apply once U.S. EPA approves OAC paragraph 3745-31-05(A)(3)(a)(ii) (the less than 10 tons per year BAT exemption as part of the Ohio SIP).
- c. The permittee shall comply with the applicable requirements of 40 CFR Part 60, Subpart JJJJ, including the following sections:



60.4236(a)	Installation deadlines
60.4243(b)	Compliance demonstration

c) Operational Restrictions

- (1) The permittee shall burn only natural gas in this emissions unit.
- (2) The permittee shall comply with the applicable restrictions of 40 CFR Part 60, Subpart JJJJ, including the following sections:

60.4234	Duration of operate and maintain engine in compliance with emission standards over the life of the engine
60.4243(b)	Operation and maintenance requirements for non-certified engines
60.4243(e)	Use of propane for up to 100 hours per year during emergencies

- (3) The permittee shall install and operate the engines with an oxidation catalyst for the control of CO and formaldehyde emissions whenever this emissions unit is in operation. The Permittee must keep a maintenance plan and records of conducted maintenance and must maintain and operate the engine in a manner consistent with good air pollution control practice for minimizing emissions.
- (4) In the event the engine is not operating in accordance with the manufacturer's and permittee's recommendations, instructions, or operating manual, with any modifications deemed necessary by the permittee, the engine shall be expeditiously repaired or otherwise returned to these documented operating conditions.

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
- (2) The permittee shall comply with the applicable restrictions of 40 CFR Part 60, Subpart JJJJ, including the following sections:

60.4245(a), (c) and (d)	Keep maintenance plan and records of conducted maintenance, and documentation that the engine meets the emissions standards
-------------------------	---



- (3) The permittee shall maintain documentation of the manufacturer's recommendations, instructions, operating manuals for the engines, along with documentation of any modifications deemed necessary by the permittee. These documents shall be maintained at the facility and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.
- (4) The permittee shall conduct periodic inspections of the engine to determine whether it is operating in accordance with the manufacturer's and permittee's recommendations, instructions, or operating manuals with any modifications deemed necessary by the permittee or operator. These inspections shall be performed at a frequency that shall be based upon the recommendation of the manufacturer and the permittee shall maintain a copy of the manufacturer's recommended inspection frequency, and it shall be made available to the Ohio EPA upon request.
- (5) In addition to the recommended periodic inspections, not less than once each calendar year the permittee shall conduct a comprehensive inspection of the engine while the emissions unit is shut down and perform any needed maintenance and repair to ensure that it is operated in accordance with the manufacturer's and permittee's recommendations.
- (6) The permittee shall document inspections of the engine and shall maintain the following information:
 - a. The date of the inspection;
 - b. A description of each/any problem identified and the date it was corrected;
 - c. A description of any maintenance and repairs performed; and
 - d. The name of the person who performed the inspection.

These records shall be maintained at the facility for not less than five years from the date the inspection and any necessary maintenance or repairs were completed and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

- (7) The permittee shall maintain records that document any time periods when the oxidation catalyst was not in service when the emissions unit(s) was/were in operation, as well as a record of all operations during which the engine was not operated according to the manufacturer's and permittee's recommendations with any documented modifications made by the permittee. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.
- e) Reporting Requirements
- (1) The reports required by this permit may be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal; or they may be mailed as a hard copy to the appropriate district office or local air agency.
 - (2) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA District Office or Local Air Agency by the due date identified in the Authorization section



of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.

- (3) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
- (4) The permittee shall submit notifications and reports to the Ohio EPA, Southeast District Office as required pursuant to 40 CFR Part 60, Subpart JJJJ, per the following sections:

60.4245(c) and 60.7(a)(1)	Submit an initial notification (non-certified engines)
60.4245(d)	Submit performance test copies within 60 days after the test has been completed

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Design Efficiency and Emissions Limitation:

Install engines designed to meet 0.5 g NO_x/bhp-hr.

NO_x emissions shall not exceed 1.0 g/hp-hr or 82 ppmvd at 15% O₂.

Applicable Compliance Method:

Compliance shall be demonstrated based upon the emissions testing requirements specified in f)(2).

b. Design Efficiency and Emissions Limitation:

Install engines designed to meet 0.7 g VOC/bhp-hr.

VOC emissions shall not exceed 0.7 g/hp-hr or 60 ppmvd at 15% O₂.

Applicable Compliance Method:

Compliance shall be demonstrated based upon the emissions testing requirements specified in f)(2).

c. Design Efficiency and Emissions Limitation:

Install engines designed to meet 0.275 g CO/bhp-hr.

CO emissions shall not exceed 2.0 g/hp-hr or 270 ppmvd at 15% O₂.



Applicable Compliance Methods:

Compliance shall be demonstrated based upon the emissions testing requirements specified in f)(2).

d. Emissions Limitation:

PM₁₀ shall not exceed 0.26 ton/m as a rolling, 12-month average.

Applicable Compliance Method:

Compliance with the PM₁₀ limitation shall be demonstrated by the following calculation based on the emissions factors and operational parameters provided in the permittee's application:

$$\left(\frac{0.010g}{bhp-hr} * 4,735 bhp * \frac{8,760 hr}{yr} * \frac{1 lb}{453.59 g} * \frac{1 ton}{2,000 lb} * \frac{yr}{12 m rolling} \right) * 2$$

$$= 0.26 \frac{ton}{rolling 12 m}$$

e. Emissions Limitation:

PE shall not exceed 0.062 lb/MMBtu actual heat input.

Applicable Compliance Method:

If required, particulate emissions shall be determined according to test Methods 1 - 5, as set forth in the "Appendix on Test Methods" in 40 CFR, Part 60 "Standards of Performance for New Stationary Sources", and the procedures specified in OAC rule 3745-17-03(B)(10). Alternative U.S. EPA-approved test methods may be used with prior approval from Ohio EPA, Southeast District Office.

f. Emissions Limitation:

Visible PE from the stack serving this emissions unit shall not exceed 20% opacity as a six-minute average, except as provided by the rule.

Applicable Compliance Method:

If required, visible particulate emissions shall be determined according to USEPA Method 9.

- (2) When purchasing a non-certified engine, the permittee shall demonstrate compliance with the emission standards specified in 40 CFR 60.4233(e) and according to the requirements specified in 40 CFR 60.4244, as applicable. The permittee must keep a maintenance plan and records of conducted maintenance and must, to the extent practicable, maintain and operate the engine in a manner consistent with good air pollution control practices for minimizing emissions.



The permittee has chosen to demonstrate compliance with the emission standards specified in §60.4233(e) and OAC rule 3745-31-05(A)(3) by performing a stack test, and therefore the permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the procedures specified in 40 CFR 60.4244; 40 CFR Part 60, Subpart JJJJ Table 2; and the following requirements:

- a. An initial performance test shall be performed to demonstrate compliance with the mass emissions limitations and design efficiencies in f)(1)a.-c. of this permit within 60 days after achieving the maximum production rate at which the emissions unit will be operated, but not later than 180 days after initial startup of the emissions unit.
- b. If the stationary internal combustion engine is rebuilt, or undergoes major repair or maintenance as defined in 40 CFR Part 60, Subpart A the permittee shall conduct subsequent performance test.
- c. Each performance test must be conducted within 10% of 100% peak (or the highest achievable) load and according to the requirements in 40 CFR 60.8 and under the specific conditions that are specified by Table 2 of 40 CFR Part 60, Subpart JJJJ.
- d. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Southeast District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Southeast District Office's refusal to accept the results of the emission test(s).
- e. Personnel from the Ohio EPA, Southeast District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.
- f. A comprehensive written report on the results of the emission test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA, Southeast District Office within 30 day s following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA, Southeast District Office.

g) Miscellaneous Requirements

- (1) None.