



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
HAMILTON COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 14-05145

DATE: 8/23/2001

Epcor Foundries
Donovan Bailey
425 North Bend Road
Cincinnati, OH 45216

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

HCDES

XXXX



**Permit To Install
Terms and Conditions**

**Issue Date: 8/23/2001
Effective Date: 8/23/2001**

FINAL PERMIT TO INSTALL 14-05145

Application Number: 14-05145
APS Premise Number: 1431073383
Permit Fee: **\$2600**
Name of Facility: Epcor Foundries
Person to Contact: Donovan Bailey
Address: 425 North Bend Road
Cincinnati, OH 45216

Location of proposed air contaminant source(s) [emissions unit(s)]:
**425 North Bend Road
Cincinnati, Ohio**

Description of proposed emissions unit(s):
Aluminaum foundry.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

Epcor Foundries
PTI Application: 14-05145
Issued: 8/23/2001

Facility ID: 1431073383

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

Epcor Foundries
PTI Application: 14-05145
Issued: 8/23/2001

Facility ID: 1431073383

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
OC	0.21
PM/PM10	28.44
NOx	1.93
CO	1.62
SO2	0.011

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F008 - 5,000 Pound Dry Hearth Furnace (Permanent Mold Area)	OAC rule 3745-31-05(A)(3)	0.44 lb/hr and 1.93 TPY NO _x 0.37 lb/hr and 1.62 TPY CO 0.0084 lb/hr and 0.037 TPY PM/PM10 0.0026 lb/hr and 0.011 TPY SO ₂ 0.048 lb/hr and 0.21 TPY OC
	OAC rule 3745-17-07(B)(1)	The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-07(B)(1) and 3745-17-08(B).
	OAC rule 3745-17-08(B)	See term A.2.a.
		See term A.2.b.

2. Additional Terms and Conditions

- 2.a Fugitive visible particulate emissions from this emissions unit shall not exceed 20 percent opacity, as a three-minute average, except as specified by rule.
- 2.b The permittee shall take all steps necessary to ensure proper operating procedures, so as to minimize or eliminate visible emissions of fugitive dust.
- 2.c The hourly and annual emission limitations outlined above are based on the emissions unit's

Potential to Emit (PTE). Therefore, no records are required to demonstrate compliance with these limits.

- 2.d** Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with all applicable regulations and emission limitations.

B. Operational Restrictions

1. The permittee shall burn only natural gas in this emissions unit.

C. Monitoring and/or Recordkeeping Requirements

1. For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

E. Testing Requirements

1. Compliance with the hourly emission limitations specified in term A.1. shall be demonstrated by multiplying the maximum hourly gas burning capacity of the emissions unit (4,400 cu. ft/hr) by the appropriate emission factor as specified in AP-42 Fifth Edition, Tables 1.4-1 and 1.4-2, 7/98. The annual emission limitations were developed by multiplying the hourly emission limitations by the maximum operating schedule of 8,760 hours/year, and dividing by 2,000 lbs/ton. Therefore, provided compliance is shown with the hourly limitations, compliance will also be shown with the annual limitations.
2. Compliance with the fugitive visible particulate limitation shall be demonstrated by the methods outlined in 40 CFR Part 60, Appendix A, Method 9.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F009 - Castings grinding/finishing (Permanent Mold Area)	OAC rule 3745-31-05(A)(3)	1.49 lbs/hr and 6.53 TPY PM/PM10
	OAC rule 3745-17-07(B)(1)	The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-07(B)(1) and 3745-17-08(B).
	OAC rule 3745-17-08(B)	See term A.2.a.
		See term A.2.b.

2. Additional Terms and Conditions

- 2.a Fugitive visible particulate emissions from this emissions unit shall not exceed 20 percent opacity, as a three-minute average, except as specified by rule.
- 2.b The permittee shall take all steps necessary to ensure proper operating procedures, so as to minimize or eliminate visible emissions of fugitive dust.
- 2.c The hourly and annual emission limitations outlined above are based on the emissions unit's Potential to Emit (PTE). Therefore, no records are required to demonstrate compliance with these limits.
- 2.d Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with all applicable regulations and emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. For the purpose of determining actual emissions, the permittee shall maintain monthly records of the following information:
 - a. The amount of metal castings produced for the calendar month, in tons.
 - b. The monthly PM/PM10 emissions, in tons, calculated by multiplying the metal castings production rate above by an emission factor of 8.5 lbs PM-PM10/ton metal (half of E.F. from AP-42 Table 12.10-7 to adjust for aluminum foundry; 1/95) and by a building enclosure efficiency of (1-.50) and by dividing by 2,000 lbs/ton.

D. Reporting Requirements

1. The permittee shall submit annual reports which specify the total PM/PM10 emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.

E. Testing Requirements

- a. Compliance with the PM/PM10 emission limitations shall be demonstrated by the record keeping requirements as specified in term C.1.
- b. Compliance with the fugitive visible particulate limitation shall be demonstrated by the methods outlined in 40 CFR Part 60, Appendix A, Method 9.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F010 - Castings cleaning (Sand Area)	OAC rule 3745-31-05(A)(3) OAC rule 3745-17-07(B)(1) OAC rule 3745-17-08(B)	1.96 lbs/hr and 8.58 TPY PM/PM10 The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-07(B)(1) and 3745-17-08(B). See term A.2.a. See term A.2.b.

2. Additional Terms and Conditions

- 2.a Fugitive visible particulate emissions from this emissions unit shall not exceed 20 percent opacity, as a three-minute average, except as specified by rule.
- 2.b The permittee shall take all steps necessary to ensure proper operating procedures, so as to minimize or eliminate visible emissions of fugitive dust.
- 2.c The hourly and annual emission limitations outlined above are based on the emissions unit's Potential to Emit (PTE). Therefore, no records are required to demonstrate compliance with these limits.
- 2.d Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with all applicable rules and emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. For the purpose of determining actual emissions, the permittee shall maintain monthly records of the following information for this emissions unit:
 - a. The amount of metal castings produced for the calendar month, in tons.
 - b. The monthly PM/PM10 emissions, in tons, calculated by multiplying the metal castings production rate above by an emission factor of 8.5 lbs PM-PM10/ton metal (half of E.F. from AP-42 Table 12.10-7 to adjust for aluminum foundry; 1/95) and by a building enclosure efficiency of (1-.50) and by dividing by 2,000 lbs/ton.

D. Reporting Requirements

1. The permittee shall submit annual reports which specify the total PM/PM10 emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.

E. Testing Requirements

1. Compliance with the PM/PM10 emission limitations shall be demonstrated by the record keeping requirements as specified in term C.1.
2. Compliance with the fugitive visible particulate limitation shall be demonstrated by the methods outlined in 40 CFR Part 60, Appendix A, Method 9.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F011 - Castings grinding/finishing (Sand Area)	OAC rule 3745-31-05(A)(3) OAC rule 3745-17-07(B)(1) OAC rule 3745-17-08(B)	1.96 lbs/hr and 8.58 TPY PM/PM10 The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-07(B)(1) and 3745-17-08(B). See term A.2.a. See term A.2.b.

2. Additional Terms and Conditions

- 2.a Fugitive visible particulate emissions from this emissions unit shall not exceed 20 percent opacity, as a three-minute average, except as specified by rule.
- 2.b The permittee shall take all steps necessary to ensure proper operating procedures, so as to minimize or eliminate visible emissions of fugitive dust.
- 2.c The hourly and annual emission limitations outlined above are based on the emissions unit's Potential to Emit (PTE). Therefore, no records are required to demonstrate compliance with these limits.
- 2.d Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with all applicable rules and emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. For the purpose of determining actual emissions, the permittee shall maintain monthly records of the following information for this emissions unit:
 - a. The amount of metal castings produced for the calendar month, in tons.
 - b. The monthly PM/PM10 emissions, in tons, calculated by multiplying the metal castings production rate above by an emission factor of 8.5 lbs PM-PM10/ton metal (half of E.F. from AP-42 Table 12.10-7 to adjust for aluminum foundry; 1/95) and by a building enclosure efficiency of (1-.50) and by dividing by 2,000 lbs/ton.

D. Reporting Requirements

1. The permittee shall submit annual reports which specify the total PM/PM10 emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.

E. Testing Requirements

1. Compliance with the PM/PM10 emission limitations shall be demonstrated by the record keeping requirements as specified in term C.1.
2. Compliance with the fugitive visible particulate limitation shall be demonstrated by the methods outlined in 40 CFR Part 60, Appendix A, Method 9.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F012 - Mold Pouring and Cooling (Sand Area)	OAC rule 3745-31-05(A)(3) OAC rule 3745-17-07(B)(1) OAC rule 3745-17-08(B)	0.50 lb/hr and 2.19 TPY PM/PM10 The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-07(B)(1) and 3745-17-08(B). See term A.2.a. See term A.2.b.

2. Additional Terms and Conditions

- 2.a Fugitive visible particulate emissions from this emissions unit shall not exceed 20 percent opacity, as a three-minute average, except as specified by rule.
- 2.b The permittee shall take all steps necessary to ensure proper operating procedures, so as to minimize or eliminate visible emissions of fugitive dust.
- 2.c The hourly and annual emission limitations outlined above are based on the emissions unit's Potential to Emit (PTE). Therefore, no records are required to demonstrate compliance with these limits.
- 2.d Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with all applicable rules and emissions limitations.

B. Operational Restrictions

None

C. Monitoring and/or Recordkeeping Requirements

1. For the purpose of determining actual emissions, the permittee shall maintain monthly records of the following information for this emissions unit:
 - a. The amount of metal castings produced for the calendar month, in tons.
 - b. The monthly PM/PM10 emissions, in tons, calculated by multiplying the metal castings production rate above by an emission factor of 2.1 lbs PM-PM10/ton metal (half of E.F. from AP-42 Table 12.10-7 to adjust for aluminum foundry; 1/95) and by a building enclosure efficiency of (1-.50) and by dividing by 2,000 lbs/ton.

D. Reporting Requirements

1. The permittee shall submit annual reports which identify the PM/PM10 emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.

E. Testing Requirements

1. Compliance with the PM/PM10 emission limitations shall be demonstrated by the record keeping requirements as specified in term C.1.
2. Compliance with the fugitive visible particulate limitation shall be demonstrated by the methods outlined in 40 CFR Part 60, Appendix A, Method 9.

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F013 - Sand Silo	OAC rule 3745-31-05(A)(3)	21.0 lbs/hr and 2.52 TPY PM/PM10 See term B.1. The requirements of this rule also include compliance with the requirements of OAC rules 3745-17-07(B)(1) and 3745-17-08(B).
	OAC rule 3745-17-07(B)(1)	See term A.2.a.
	OAC rule 3745-17-08(B)	See term A.2.b.

2. Additional Terms and Conditions

- 2.a Fugitive visible particulate emissions from this emissions unit shall not exceed 20 percent opacity, as a three-minute average, except as specified by rule.
- 2.b The permittee shall take all steps necessary to ensure proper operating procedures, so as to minimize or eliminate visible emissions of fugitive dust.
- 2.c The hourly emission limitation outlined above is based on the emissions unit's Potential to Emit (PTE). Therefore, no hourly records are required to demonstrate compliance with this limit.
- 2.d Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by compliance with all

Emissions Unit ID: F013

applicable rules, emissions limitations and *the limitation established for the amount of sand received usage limitations*.

B. Operational Restrictions

1. The maximum annual *amount of sand received usage rate* for this emissions unit shall not exceed 1,400 tons per year.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of the following information for this emissions unit:
 - a. The amount of sand *received loaded* for the calendar month, in tons.
 - b. The monthly PM/PM10 emissions, in tons, calculated by the following methodology:
 - i. Convert from tons sand/month to Mg sand/month by multiplying the tons sand/month rate above by 2,000 lbs/ton and by 453.6 g/lb and by dividing by 1E6 g/Mg.
 - ii. Multiply the resulting *amount of sand received usage rate* calculated in term C.1.b.i. above (in units of Mg sand/month) by an emission factor of 1.8 kg PM-PM10/Mg sand (half of the E.F. from AP-42 Table 12.10-7 to adjust for aluminum foundry; 1/95) and by 2.205 lbs/kg and dividing by 2,000 lbs/ton.

D. Reporting Requirements

1. The permittee shall submit annual reports which specify the total *amount of sand received usage rate* and the total PM/PM10 emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.

E. Testing Requirements

1. Compliance with the PM/PM10 emission limitations shall be demonstrated by the record keeping requirements as specified in term C.1.
2. Compliance with the annual *limitation for the amount of sand received usage rate limitation* shall be demonstrated by the record keeping requirements as specified in term C.1.
3. Compliance with the fugitive visible particulate limitation shall be demonstrated by the methods outlined

20

Epcor

PTI A

Issued: 8/23/2001

Emissions Unit ID: **F013**

in 40 CFR Part 60, Appendix A, Method 9.

F. Miscellaneous Requirements

None

NEW SOURCE REVIEW FORM B

PTI Number: 14-05145

Facility ID: 1431073383

FACILITY NAME Epcor Foundries

FACILITY DESCRIPTION Aluminaum foundrv.

CITY/TWP Cincinnati

Emissions Unit ID: **F013**

SIC CODE 3334

SCC CODE 30400399

EMISSIONS UNIT ID F008

EMISSIONS UNIT DESCRIPTION 5,000 pound dry hearth furnace (Permanent Mold area)

DATE INSTALLED 1994

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	0.0084 lb/hr	0.037	0.0084 lb/hr	0.037
PM ₁₀	Attainment	0.0084 lb/hr	0.037	0.0084 lb/hr	0.037
Sulfur Dioxide	Attainment	0.0026 lb/hr	0.011	0.0026 lb/hr	0.011
Organic Compounds	Attainment	0.048 lb/hr	0.21	0.048 lb/hr	0.21
Nitrogen Oxides	Attainment	0.44 lb/hr	1.93	0.44 lb/hr	1.93
Carbon Monoxide	Attainment	0.37 lb/hr	1.62	0.37 lb/hr	1.62
Lead	Attainment				
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? No

NESHAP? No

PSD? No

OFFSET POLICY? No

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

BAT has been determined to be compliance with all applicable regulations and emissions limitations.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SC

PTI Num

FACILITY

Emissions Unit ID: **F013**

FACILITY DESCRIPTION Aluminaum foundry. CITY/TWP Cincinnati

SIC CODE 3334 SCC CODE 30400340 EMISSIONS UNIT ID F010

EMISSIONS UNIT DESCRIPTION Castings cleaning (Sand Area)

DATE INSTALLED 1990

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	1.96 lbs/hr	4.04	1.96 lbs/hr	8.58
PM ₁₀	Attainment	1.96 lbs/hr	4.04	1.96 lbs/hr	8.58
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? No NESHAP? No PSD? No OFFSET POLICY? No

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

BAT has been determined to be compliance with all applicable regulations and emissions limitations.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 14-05145 Facility ID: 1431073383

FACILITY NAME Epcor Foundries

FACILITY DESCRIPTION Aluminaum foundrv. CITY/TWP Cincinnati

Emissions Unit ID: **F013**

SIC CODE 3334 SCC CODE 30400360 EMISSIONS UNIT ID F011

EMISSIONS UNIT DESCRIPTION Castings grinding/finishing (Sand Area)

DATE INSTALLED 1990

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	1.96 lbs/hr	4.04	1.96 lbs/hr	8.58
PM ₁₀	Attainment	1.96 lbs/hr	4.04	1.96 lbs/hr	8.58
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? No NESHAP? No PSD? No OFFSET POLICY? No

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

BAT has been determined to be compliance with all applicable regulations and emissions limitations.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES X NO

IDENTIFY THE AIR CONTAMINANTS:

NEW SOURCE REVIEW FORM B

PTI Number: 14-05145 Facility ID: 1431073383

FACILITY NAME Epcor Foundries

FACILITY DESCRIPTION Aluminaum foundrv. CITY/TWP Cincinnati

Emissions Unit ID: **F013**

SIC CODE 3334 SCC CODE 30400318 EMISSIONS UNIT ID F012

EMISSIONS UNIT DESCRIPTION Mold Pouring and Cooling (Sand Area)

DATE INSTALLED 1990

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	0.50 lb/hr	1.05	0.50 lb/hr	2.19
PM ₁₀	Attainment	0.50 lb/hr	1.05	0.50 lb/hr	2.19
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? No NESHAP? No PSD? No OFFSET POLICY? No

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

BAT has been determined to be compliance with all applicable regulations and emissions limitations.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES X NO

IDENTIFY THE AIR CONTAMINANTS:

