OhioEPA
State of Ohio Environmental Protection Agency

STREET ADDRESS:
1800 WaterMark Drive
Columbus, OH 43215-1099

TELE: (614) 644-3020 FAX: (614) 644-2329

MAILING ADDRESS:
P.O. Box 1049
Columbus, OH 43216-1049

February 7, 1996 CERTIFIED MAIL

Re: Modification to Permit to Install No. 15-1206
Stark County

RECEIVED
FEB 12 1996

Hoover Company-Plant I
101 E Maple St
North Canton, OH 44720

Attention: Monica A. Satrape

Enclosed please find a modification to the Ohio EPA Permit to Install referenced above which will modify the terms and conditions.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Board of Review pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address: Environmental Board of Review, 236 East Town Street, Room 300, Columbus, OH 43215.

Very truly yours,

Thomas G. Rigo

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

Enclosure

cc: US EPA
CANTON AIR POLLUTION CONTROL

State of Ohio Environmental Protection Agency

Permit to Install
Terms and Conditions

Issuance Date: February 7, 1996

Effective Date: February 7, 1996

OHIO ENVIRONMENTAL PROTECTION AGENCY

MODIFICATION TO PERMIT TO INSTALL

Name of Applicant: Hoover Company-Plant I
Address: 101 E Maple St
City: North Canton, Ohio
Telephone: (216) 499-9200

The Ohio EPA has received a request for a modification for the Ohio EPA Permit to Install referenced above.

The Permit to Install issued to **Hoover Company-Plant I** (PTI No. 15-1206) is hereby modified in the following manner:

Terms and Conditions on page 6 of Permit to Install issued December 20, 1995.

The reason for the modification is: **to modify Additional Special Terms and Conditions on Page 6 of PTI 15-1206, issued December 20, 1995, due to an administrative error.**

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

Ohio Environmental Protection Agency

Donald R Schregardus

Director

vinyl toluene is a non-HAP. This Permit to Install will replace Permit to Install 15-417 and 15-670 for sources K004 and K005 respectively. K006 did not previously have a Permit to Install.

2. **Operational and/or Production Limitations:**

This facility will limit the polyester resin usage to each emission unit as follows:

K004	.450 gal/hr 262 gal/month
K005	.325 gal/hr 158 gal/month
K006	.480 gal/hr 80 gal/month

3. **Federal Enforceable Limitations on Potential to Emit:**

The following Terms and Conditions are **federally enforceable** and incorporated into this Permit to Install to limit the potential to emit for these emission units:

Additional T & C No. 2 & 4

4. **Record-Keeping Requirements:**

This facility shall maintain monthly records which list the following information for each surface coating employed in sources K004, K005 and K006:

a. the company identification of the surface coating;
b. the number of gallons employed;
c. the VOC content, in pounds of VOC per gallon of coating;
d. the VOC content, in pounds of VOC per gallon of coating; minus water;
e. the water content, in percent by volume;
f. the nonvolatile (solids) content, in percent by volume;
g. the type and amount of clean-up solvent employed; and
h. type and amount of solvent used to maintain the viscosity of the coating.

These monthly records, as well as any supporting coating analyses and computations, shall be retained in the company's files for a period of not less than two years and shall be made available to the Director or any authorized representative of the Director for review. Copies of these records will be made available upon request.