



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
HAMILTON COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 14-05545

DATE: 4/29/2004

Milacron Inc. - Products Division
Frank Ujvary
3000 Disney Street
Cincinnati, OH 452095028

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

HCDES



**Permit To Install
Terms and Conditions**

**Issue Date: 4/29/2004
Effective Date: 4/29/2004**

FINAL PERMIT TO INSTALL 14-05545

Application Number: 14-05545
APS Premise Number: 1431070073
Permit Fee: **\$1400**
Name of Facility: Milacron Inc. - Products Division
Person to Contact: Frank Ujvary
Address: 3000 Disney Street
Cincinnati, OH 452095028

Location of proposed air contaminant source(s) [emissions unit(s)]:
**3000 Disney Street
Cincinnati, Ohio**

Description of proposed emissions unit(s):
Application for permit to install five abrasive grinding wheel curing kilns.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

Milacron Inc. - Products Division
PTI Application: 14-05545
Issued: 4/29/2004

Facility ID: 1431070073

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM/PM10	0.66
OC	1.34
NOx	13.4
CO	7.35
SO2	0.05

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment	<u>Applicable Rules/Requirements</u>	
P025 - Kiln 9	OAC rule 3745-31-05(A)(3)	OAC rule 3745-17-07(A)(1)
		OAC rule 3745-17-11(B)
		OAC rule 3745-18-06(E)
		OAC rule 3745-23-06(B)

Applicable Emissions
Limitations/Control Measures

0.03 lb/hr particulate matter emissions and particulate matter emissions under 10 microns in aerodynamic diameter (PM/PM10)
0.13 TPY PM/PM10

0.27 lb/hr organic compounds (OC)
0.27 TPY OC

0.61 lb/hr oxides of nitrogen (NOx)
2.68 TPY NOx

0.34 lb/hr carbon monoxide (CO)
1.47 TPY CO

0.0024 lb/hr sulfur dioxide (SO2)
0.01 TPY SO2

See Sections A.2.a. and B.1

Visible particulate emissions from any stack shall not exceed 10 percent opacity, as a six-minute average, except as specified by rule.

The requirements of this rule also include compliance with the requirements of OAC rule 3745-23-06(B).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

See Section A.2.c

2. Additional Terms and Conditions

- 2.a** Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the continued use of natural gas or liquified petroleum gas (LPG) as fuel, and compliance with the specified allowable emission rates.
- 2.b** The hourly emission limitations outlined above are based on the emissions unit's potential to emit (PTE). Therefore, no hourly records are required to demonstrate compliance with these limits.
- 2.c** The permittee has satisfied the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-23-06(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

B. Operational Restrictions

- 1. The permittee shall fuel this emissions unit with only natural gas and/or liquified petroleum gas (LPG) .

C. Monitoring and/or Recordkeeping Requirements

- 1. For each day during which the permittee burns a fuel other than natural gas and/or LPG, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
- 2. The permittee shall perform weekly checks, when the emissions unit is in operation, and when the weather conditions allow, for any abnormal visible particulate emissions from the stack serving this emissions unit. The presence or absence of any abnormal visible emissions shall be noted in an operations log. If abnormal visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the cause of the abnormal emissions;
 - b. the total duration of any visible emission incident; and
 - c. any corrective actions taken to eliminate the abnormal visible emissions.

D. Reporting Requirements

- 1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other

than natural gas and/or LPG was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

2. The permittee shall submit an annual written report which (a) identifies all days during which abnormal visible particulate emissions were observed emanating from the stack associated with the emissions unit and (b) describe any corrective actions taken to minimize or eliminate the abnormal visible particulate emissions. These reports shall be submitted to the Hamilton County Department of Environmental Services by January 31 of each year and cover the previous calendar year operation.

E. Testing Requirements

1. Compliance with the emissions limits for PM/PM10, SO₂, CO and NO_x in term A.1 shall be demonstrated by the emissions factors in AP-42, Tables 1.4-1 & 1.4-2 revised 7/98, or Table 1.5-1 revised 10/96.
2. Compliance with the emissions limits for OC in term A.1 shall be demonstrated by the emissions factors in AP-42, Tables 1.4-1 & 1.4-2 revised 7/98, or Table 1.5-1, revised 10/96, with an addition of 30 mg OC/cubic meter of exhaust gas, based on information obtained for a similar operation.
3. Compliance with the visible particulate emission limitation in term A.I shall be demonstrated by Method 9, 40 CFR Part 60 Appendix A.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit

to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Applicable Emissions
Limitations/Control Measures

0.03 lb/hr particulate matter emissions and particulate matter emissions under 10 microns in aerodynamic diameter (PM/PM10)
0.13 TPY PM/PM10

0.27 lb/hr organic compounds (OC)
0.27 TPY OC

0.61 lb/hr oxides of nitrogen (NOx)
2.68 TPY NOx

0.34 lb/hr carbon monoxide (CO)
1.47 TPY CO

0.0024 lb/hr sulfur dioxide (SO2)
0.01 TPY SO2

See Sections A.2.a. and B.1

Visible particulate emissions from any stack shall not exceed 10 percent opacity, as a six-minute average, except as specified by rule.

The requirements of this rule also include compliance with the requirements of OAC rule 3745-23-06(B).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule

3745-31-05(A)(3).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

See Section A.2.c

2. Additional Terms and Conditions

- 2.a** Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the continued use of natural gas or liquified petroleum gas (LPG) as fuel, and compliance with the specified allowable emission rates.
- 2.b** The hourly emission limitations outlined above are based on the emissions unit's potential to emit (PTE). Therefore, no hourly records are required to demonstrate compliance with these limits.
- 2.c** The permittee has satisfied the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-23-06(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

B. Operational Restrictions

- 1. The permittee shall fuel this emissions unit with only natural gas and/or liquified petroleum gas (LPG) .

C. Monitoring and/or Recordkeeping Requirements

1. For each day during which the permittee burns a fuel other than natural gas and/or LPG, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
2. The permittee shall perform weekly checks, when the emissions unit is in operation, and when the weather conditions allow, for any abnormal visible particulate emissions from the stack serving this emissions unit. The presence or absence of any abnormal visible emissions shall be noted in an operations log. If abnormal visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the cause of the abnormal emissions;
 - b. the total duration of any visible emission incident; and
 - c. any corrective actions taken to eliminate the abnormal visible emissions.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas and/or LPG was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
2. The permittee shall submit an annual written report which (a) identifies all days during which abnormal visible particulate emissions were observed emanating from the stack associated with the emissions unit and (b) describe any corrective actions taken to minimize or eliminate the abnormal visible particulate emissions. These reports shall be submitted to the Hamilton County Department of Environmental Services by January 31 of each year and cover the previous calendar year operation.

E. Testing Requirements

1. Compliance with the emissions limits for PM/PM10, SO₂, CO and NO_x in term A.1 shall be demonstrated by the emissions factors in AP-42, Tables 1.4-1 & 1.4-2 revised 7/98, or Table 1.5-1 revised 10/96.
2. Compliance with the emissions limits for OC in term A.1 shall be demonstrated by the emissions factors in AP-42, Tables 1.4-1 & 1.4-2 revised 7/98, or Table 1.5-1, revised 10/96, with an addition of 30 mg OC/cubic meter of exhaust gas, based on information obtained for a similar operation.

3. Compliance with the visible particulate emission limitation in term A.I shall be demonstrated by Method 9, 40 CFR Part 60 Appendix A.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>
P027 - Kiln 11	OAC rule 3745-31-05(A)(3) OAC rule 3745-17-07(A)(1) OAC rule 3745-17-11(B) OAC rule 3745-18-06(E) OAC rule 3745-23-06(B)

Applicable Emissions
Limitations/Control Measures

0.03 lb/hr particulate matter emissions and particulate matter emissions under 10 microns in aerodynamic diameter (PM/PM10)

0.13 TPY PM/PM10

0.27 lb/hr organic compounds (OC)

0.27 TPY OC

0.61 lb/hr oxides of nitrogen (NOx)

2.68 TPY NOx

0.34 lb/hr carbon monoxide (CO)

1.47 TPY CO

0.0024 lb/hr sulfur dioxide (SO2)

0.01 TPY SO2

See Sections A.2.a. and B.1

Visible particulate emissions from any stack shall not exceed 10 percent opacity, as a six-minute average, except as specified by rule.

The requirements of this rule also include compliance with the requirements of OAC rule 3745-23-06(B).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

See Section A.2.c

2. Additional Terms and Conditions

- 2.a** Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the continued use of natural gas or liquified petroleum gas (LPG) as fuel, and compliance with the specified allowable emission rates.
- 2.b** The hourly emission limitations outlined above are based on the emissions unit's potential to emit (PTE). Therefore, no hourly records are required to demonstrate compliance with these limits.
- 2.c** The permittee has satisfied the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-23-06(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

B. Operational Restrictions

1. The permittee shall fuel this emissions unit with only natural gas and/or liquified petroleum gas (LPG) .

C. Monitoring and/or Recordkeeping Requirements

1. For each day during which the permittee burns a fuel other than natural gas and/or LPG, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
2. The permittee shall perform weekly checks, when the emissions unit is in operation, and when the weather conditions allow, for any abnormal visible particulate emissions from the stack serving this emissions unit. The presence or absence of any abnormal visible emissions shall be noted in an operations log. If abnormal visible emissions are observed, the permittee shall also note the following in the operations log:
- a. the cause of the abnormal emissions;
 - b. the total duration of any visible emission incident; and
 - c. any corrective actions taken to eliminate the abnormal visible emissions.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other

than natural gas and/or LPG was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

2. The permittee shall submit an annual written report which (a) identifies all days during which abnormal visible particulate emissions were observed emanating from the stack associated with the emissions unit and (b) describe any corrective actions taken to minimize or eliminate the abnormal visible particulate emissions. These reports shall be submitted to the Hamilton County Department of Environmental Services by January 31 of each year and cover the previous calendar year operation.

E. Testing Requirements

1. Compliance with the emissions limits for PM/PM10, SO₂, CO and NO_x in term A.1 shall be demonstrated by the emissions factors in AP-42, Tables 1.4-1 & 1.4-2 revised 7/98, or Table 1.5-1 revised 10/96.
2. Compliance with the emissions limits for OC in term A.1 shall be demonstrated by the emissions factors in AP-42, Tables 1.4-1 & 1.4-2 revised 7/98, or Table 1.5-1, revised 10/96, with an addition of 30 mg OC/cubic meter of exhaust gas, based on information obtained for a similar operation.
3. Compliance with the visible particulate emission limitation in term A.I shall be demonstrated by Method 9, 40 CFR Part 60 Appendix A.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit

Milacron Inc. - Products Division**PTI Application: 14-05545****Issued****Facility ID: 1431070073**Emissions Unit ID: **P027**

to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Milac**PTI A****Issued: 4/29/2004**Emissions Unit ID: **P028**

Applicable Emissions
Limitations/Control Measures

0.04 lb/hr particulate matter emissions and particulate matter emissions under 10 microns in aerodynamic diameter (PM/PM10)
0.17 TPY PM/PM10

0.34 lb/hr organic compounds (OC)
0.34 TPY OC

0.76 lb/hr oxides of nitrogen (NO_x)
3.35 TPY NO_x

0.42 lb/hr carbon monoxide (CO)
1.85 TPY CO

0.003 lb/hr sulfur dioxide (SO₂)
0.01 TPY SO₂

See Sections A.2.a. and B.1

Visible particulate emissions from any stack shall not exceed 10 percent opacity, as a six-minute average, except as specified by rule.

The requirements of this rule also include compliance with the requirements of OAC rule 3745-23-06(B).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

See Section A.2.c

2. Additional Terms and Conditions

- 2.a** Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the continued use of natural gas or liquified petroleum gas (LPG) as fuel, and compliance with the specified allowable emission rates.
- 2.b** The hourly emission limitation outlined above is based on the emissions unit's potential to emit (PTE). Therefore, no hourly records are required to demonstrate compliance with these limits.
- 2.c** The permittee has satisfied the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-23-06(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

B. Operational Restrictions

1. The permittee shall fuel this emissions unit with only natural gas and/or liquified petroleum gas (LPG) .

C. Monitoring and/or Recordkeeping Requirements

1. For each day during which the permittee burns a fuel other than natural gas and/or LPG, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
2. The permittee shall perform weekly checks, when the emissions unit is in operation, and when the weather conditions allow, for any abnormal visible particulate emissions from the stack serving this emissions unit. The presence or absence of any abnormal visible emissions shall be noted in an operations log. If abnormal visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the cause of the abnormal emissions;
 - b. the total duration of any visible emission incident; and
 - c. any corrective actions taken to eliminate the abnormal visible emissions.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas and/or LPG was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
2. The permittee shall submit an annual written report which (a) identifies all days during which abnormal visible particulate emissions were observed emanating from the stack associated with the emissions unit and (b) describe any corrective actions taken to minimize or eliminate the abnormal visible particulate emissions. These reports shall be submitted to the Hamilton County Department of Environmental Services by January 31 of each year and cover the previous calendar year operation.

E. Testing Requirements

1. Compliance with the emissions limits for PM/PM10, SO₂, CO and NO_x in term A.1 shall be demonstrated by the emissions factors in AP-42, Tables 1.4-1 & 1.4-2 revised 7/98, or Table 1.5-1 revised 10/96.
2. Compliance with the emissions limits for OC in term A.1 shall be demonstrated by the emissions factors in AP-42, Tables 1.4-1 & 1.4-2 revised 7/98, or Table 1.5-1, revised 10/96, with an addition of 30 mg OC/cubic meter of exhaust gas, based on information obtained for a similar

Milacron Inc. - Products Division

PTI Application: 14-05545

Issued

Facility ID: 1431070073

Emissions Unit ID: P028

operation.

3. Compliance with the visible particulate emission limitation in term A.I shall be demonstrated by Method 9, 40 CFR Part 60 Appendix A.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Milac**PTI A****Issued: 4/29/2004**Emissions Unit ID: **P029**

Applicable Emissions Limitations/Control Measures	pursuant to OAC rule 3745-31-05(A)(3).
0.02 lb/hr particulate matter emissions and particulate matter emissions under 10 microns in aerodynamic diameter (PM/PM10) 0.10 TPY PM/PM10	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
0.17 lb/hr organic compounds (OC) 0.19 TPY OC	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
0.46 lb/hr oxides of nitrogen (NO _x) 2.01 TPY NO _x	See Section A.2.c
0.25 lb/hr carbon monoxide (CO) 1.09 TPY CO	
0.0018 lb.hr sulfur dioxide (SO ₂) 0.01 TPY SO ₂	
See Sections A.2.a. and B.1	
Visible particulate emissions from any stack shall not exceed 10 percent opacity, as a six-minute average, except as specified by rule.	
The requirements of this rule also include compliance with the requirements of OAC rule 3745-23-06(B).	
The emission limitation specified by this rule is less stringent than the emission limitation established	

2. Additional Terms and Conditions

- 2.a** Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the continued use of natural gas or liquified petroleum gas (LPG) as fuel, and compliance with the specified allowable emission rates.
- 2.b** The hourly emission limitation outlined above is based on the emissions unit's potential to emit (PTE). Therefore, no hourly records are required to demonstrate compliance with these limits.
- 2.c** The permittee has satisfied the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-23-06(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

B. Operational Restrictions

1. The permittee shall fuel this emissions unit with only natural gas and/or liquified petroleum gas (LPG) .

C. Monitoring and/or Recordkeeping Requirements

1. For each day during which the permittee burns a fuel other than natural gas and/or LPG, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
2. The permittee shall perform weekly checks, when the emissions unit is in operation, and when the weather conditions allow, for any abnormal visible particulate emissions from the stack serving this emissions unit. The presence or absence of any abnormal visible emissions shall be noted in an operations log. If abnormal visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the cause of the abnormal emissions;
 - b. the total duration of any visible emission incident; and
 - c. any corrective actions taken to eliminate the abnormal visible emissions.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas and/or LPG was burned in this emissions unit. Each report shall be submitted

within 30 days after the deviation occurs.

2. The permittee shall submit an annual written report which (a) identifies all days during which abnormal visible particulate emissions were observed emanating from the stack associated with the emission unit and (b) describe any corrective actions taken to minimize or eliminate the abnormal visible particulate emissions. These reports shall be submitted to the Hamilton County Department of Environmental Services by January 31 of each year and cover the previous calendar year operation.

E. Testing Requirements

1. Compliance with the emissions limits for PM/PM10, SO₂, CO and NO_x in term A.1 shall be demonstrated by the emissions factors in AP-42, Tables 1.4-1 & 1.4-2 revised 7/98, or Table 1.5-1 revised 10/96.
2. Compliance with the emissions limits for OC in term A.1 shall be demonstrated by the emissions factors in AP-42, Tables 1.4-1 & 1.4-2 revised 7/98, or Table 1.5-1, revised 10/96, with an addition of 30 mg OC/cubic meter of exhaust gas, based on information obtained for a similar operation.
3. Compliance with the visible particulate emission limitation in term A.I shall be demonstrated by Method 9, 40 CFR Part 60 Appendix A.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit

31

Milac

PTI A

Issued: 4/29/2004

Emissions Unit ID: **P029**

to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.