

Facility ID: 0857701413 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0857701413 Emissions Unit ID: F001 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Portable Concrete Batch Plant #10 (transit-mix)	OAC rule 3745-31-05(A)(3) PTI 08-319	3.0 lbs/hour and 2.4 tons/year of particulate emissions from the equipment identified below.
Transfer of sand and aggregate to elevated bins	OAC rule 3745-17-07	The visible emissions of fugitive dust shall not exceed 20 percent opacity as a 3-minute average.
	OAC rule 3745-17-08	The drop height of the front-end bucket shall be minimized to the extent possible in order to minimize or eliminate visible emissions of fugitive dust from the conveyor loading area. The sand and aggregate loaded into the elevated bins shall have a moisture content sufficient to minimize or eliminate visible emissions of fugitive dust from the conveyor and transfer point to bins.
Cement silo vent	OAC rule 3745-31-05(A)(3) PTI 08-319	The silo shall be adequately enclosed and vented to a fabric filter; the enclosure shall be sufficient to eliminate visible emissions of fugitive dust. The fabric filter shall achieve an outlet emission rate of not greater than 0.030 grain of particulate emissions per dry standard cubic foot of exhaust gases or there shall be no visible emissions from the outlet, whichever is less stringent.
		See A.2.2.b.
Weigh hopper loading of cement, sand and aggregate	OAC rule 3745-17-08 OAC rule 3745-31-05(A)(3) PTI 08-319	The weigh hopper shall be adequately enclosed and vented to a fabric filter; the enclosure shall be sufficient to eliminate visible emissions of fugitive dust at the point of capture. See A.2.2.b.
		See A.2.2.b.
Loading of transit-mix truck	OAC rule 3745-17-08 OAC rule 3745-17-07(B)	The visible emissions of fugitive dust shall not exceed 20 percent opacity as a 3-minute average. A charging boot shall be used around the hopper coke-feed discharge area and transit-mix truck opening; the charging boot shall have a collection efficiency sufficient to minimize or eliminate visible emissions of fugitive dust at the point of capture to the extent possible with good engineering design.

2. Additional Terms and Conditions

- (a) The 3.0 lbs/hr limitation was established for PTI purposes to reflect the potential to emit for this emission unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.
The limits based on this rule is the same as the limits specified above.

B. Operational Restrictions

1. The maximum operation of this source shall not exceed 150 cubic yards/hr (300 tons/hr).
2. The maximum annual operating hours for this emissions unit shall not exceed 1600 hours.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain monthly records of the operating hours for this emissions unit.
2. The permittee shall perform daily checks while the equipment is in operation for any visible particulate emissions from the fabric filter control systems. The presence or absence of any visible emissions from the fabric filter control systems shall be noted in an operations log. If any visible emissions are observed from either system, corrective actions shall be taken to eliminate the visible emissions and these actions shall also be noted in the operations log.

D. Reporting Requirements

1. The permittee shall submit annual reports of the total operating hours for this emissions unit. These reports shall be submitted by January 31 of each year to the Director (the appropriate Ohio EPA District office or local air agency).
2. The permittee shall submit on a semi-annual basis a report which (a) identifies all days during which any visible particulate emissions were observed from the fabric filter control systems and (b) describes the corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted by January 31 and July 31 of each year to the Director (the appropriate Ohio EPA District Office or local air agency).

E. Testing Requirements**1. Compliance Methods**

Compliance with the emission limitation(s) in section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation-
3.0 lb/hr particulate matter

Applicable Compliance Method-
Compliance shall be determined by totalling the following products:

i. Sand and aggregate transfer to elevated bin:

The maximum hourly production rate of 150 cubic yards/hour is multiplied by the AP-42 emission factor, 0.05 lbs/cubic yard. The resulting uncontrolled emissions rate, 7.5 lbs/hour, is then multiplied by a moisture emission control factor of 70% (1 - 0.70), resulting in a controlled emissions rate of 2.25 lbs/hour.

ii. Cement unloading to elevated silo (pneumatic):

The maximum hourly production rate of 150 cubic yards/hour is multiplied by the AP-42 emission factor, 0.07 lb/ton. The resulting uncontrolled emissions rate, 10.5 lbs/hour, is then multiplied by a fabric filter control factor of 99% (1 - 0.99), resulting in a controlled emission rate of 0.105 lbs/hour.

iii. Weigh hopper loading:

The maximum hourly production rate of 150 cubic yards/hour is multiplied by the AP-42 emission factor, 0.04 lbs/cubic yard. The resulting uncontrolled emissions rate, 6 lbs/hour, is then multiplied by a fabric filter control factor of 99% (1 - 0.99), resulting in a controlled emission rate of 0.06 lb/hour.

iv. Mixer loading (transit-mix)

The maximum hourly production rate of 150 cubic yards/hour is multiplied by AP-42 emission factor, 0.07 lbs/cubic yard. The resulting uncontrolled emissions rate, 10.5 lbs/hour, is then multiplied by a control factor of 99% (1 - 0.99), resulting in a controlled emission rate of 0.015 lbs/hour.

Emission Limitation-
2.4 tons/year of particulate

Applicable Compliance Method-
The 2.4 tons/year emissions limitation was developed by multiplying the 3.0 lbs/hour emissions limitation by a maximum annual operating schedule of 1,600 hours/year. Therefore, compliance shall be based upon the 12-month summation of the number of operating hours times the 3.0 lbs/hour emissions limitation, divided by 2,000 lbs/ton.

Emission Limitation -
20 percent opacity as a 3-minute average

Applicable Compliance Method -
Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(3) using the methods and procedures specified in USEPA Method 9.

Emission Limitation-
No visible emissions

Applicable Compliance Method-
Compliance shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(4) using the methods and procedures specified in USEPA Method 22.

F. Miscellaneous Requirements**1. Notice to Relocate a Portable or Mobile Source**

Pursuant to Ohio Administrative Code (OAC) rule 3754-31-03 (A)(1)(p)(i), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a Permit to Install providing the following criteria are met:

- i. the portable emissions unit is equipped with the best available control technology for such portable emission unit;
- ii. the portable emissions unit is operating pursuant to a currently effective Permit to Operate;
- iii. the applicant has provided proper notice of intent to relocate the portable emissions unit to the RAPCA within a minimum of thirty days prior to the scheduled relocation; and
- iv. in the RAPCA's and the appropriate field office's judgement, the proposed site is acceptable under the rule 3745-15-07 of the Administrative Code.
In the alternative, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a Permit to Install providing the following criteria of OAC rule 3745-31-05(F) are met:
 - i. the portable emissions unit permittee possesses an Ohio EPA Permit to Install, Permit to Operate or Registration Status;
 - ii. the portable emissions unit is equipped with best available technology;
 - iii. the portable emissions unit owner has identified the proposed site to Ohio EPA;
 - iv. Ohio EPA has determined that the portable emissions unit, at the proposed site, will have an acceptable environmental impact;
 - v. a public notice, consistent with Chapter 3745-47 of the Administrative Code, is published in the county where the proposed site is located;
 - vi. the owner of the proposed site has provided the portable emissions unit owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable emissions unit to this proposed site; and
 - vii. the portable emissions unit owner has provided Ohio EPA with fifteen days written notice of the relocation. Any site approvals issued by the Ohio EPA, pursuant to F.1.a. or F.1.b. above, shall be valid for no longer than three years and are subject to renewal.

In order for the RAPCA and the appropriate field office having jurisdiction over the new site to determine compliance with all of the above criteria, the owner or operator of the portable or mobile emissions unit must file a " Notice of Intent to Relocate", within the specified time frame (30 or 15 days) prior to the relocation of the emissions unit with the RAPCA (451 W. Third St., Dayton, OH 45422) and the appropriate field office having jurisdiction over the new site. Upon receipt of the notice, the RAPCA, and/or appropriate field office having jurisdiction over the new site, will evaluate the request in accordance with the above criteria.

Failure to submit said notification and to receive Ohio EPA approval prior to relocation of the emissions unit may result in fines and civil penalties.

2. The permittee shall comply with any applicable state and federal requirements governing the storage, treatment, transport, and disposal of any waste material generated by the operation of the emissions unit(s).
3. The permittee is hereby notified that this permit, and all agency records concerning the operation of this permitted emissions unit are subject to public disclosure in accordance with OAC rule 3745-49-03.