



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL CERTIFIED MAIL
HAMILTON COUNTY**

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 14-04897

DATE: 4/12/00

Welch Sand & Gravel Inc
James Welch
10217 Columbia St
Harrison, OH 450309751

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA

HCDES



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit To Install

Issue Date: 4/12/00

FINAL PERMIT TO INSTALL 14-04897

Application Number: 14-04897
APS Premise Number: 1431234061
Permit Fee: **\$900**
Name of Facility: Welch Sand & Gravel Inc
Person to Contact: James Welch
Address: 10217 Columbia St
Harrison, OH 450309751

Location of proposed air contaminant source(s) [emissions unit(s)]:

**10217 Columbia St
Harrison, Ohio**

Description of proposed emissions unit(s):

250 ton per hour portable aggregate screening plant.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

Welch Sand & Gravel Inc
PTI Application: 14-04897
Issued: 4/12/00

Facility ID: 1431234061

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM	6.23
PM-10	3.06

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F004 - sand and aggregate storage piles	OAC rule 3745-31-05(A)(3)	4.1 tons/yr particulate emissions, 2.05 tons/yr particulate emissions less than 10 microns See terms A.2.2.a, A.2.2.b, B.1 and B.2.
	OAC rule 3745-17-07(B)(6)	The emissions limitations established by this rule are less stringent than those established by OAC rule 3745-31-05(A)(3) (BAT).
	OAC rule 3745-17-08(B)(6)	Same as limitations established in OAC rule 3745-31-05(A)(3)
	OAC rule 3745-15-07	See Part I, term A.7

2. Additional Terms and Conditions

- 2.a There shall be no visible particulate emissions of fugitive dust from any material storage pile except for a period of time not to exceed one minute during any sixty-minute observation period.
- 2.b All sand and aggregate storage piles shall contain sufficient moisture so as to minimize or

eliminate visible emissions of fugitive dust caused by wind erosion.

- 2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by the visible emission limitations, throughput limitation and use of water or other dust suppressants.

B. Operational Restrictions

1. The permittee shall limit the drop height of the front-end loaders to fifteen (15) feet or less during the loading onto and the load-out from all sand and aggregate storage piles.
2. The total amount of material throughput in emissions unit F004 shall not exceed 500,000 tons per year.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of the amount of material throughput in emissions unit F004.

D. Reporting Requirements

1. The permittee shall submit annual reports to the Hamilton County Department of Environmental Services that identify any exceedances of the annual aggregate production limitation, as well as the corrective actions that were taken to achieve compliance. If no exceedances occurred, then the permittee shall state so in the report. These reports shall be submitted by January 31 of each year.

E. Testing Requirements

1. Compliance with the fugitive visible particulate emission limitations shall be demonstrated by the methods outlined in 40 CFR Part 60 Appendix A, Method 22.
2. Compliance with the particulate and PM-10 emission limitations in term A.1 shall be determined by emission factors from AP-42 13.2.4 (1/95) and 13.2.5 (1/95).

F. Miscellaneous Requirements

None

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F005 - aggregate screening and material handling	OAC rule 3745-31-05(A)(3)	2.13 lbs/hr and 2.13 tons/yr particulate emissions; 1.01 lbs/hr and 1.01 tons/yr particulate emissions less than 10 microns See term A.2.2.a, B.1, B.2 and B.3.
	OAC rule 3745-17-07(B)(1)	Visible particulate emissions of fugitive dust shall not exceed twenty percent opacity, as a three-minute average, except by rule
	OAC rule 3745-17-08(B)(6)	Same as limitations established in OAC rule 3745-31-05(A)(3)

2. Additional Terms and Conditions

- 2.a Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by keeping material in a moist condition, the use of water sprays, visible emission limitations and the annual production limit.
- 2.b The hourly emission limitations outlined in term A.1. are based upon the emissions unit's

Welch Sand & Gravel Inc
PTI Application: 14-04807
Issued

Facility ID: 1431234061

Emissions Unit ID: **F005**

potential to emit. Therefore, no hourly records are required to demonstrate compliance with these limits.

B. Operational Restrictions

1. Water sprays shall be operated at points necessary to ensure compliance with the visible emission limitations specified in term A.1.
2. Aggregate product loaded onto trucks shall have a moisture content sufficient to minimize visible emissions of fugitive dust and the loading drop height shall not exceed fifteen (15) feet.
3. The maximum amount of aggregate processed in emissions unit F005 shall not exceed 500,000 tons per year.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly records of the amount of aggregate processed in emissions unit F005.

D. Reporting Requirements

1. The permittee shall submit annual reports to Hamilton County Department of Environmental Services that identify any exceedances of the annual aggregate throughput limitation, as well as the corrective actions that were taken to achieve compliance. If no exceedances occurred, then the permittee shall state so in the report. These reports shall be submitted by January 31 of each year.

E. Testing Requirements

1. Compliance with the production limitation in term B.3 of these terms and conditions shall be demonstrated by the recordkeeping in term C.1.
2. Compliance with the annual emission limitations in term A.1. shall be demonstrated by calculations using the emission factors (EF) from AP-42, Table 11.19.2-2, Fifth Edition, 1995.
3. Compliance with the fugitive visible particulate emission limitations shall be demonstrated by the methods outlined in 40 CFR Part 60 Appendix A, Method 9.

F. Miscellaneous Requirements

1. Notice to Relocate a Portable or Mobile Source

Pursuant to Ohio Administrative Code (OAC) rule 3745-31-03(A)(1)(p)(i), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a

PTI providing the following criteria are met:

- a. The portable emissions unit is equipped with the best available control technology for such portable emissions unit;
- b. The portable emissions unit is operating pursuant to a currently effective permit to operate (PTO);
- c. The applicant has provided proper notice of intent to relocate the portable emissions unit to the Department of Environmental Services and the appropriate field office having jurisdiction over the new site within a minimum of thirty days prior to the scheduled relocation; and,
- d. In the Department of Environmental Services and the appropriate field office's judgement, the proposed site is acceptable under the rule 3745-15-07 of the Administrative Code.

In the alternative, pursuant to OAC rule 3745-31-03(A)(1)(p)(ii), the permittee of a portable or mobile emissions unit may relocate within the State of Ohio without first obtaining a PTI providing the following criteria of OAC rule 3745-31-05(F) are met:

- e. The portable emissions unit permittee possesses an Ohio EPA PTI, PTO or registration status;
- f. The portable emissions unit is equipped with best available technology;
- g. The portable emission unit owner has identified the proposed site to Ohio EPA;
- h. Ohio EPA has determined that the portable emissions unit, at the proposed site, will have an acceptable environmental impact;
- i. A public notice, consistent with Chapter 3745-47 of the Administrative Code, is published in the county where the proposed site is located;
- j. The owner of the proposed site has provided the portable emissions unit owner with approval or equivalent declaration that it is acceptable to the site owner to move the portable emissions unit to this proposed site; and,
- k. The portable emissions unit owner has provided Ohio EPA with fifteen days written notice of the relocation.

Welch Sand & Gravel Inc
PTI Application: 14 04907
Issued

Facility ID: 1431234061

Emissions Unit ID: **F005**

2. Any site approvals issued by the Ohio EPA, pursuant to F.1. above, shall be valid for no longer than three years and are subject to renewal.

In order for the Department of Environmental Services and the appropriate field office having jurisdiction over the new site to determine compliance with all of the above criteria, the owner or operator of the portable or mobile emissions unit must file a "Notice of Intent to Relocate", within

Welch**PTI A****Issued: 4/12/00**Emissions Unit ID: **F005**

the specified time frame (30 or 15 days) prior to the relocation of the emissions unit with the Department of Environmental Services (250 William Howard Taft Road, Cincinnati, OH 45219) and the appropriate field office having jurisdiction over the new site.

Upon receipt of the notice, the Department of Environmental Services and/or appropriate field office having jurisdiction over the new site, will evaluate the request in accordance with the above criteria.

Failure to submit said notification and to receive Ohio EPA approval prior to relocation of the emissions unit may result in fines and civil penalties.

NEW SOURCE REVIEW FORM B

PTI Number: 14-04897 Facility ID: 1431234061

FACILITY NAME Welch Sand & Gravel Inc

FACILITY DESCRIPTION 250 ton per hour portable aggregate CITY/TWP Harrison

Emissions Unit ID: F005

SIC CODE 1442 SCC CODE 3-05-025-07 EMISSIONS UNIT ID F004

EMISSIONS UNIT DESCRIPTION sand and aggregate storage piles

DATE INSTALLED 06/2000

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	attainment		1.73		4.1
PM ₁₀	attainment		0.86		2.05
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Visible emissions limitations, throughput limitation, use of water or other dust suppressants.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES X NO

IDENTIFY THE AIR CONTAMINANTS:

NEW SOURCE REVIEW FORM B

PTI Number: 14-04897 Facility ID: 1431234061

FACILITY NAME Welch Sand & Gravel Inc

FACILITY DESCRIPTION 250 ton per hour portable aggregate CITY/TWP Harrison

Emissions Unit ID: **F005**

SIC CODE 1442 SCC CODE 3-05-025-03 EMISSIONS UNIT ID F005

EMISSIONS UNIT DESCRIPTION aggregate screening and material handling

DATE INSTALLED 06/2000

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	attainment	1.36 lbs/hr	1.36	2.13 lbs/hr	2.13
PM ₁₀	attainment	0.65 lbs/hr	0.65	1.01 lbs/hr	1.01
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Visible emissions limitations, throughput limitation, keeping the material in moist condition and the use of water sprays.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no
 OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____