



**John R. Kasich**, Governor  
**Mary Taylor**, Lt. Governor  
**Craig W. Butler**, Director

6/30/2015

Certified Mail

Kauleen Bloom  
 American Warming and Ventilating, a division of Mestek  
 120 SOUTH PLIN ST  
 Bradner, OH 43406

No	TOXIC REVIEW
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MODELING SUBMITTED
Yes	SYNTHETIC MINOR TO AVOID TITLE V
Yes	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE

Facility ID: 0387000107  
 Permit Number: P0119116  
 Permit Type: Renewal  
 County: Wood

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA) Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**

**How to appeal this permit**

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
 77 South High Street, 17th Floor  
 Columbus, OH 43215

## **How to save money, reduce pollution and reduce energy consumption**

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: [www.ohioairquality.org/clean\\_air](http://www.ohioairquality.org/clean_air)

## **How to give us feedback on your permitting experience**

Please complete a survey at [www.epa.ohio.gov/survey.aspx](http://www.epa.ohio.gov/survey.aspx) and give us feedback on your permitting experience. We value your opinion.

## **How to get an electronic copy of your permit**

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, [www.epa.ohio.gov/dapc](http://www.epa.ohio.gov/dapc) by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

If you have any questions, please contact Ohio EPA DAPC, Northwest District Office at (419)352-8461 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,



Michael E. Hopkins, P.E.  
Assistant Chief, Permitting Section, DAPC

Cc: Ohio EPA-NWDO



**FINAL**

**Division of Air Pollution Control  
Permit-to-Install and Operate  
for**

**American Warming and Ventilating, a division of Mestek**

Facility ID:	0387000107
Permit Number:	P0119116
Permit Type:	Renewal
Issued:	6/30/2015
Effective:	6/30/2015
Expiration:	6/30/2020





**Division of Air Pollution Control**  
**Permit-to-Install and Operate**  
for  
American Warming and Ventilating, a division of Mestek

**Table of Contents**

Authorization .....	1
A. Standard Terms and Conditions .....	3
1. What does this permit-to-install and operate ("PTIO") allow me to do?.....	4
2. Who is responsible for complying with this permit? .....	4
3. What records must I keep under this permit? .....	4
4. What are my permit fees and when do I pay them?.....	4
5. When does my PTIO expire, and when do I need to submit my renewal application? .....	4
6. What happens to this permit if my project is delayed or I do not install or modify my source? .....	5
7. What reports must I submit under this permit? .....	5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? .....	5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ...	5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? .....	6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? .....	6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? .....	6
13. Can I transfer this permit to a new owner or operator?.....	7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? .....	7
15. What happens if a portion of this permit is determined to be invalid? .....	7
B. Facility-Wide Terms and Conditions.....	8
C. Emissions Unit Terms and Conditions .....	10
1. K001, Spray Paint Line .....	11
2. K002, Manual Paint Booth A - HVLP spray .....	20





**Final Permit-to-Install and Operate**  
American Warming and Ventilating, a division of Mestek  
**Permit Number:** P0119116  
**Facility ID:** 0387000107  
**Effective Date:** 6/30/2015

## Authorization

Facility ID: 0387000107  
Application Number(s): A0053678  
Permit Number: P0119116  
Permit Description: Renewal FEPTIO for two paint spray booths.  
Permit Type: Renewal  
Permit Fee: \$0.00  
Issue Date: 6/30/2015  
Effective Date: 6/30/2015  
Expiration Date: 6/30/2020  
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

American Warming and Ventilating, a division of Mestek  
120 SOUTH PLIN ST  
BRADNER, OH 43406

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.


Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northwest District Office  
347 North Dunbridge Road  
Bowling Green, OH 43402  
(419)352-8461

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

  
Craig W. Butler  
Director



## Authorization (continued)

Permit Number: P0119116  
Permit Description: Renewal FEPTIO for two paint spray booths.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

<b>Emissions Unit ID:</b>	<b>K001</b>
Company Equipment ID:	Spray Paint Line
Superseded Permit Number:	P0087863
General Permit Category and Type:	Not Applicable
<b>Emissions Unit ID:</b>	<b>K002</b>
Company Equipment ID:	Manual Paint Booth A - HVLP spray
Superseded Permit Number:	P0087863
General Permit Category and Type:	Not Applicable



**Final Permit-to-Install and Operate**  
American Warming and Ventilating, a division of Mestek  
**Permit Number:** P0119116  
**Facility ID:** 0387000107  
**Effective Date:** 6/30/2015

## **A. Standard Terms and Conditions**

**1. What does this permit-to-install and operate ("PTIO") allow me to do?**

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

**2. Who is responsible for complying with this permit?**

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

**3. What records must I keep under this permit?**

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

**4. What are my permit fees and when do I pay them?**

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

**5. When does my PTIO expire, and when do I need to submit my renewal application?**

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

**6. What happens to this permit if my project is delayed or I do not install or modify my source?**

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

**7. What reports must I submit under this permit?**

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

**8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?**

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions of this permit will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

**9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?**

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

**10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?**

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the [DO/LAA] in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

**11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?**

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

**12. What happens if one or more emissions units operated under this permit is/are shut down permanently?**

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

**13. Can I transfer this permit to a new owner or operator?**

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

**14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?**

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

**15. What happens if a portion of this permit is determined to be invalid?**

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



**Final Permit-to-Install and Operate**  
American Warming and Ventilating, a division of Mestek  
**Permit Number:** P0119116  
**Facility ID:** 0387000107  
**Effective Date:** 6/30/2015

## **B. Facility-Wide Terms and Conditions**

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - (1) None.
  - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - (1) None.
2. The Ohio EPA has determined that this facility may be subject to the requirements of 40 CFR Part 63 Subpart HHHHHH, National Emission Standards for Hazardous Air Pollutants (NESHAP) for Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources. Although Ohio EPA has determined that this Generally Available Control Technology (GACT) NESHAP may apply, at this time Ohio EPA does not have the authority to enforce this standard. Instead, U.S. EPA has the authority to enforce this standard. Please be advised, that all requirements associated with this rule are in effect and shall be enforced by U.S. EPA. For more information on the area source rules, please refer to the following U.S. EPA website: <http://www.epa.gov/ttn/atw/area/arearules.html>.



**Final Permit-to-Install and Operate**  
American Warming and Ventilating, a division of Mestek  
**Permit Number:** P0119116  
**Facility ID:** 0387000107  
**Effective Date:** 6/30/2015

## **C. Emissions Unit Terms and Conditions**



**1. K001, Spray Paint Line**

**Operations, Property and/or Equipment Description:**

Metal architectural louver coating line

- a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - (1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - a. b)(1)f., and d)(5) – d)(7) and e(4).
  - (2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - a. b)(1)b., b)(2)a., b)(2)b., c)(1), c)(2), d)(1), d)(3), e)(1), f)(1)a., f)(1)c. and f)(1)d.
- b) Applicable Emissions Limitations and/or Control Requirements
  - (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	Volatile organic compound (VOC) emissions from the cleanup operations (for emissions units K001 and K002 combined) shall not exceed 360.0 pounds (lbs) VOC/month and 2.16 tons per year (tpy).
b.	OAC rule 3745-31-05(D)	VOC emissions from the coating operations (for emissions unit K001) shall not exceed 21.6 tons, per rolling 12-month period from the coating operations. [see b)(2)b., c)(1), and c)(2)]  Hazardous Air Pollutant (HAP) emissions from emissions units K001 and K002, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP and 24.9 tons per rolling 12-month period for any combination of HAPs. [see b)(2)a.]



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
c.	OAC rule 3745-21-09(U)(1)(h)	6.2 lbs VOC/gallon, excluding water and exempt solvents, for all high performance architectural aluminum coatings.
d.	OAC rule 3745-21-09(U)(1)(d)	3.5 lbs VOC/gallon, excluding water and exempt solvents, for all coatings not subject to OAC rule 3745-21-09(U)(1)(h).
e.	OAC rule 3745-17-11(C)	See c)(4) and c)(5).
f.	ORC 3704.03(F)(4)(b) OAC rule 3745-114-01	See d)(5) – d)(7) and e(4).

(2) Additional Terms and Conditions

- a. This permit establishes federally enforceable limitations on emissions of hazardous air pollutants (HAPs) for purposes of avoiding Maximum Achievable Control Technology (MACT) regulations and Title V permitting requirements.

Annual HAP emissions from emissions units K001 and K002 combined shall not exceed 9.9 tons per year for any individual HAP and 24.9 tons per year for total combined HAPs, based on a rolling 12-month summation for any combination of the monthly HAP emissions.

Federally enforceable limitations of 9.9 tons of any individual HAP and 24.9 tons of any combination of HAPs per rolling 12-month period were initially established in a permit issued on July 14, 1999 (#03-1276) and as such the facility has existing records of HAP emissions in lieu of establishing monthly HAP emissions restrictions for the first year of operation.

- b. This permit establishes the following federally enforceable emission limitations on volatile organic compounds (VOC) for purposes of avoiding applicability of Title V permitting requirements:

- i. 21.6 tons VOC per rolling 12-month period based on material (coating, thinner, etc.) usage restrictions [see c)(1)] and coating VOC content restrictions [see c)(2)] for this emissions unit.

Federally enforceable VOC limitations were established in PTI #03-17204 issued October 23, 2007, and as such the facility has existing usage and VOC emissions records for the coating operations in lieu of establishing monthly restrictions for the first year of operation.

c) Operational Restrictions

- (1) The maximum annual coating material (coating, thinner, etc.) usage rate for emissions unit K001 shall not exceed 6,968 gallons, based upon a rolling 12-month summation of the monthly material usage rates.

- (2) The permittee shall use only coating materials (coatings, thinners, etc.) which comply with the applicable emissions limitations in OAC rule 3745-21-09(U)(1)(d) and OAC rule 3745-21-09(U)(1)(h) in emissions unit K001, on an "as applied" basis.
  - (3) All coatings employed in this emissions unit which are not classified as "high performance architectural aluminum coatings" (defined in OAC rule 3745-21-01) shall not be dried at temperatures exceeding 250 degrees Fahrenheit.
  - (4) The permittee shall install and operate a dry filtration system for the control of particulate emissions whenever this emissions unit is in operation and shall maintain the dry particulate filter in accordance with the manufacturer's recommendations, instructions, and/or operating manual(s), with any modifications deemed necessary by the permittee.
  - (5) In the event the particulate filter system is not operating in accordance with the manufacturer's recommendations, instructions, or operating manual, with any modifications deemed necessary by the permittee, the control device shall be expeditiously repaired or otherwise returned to these documented operating conditions.
- d) **Monitoring and/or Recordkeeping Requirements**
- (1) The permittee shall collect and record the following information each month for all coating materials employed in emissions unit K001:
    - a. the name and identification number of each material (coating, thinner, etc.) employed;
    - b. the VOC content of the coating (excluding water and exempt solvents), as applied, in lbs/gal [the VOC content excluding water and exempt solvents shall be calculated in accordance with the equation specified in paragraph (B)(8) of OAC rule 3745-21-10 for  $C_{VOC,2}$ ];
    - c. the VOC content of each material (coating, thinner, etc.), employed, in pounds per gallon;
    - d. the number of gallons of each coating material (coating, thinner, etc.), employed;
    - e. the total number of gallons of all coating material (coatings, thinners, etc.), employed (summation of d)(1)d. for all coating materials);
    - f. the rolling, 12-month coating material (coatings, thinners, etc.) usage rate, in gallons;
    - g. the VOC emission rate for each coating material (coating, thinner, etc.) employed, (d)(1)c. times d)(1)d., in pounds;
    - h. the total VOC emission rate for all coating materials (coatings, thinners, etc.) employed (summation of d)(1)g. for all coating materials.), in pounds or tons; and
    - i. the rolling, 12-month VOC emission rate, in tons.

- (2) The permittee shall collect and record the following each month for the cleanup operations in emissions units K001 and K002 combined:
  - a. the name and identification of each cleanup material employed;
  - b. the VOC content of each cleanup material employed, in pounds per gallon;
  - c. the number of gallons of each cleanup material employed;
  - d. the VOC emissions from each cleanup material employed, d)(2)b. times d)(2)c.;
  - e. the total VOC emissions from all the cleanup materials employed (summation of d)(2)d. for all cleanup materials) in pounds or tons; and
  - f. the annual year-to-date VOC emissions from the cleanup operations, in tons per year (summation of d)(2)e. for each calendar month to date from January to December).
  
- (3) The permittee shall collect and record the following HAP information each month for emissions units K001 and K002 combined:
  - a. the company identification of each coating and cleanup material employed;
  - b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
  - c. the number of gallons of each coating and cleanup material employed;
  - d. the emission rate for each individual HAP from each coating and cleanup material employed, d)(3)b. times d)(3)c., for each individual HAP, in lbs;
  - e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of d)(3)d. for all coatings and cleanup materials), in lbs;
  - f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of d)(3)e. for all HAPs for all coatings and cleanup materials), in lbs;
  - g. the monthly emission rate of each individual HAP and all HAPs combined, in tons; and
  - h. the rolling 12-month emission rate of each individual HAP and all HAPs combined, in tons.
  
- (4) The permittee shall monitor and record the temperature of the cure oven associated with this coating line when employing coatings in this emissions unit which are not classified as "high performance architectural aluminum coatings" (defined in OAC rule 3745-21-01). The curing oven temperature shall be monitored and recorded at least once during a "production run" of a specific part or product but not less than once per day.

- (5) Modeling to demonstrate compliance with the "Toxic Air Contaminant Statute" ORC 3704.03 (F)(4)(b) in PTIO P0106131, issued 6/25/10 was not necessary because the increase in the emissions unit's maximum annual emissions for each toxic air contaminant, as defined in OAC rule 3745-114-01, was less than 1.0 ton per year. OAC Chapter 3745-31 requires the permittee to apply for and obtain a new or modified FEPTIO prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any toxic air contaminant to increase to above 1.0 ton per year, may require the permittee to apply for and obtain a new FEPTIO.
- (6) Air toxic emissions associated with the original installation of this emissions unit was addressed by Permit to Install (PTI) 03-17204 issued 3/29/2007 and modified 10/23/2007. PTI 03-17204 issued for this emissions unit was evaluated based on the actual materials and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the PTI application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration from the use of the SCREEN 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: xylene

TLV (mg/m<sup>3</sup>): 434.0

Maximum Hourly Emission Rate (lbs/hr): 7.62

Predicted 1-Hour Maximum Ground-Level Concentration (ug/m<sup>3</sup>): 3,747.0

MAGLC (ug/m<sup>3</sup>): 10,333.0

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a toxic air contaminant listed in OAC rule 3745-114-01 with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;

- b. changes in the compositions of the materials, or use of new materials that would result in an increase in emissions of any air toxic contaminant listed in OAC rule 3745-114-01 that was proposed in the application and modeled; and
  - c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).
- (7) If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 solely due to the emissions of any type of toxic air contaminant not previously emitted, and a modification of the existing permit to install and operate will not be required, even if the toxic air contaminant emissions are greater than the de minimis level in OAC rule 3745-15-05. If the change(s) is (are) defined as a modification under other provisions of the modification definition, then the permittee shall obtain a final permit to install and operate prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.)
  - b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
  - c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.
- (8) The permittee shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for the dry particulate filter, along with documentation of any modifications deemed necessary by the permittee. These documents shall be maintained at the facility and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.
- (9) The permittee shall conduct periodic inspections of the dry particulate filter to determine whether it is operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the permittee or operator. These inspections shall be performed at a frequency that shall be based upon the recommendation of the manufacturer and the permittee shall maintain a copy of the manufacturer's recommended inspection frequency and it shall be made available to the Ohio EPA upon request.
- (10) In addition to the recommended periodic inspections, not less than once each calendar year the permittee shall conduct a comprehensive inspection of the dry particulate filter while the emissions unit is shut down and perform any needed maintenance and repair to ensure that it is operated in accordance with the manufacturer's recommendations.

- (11) The permittee shall document each inspection (periodic and annual) of the dry particulate filter system and shall maintain the following information:
- a. the date of the inspection;
  - b. a description of each/any problem identified and the date it was corrected;
  - c. a description of any maintenance and repairs performed; and
  - d. the name of person who performed the inspection.

These records shall be maintained at the facility for not less than five years from the date the inspection and any necessary maintenance or repairs were completed and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

- (12) The permittee shall maintain records that document any time periods when the dry particulate filter was not in service when the emissions unit(s) was/were in operation, as well as, a record of all operations during which the dry particulate filter was not operated according to the manufacturer's recommendations with any documented modifications made by the permittee. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify:
- a. all deviations (excursions) of the following emission limitations, operational restrictions and/or control device operating parameter limitations that restrict the Potential to Emit (PTE) of any regulated air pollutant and have been detected by the monitoring, record keeping and/or testing requirements in this permit:
    - i. 9.9 tons per rolling, 12-month period for any individual HAP for emissions units K001 and K002 combined;
    - ii. 24.9 tons per rolling, 12-month period for any combination of HAPs for emissions units K001 and K002 combined; and
    - iii. 21.6 tons per rolling, 12-month period for any combination of VOCs from the coating operations for emissions unit K001.
  - b. the probable cause of each deviation (excursion);
  - c. any corrective actions that were taken to remedy the deviations (excursions) or prevent future deviations (excursions); and
  - d. the magnitude and duration of each deviation (excursion).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

The quarterly reports shall be submitted, electronically through Ohio EPA Air Services, each year by January 31, April 30, July 31, and October 31, and shall cover the previous calendar quarters unless an alternative schedule has been established and approved by the Director (Ohio EPA, Northwest District Office).

- (2) The permittee shall notify the Director (Ohio EPA, Northwest District Office) of any monthly record showing the use of noncomplying coatings (i.e., coatings that exceeded the 6.2 lbs of VOC/gallon of architectural coatings, or 3.50 lbs of VOC/gallon of other coatings, excluding water and exempt solvents on an as applied basis) in this emissions unit. The notification shall include a copy of such record and shall be submitted within 30 days following the end of the calendar month.
  - (3) The permittee shall include any changes made to a parameter or value used in the dispersion model, that was used to demonstrate compliance with the Toxic Air Contaminant Statute, ORC 3704.03(F), through the predicted 1-hour maximum ground-level concentration, in the annual Permit Evaluation Report (PER). If no changes to the emissions, emissions unit(s), or the exhaust stack have been made, then the report shall include a statement to this effect.
  - (4) All applications, notifications or reports required by terms and conditions in this permit to be submitted or "reported in writing" are to be submitted to Ohio EPA through the Ohio EPA's eBusiness Center: Air Services web service ("Air Services"). Ohio EPA will accept hard copy submittals on an as-needed basis if the permittee cannot submit the required documents through the Ohio EPA eBusiness Center. In the event of an alternative hard copy submission in lieu of the eBusiness Center, the post-marked date or the date the document is delivered in person will be recognized as the date submitted. Electronic submission of applications, notifications, or reports required to be submitted to Ohio EPA fulfills the requirement to submit the required information to the Director, the District Office or Local Air Agency, and/or any other individual or organization specifically identified as an additional recipient identified in this permit unless otherwise specified. Consistent with OAC rule 3745-15-03, the required application, notification or report is considered to be "submitted" on the date the submission is successful using a valid electronic signature. Signature by the signatory authority may be represented as provided through procedures established in Air Services.
  - (5) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA. The PER must be submitted by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.
- f) Testing Requirements
- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:
    - a. Emission Limitation: VOC emissions from the coating operations (for emissions unit K001) shall not exceed 21.6 tons of VOC per rolling, 12-month period.

Applicable Compliance Method: Compliance with the annual allowable VOC emission limitation above shall be based upon the record keeping requirements as specified in d)(1) of this permit.

- b. Emission Limitation: VOC emissions from the cleanup operations (for emissions units K001 and K002 combined) shall not exceed 360.0 lbs VOC/month.

Applicable Compliance Method: Compliance with the monthly allowable emission limitation shall be based on the record keeping requirements as specified in d)(2) of this permit.

- c. Emission Limitation: HAP emissions from emissions units K001 and K002 combined, shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in d)(3) of this permit.

- d. Emission Limitation: 6.2 lbs VOC/gallon, excluding water and exempt solvents, for all high performance architectural aluminum coatings.

Applicable Compliance Method: Compliance with the VOC content limitation above shall be based upon the record keeping requirements specified in d)(1) of this permit.

- e. Emission Limitation: 3.5 lbs VOC/gallon, excluding water and exempt solvents, for all coatings not subject to OAC rule 3745-21-09(U)(1)(h).

Applicable Compliance Method: Compliance with the VOC content limitation above shall be based upon the record keeping requirements specified in d)(1) of this permit.

- (2) Formulation data or U.S. EPA Method 24 shall be used to determine the VOC content of the coatings and cleanup materials.

g) Miscellaneous Requirements

- (1) The facility shall submit a revised Hazardous Air Pollutant (HAP) summary, within 30 days of changing any coating material usage at the facility that results in an increase in HAP emissions, whether or not there is an increase in overall VOC emissions.

**2. K002, Manual Paint Booth A - HVLP spray**

**Operations, Property and/or Equipment Description:**

manual spray paint booth A, with particulate filters

- a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - (1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - a. b)(1)e., d)(5), d)(6) and e)(4).
  - (2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - a. b)(1)b., b)(2)a., e)(1) and f)(1)c.
- b) Applicable Emissions Limitations and/or Control Requirements
  - (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC 3745-31-05(A)(3)	<p>Volatile organic compound (VOC) emissions from the cleanup operations (for emissions units K001 and K002 combined) shall not exceed 360.0 pounds (lbs) VOC/month and 2.16 tons per year (tpy) [see b)(2)f].</p> <p>VOC emissions from the coating operations (for emissions unit K002) shall not exceed 41.1 lbs/day and 7.5 tpy.</p>
b.	OAC rule 3745-31-05(D)	Hazardous air pollutant (HAP) emissions from emissions units K001 and K002, combined, shall not exceed 9.9 tons per rolling, 12-month period for any individual HAP) and 24.9 tons per rolling 12-month period for any combination of HAPs [see b)(2)a.]
c.	OAC rule 3745-21-09(U)(2)(e)(iii)	Less than 10 gallons of coating material per day



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
d.	OAC rule 3745-17-11(C)	See c)(1) and c)(2)
e.	ORC 3704.03(F)(4)(b) OAC rule 3745-114-01	See d)(5), d)(6) and e)(4).

(2) Additional Terms and Conditions

- a. This permit establishes federally enforceable limitations on emissions of hazardous air pollutants (HAPs) for purposes of avoiding Maximum Achievable Control Technology (MACT) regulations and Title V permitting requirements.

Annual HAP emissions from emissions units K001 and K002 combined shall not exceed 9.9 tons per year for any individual HAP and 24.9 tons per year for total combined HAPs, based on a rolling 12-month summation for any combination of the monthly HAP emissions.

Federally enforceable limitations of 9.9 tons of any individual HAP and 24.9 tons of any combination of HAPs per rolling 12-month period were initially established in a permit issued on October 23, 2007 (#03-17204) and as such the facility has existing records of HAP emissions in lieu of establishing monthly HAP emissions restrictions for the first year of operation.

- b. The emission limitation of 360.0 lbs VOC/month from cleanup operations [for emissions units K001 and K002 combined] represents the calculated potential to emit based on operational and design considerations.

c) Operational Restrictions

- (1) The permittee shall install and operate a dry filtration system for the control of particulate emissions whenever this emissions unit is in operation and shall maintain the dry particulate filter in accordance with the manufacturer's recommendations, instructions, and/or operating manual(s), with any modifications deemed necessary by the permittee.
- (2) In the event the particulate filter system is not operating in accordance with the manufacturer's recommendations, instructions, or operating manual, with any modifications deemed necessary by the permittee, the control device shall be expeditiously repaired or otherwise returned to these documented operating conditions.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall collect and record the following information each day for all coating materials employed in emissions unit K002:
  - a. the name and identification number of each material (coating, thinner, etc.) employed;
  - b. the VOC content of each material (coating, thinner, etc.), employed, in pounds per gallon;

- c. the number of gallons of each coating material (coating, thinner, etc.), employed;
  - d. the total number of gallons of all coating material (coatings, thinners, etc.), employed (summation of d)(1)c. for all coating materials);
  - e. the VOC emission rate for each coating material (coating, thinner, etc.) employed, (d)(1)b. times d)(1)c., in pounds; and
  - f. the total VOC emission rate for all coating materials (coatings, thinners, etc.) employed (summation of d)(1)e. for all coating materials.), in pounds.
- (2) In addition to the record keeping above, the permittee shall collect and record the following information each month for the purpose of determining annual organic compound emissions:
- a. the annual year-to-date VOC emissions from the coating operations, in tons per year (summation of d)(1)f. for each calendar month to date from January to December).
- (3) The permittee shall collect and record the following each month for the cleanup operations in emissions units K001 and K002 combined:
- a. the name and identification of each cleanup material employed;
  - b. the VOC content of each cleanup material employed, in pounds per gallon;
  - c. the number of gallons of each cleanup material employed;
  - d. the VOC emissions from each cleanup material employed, d)(2)b. times d)(2)c.;
  - e. the total VOC emissions from all the cleanup materials employed (summation of d)(2)d. for all cleanup materials) in pounds or tons; and
  - f. the annual year-to-date VOC emissions from the cleanup operations, in tons per year (summation of d)(2)e. for each calendar month to date from January to December).
- (4) The permittee shall collect and record the following HAP information each month for emissions units K001 and K002 combined:
- a. the company identification of each coating and cleanup material employed;
  - b. the amount of each individual HAP in each coating and cleanup material, in lbs/gallon, as applied;
  - c. the number of gallons of each coating and cleanup material employed;
  - d. the emission rate for each individual HAP from each coating and cleanup material employed, d)(3)b. times d)(3)c., for each individual HAP, in lbs;

- e. the total emission rate for each individual HAP from all the coatings and cleanup materials employed (for each individual HAP, the summation of d)(3)d. for all coatings and cleanup materials), in lbs;
  - f. the total HAP emission rate for all HAPs combined from all the coatings and cleanup materials employed (summation of d)(3)e. for all HAPs for all coatings and cleanup materials), in lbs;
  - g. the monthly emission rate of each individual HAP and all HAPs combined, in tons; and
  - h. the rolling 12-month emission rate of each individual HAP and all HAPs combined, in tons.
- (5) Air toxic emissions associated with the original installation of this emissions unit was addressed by Permit to Install (PTI) 03-17204 issued 3/29/2007 and modified 10/23/2007. PTI 03-17204 issued for this emissions unit was evaluated based on the actual materials and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the PTI application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration from the use of the SCREEN 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: xylene

TLV (mg/m<sup>3</sup>): 434.0

Maximum Hourly Emission Rate (lbs/hr): 2.62

Predicted 1-Hour Maximum Ground-Level Concentration (ug/m<sup>3</sup>): 349.9

MAGLC (ug/m<sup>3</sup>): 10,333.0

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a toxic air contaminant listed in OAC rule 3745-114-01 with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook

entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value previously modeled;

- b. changes in the compositions of the materials, or use of new materials that would result in an increase in emissions of any air toxic contaminant listed in OAC rule 3745-114-01 that was proposed in the application and modeled; and
  - c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).
- (6) If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 solely due to the emissions of any type of toxic air contaminant not previously emitted, and a modification of the existing permit to install and operate will not be required, even if the toxic air contaminant emissions are greater than the de minimis level in OAC rule 3745-15-05. If the change(s) is (are) defined as a modification under other provisions of the modification definition, then the permittee shall obtain a final permit to install and operate prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy:"

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.)
  - b. documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
  - c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.
- (7) The permittee shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for the dry particulate filter, along with documentation of any modifications deemed necessary by the permittee. These documents shall be maintained at the facility and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.
- (8) The permittee shall conduct periodic inspections of the dry particulate filter to determine whether it is operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the permittee or operator. These inspections shall be performed at a frequency that shall be based upon the recommendation of the manufacturer and the permittee shall maintain a copy of the manufacturer's recommended inspection frequency and it shall be made available to the Ohio EPA upon request.

- (9) In addition to the recommended periodic inspections, not less than once each calendar year the permittee shall conduct a comprehensive inspection of the dry particulate filter while the emissions unit is shut down and perform any needed maintenance and repair to ensure that it is operated in accordance with the manufacturer's recommendations.
- (10) The permittee shall document each inspection (periodic and annual) of the dry particulate filter system and shall maintain the following information:
- a. the date of the inspection;
  - b. a description of each/any problem identified and the date it was corrected;
  - c. a description of any maintenance and repairs performed; and
  - d. the name of person who performed the inspection.

These records shall be maintained at the facility for not less than five years from the date the inspection and any necessary maintenance or repairs were completed and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

- (11) The permittee shall maintain records that document any time periods when the dry particulate filter was not in service when the emissions unit(s) was/were in operation, as well as, a record of all operations during which the dry particulate filter was not operated according to the manufacturer's recommendations with any documented modifications made by the permittee. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify:
- a. all deviations (excursions) of the following emission limitations, operational restrictions and/or control device operating parameter limitations that restrict the Potential to Emit (PTE) of any regulated air pollutant and have been detected by the monitoring, record keeping and/or testing requirements in this permit:
    - i. 9.9 tons per rolling, 12-month period for any individual HAP for emissions units K001 and K002 combined; and
    - ii. 24.9 tons per rolling, 12-month period for any combination of HAPs for emissions units K001 and K002 combined.
  - b. the probable cause of each deviation (excursion);
  - c. any corrective actions that were taken to remedy the deviations (excursions) or prevent future deviations (excursions); and
  - d. the magnitude and duration of each deviation (excursion).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

The quarterly reports shall be submitted, electronically through Ohio EPA Air Services, each year by January 31, April 30, July 31, and October 31, and shall cover the previous calendar quarters unless an alternative schedule has been established and approved by the Director (Ohio EPA, Northwest District Office).

- (2) The permittee shall notify the Director (the Ohio EPA, Northwest District Office) in writing of any daily record showing the use of greater than 10 gallons of coating materials per day in emissions unit K002. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA, Northwest District Office) within 45 days after the event occurs.
  - (3) The permittee shall include any changes made to a parameter or value used in the dispersion model, that was used to demonstrate compliance with the Toxic Air Contaminant Statute, ORC 3704.03(F), through the predicted 1-hour maximum ground-level concentration, in the annual Permit Evaluation Report (PER). If no changes to the emissions, emissions unit(s), or the exhaust stack have been made, then the report shall include a statement to this effect.
  - (4) All applications, notifications or reports required by terms and conditions in this permit to be submitted or "reported in writing" are to be submitted to Ohio EPA through the Ohio EPA's eBusiness Center: Air Services web service ("Air Services"). Ohio EPA will accept hard copy submittals on an as-needed basis if the permittee cannot submit the required documents through the Ohio EPA eBusiness Center. In the event of an alternative hard copy submission in lieu of the eBusiness Center, the post-marked date or the date the document is delivered in person will be recognized as the date submitted. Electronic submission of applications, notifications, or reports required to be submitted to Ohio EPA fulfills the requirement to submit the required information to the Director, the District Office or Local Air Agency, and/or any other individual or organization specifically identified as an additional recipient identified in this permit unless otherwise specified. Consistent with OAC rule 3745-15-03, the required application, notification or report is considered to be "submitted" on the date the submission is successful using a valid electronic signature. Signature by the signatory authority may be represented as provided through procedures established in Air Services.
  - (5) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA. The PER must be submitted by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.
- f) Testing Requirements
- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:
    - a. Emission Limitation: VOC emissions from the coating operations (for emissions unit K002) shall not exceed 41.1 lbs/day and 7.5 tpy.



Applicable Compliance Method: Compliance with the allowable VOC emission limitations above shall be based upon the record keeping requirements as specified in d)(1) and d)(2) of this permit.

- b. Emission Limitation: VOC emissions from the cleanup operations (for emissions units K001 and K002 combined) shall not exceed 360.0 lbs VOC/month.

Applicable Compliance Method: Compliance with the monthly allowable emission limitation shall be based on the record keeping requirements as specified in d)(3) of this permit.

- c. Emission Limitation: HAP emissions from emissions units K001 and K002 combined, shall not exceed 9.90 tons per rolling, 12-month period for any individual HAP or 24.90 tons per rolling, 12-month period for any combination of HAPs.

Applicable Compliance Method: Compliance with the annual allowable HAP emission limitations above shall be based upon the record keeping requirements specified in d)(4) of this permit.

- (2) Formulation data or U.S. EPA Method 24 shall be used to determine the VOC content of the coatings and cleanup materials.

g) Miscellaneous Requirements

- (1) The facility shall submit a revised Hazardous Air Pollutant (HAP) summary, within 30 days of changing any coating material usage at the facility that results in an increase in HAP emissions, whether or not there is an increase in overall VOC emissions.