

Facility ID: 0868730181 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

0.030 gr/dscf and

Exhaust #1: 0.8 lb/hr
Exhaust #2: 1.0 lb/hr
Exhaust #3: 1.0 lb/hr
Exhaust #4: 0.6 lb/hr

Applicable Compliance Method -

If required, compliance with the mass emission limitations shall be based on stack testing per OAC rule 3745-17-03(B)(10).

Emission Limitation -

Particulate Matter:

Exhaust #1: 17.4 lbs/day
Exhaust #2: 22.1 lbs/day
Exhaust #3: 22.1 lbs/day
Exhaust #4: 11.7 lbs/day

Applicable Compliance Method -

These limitations were developed by multiplying the hourly allowable emission rate for each exhaust, by the maximum daily operating schedule of 22.5 hours. Therefore, provided that compliance is shown with the 0.03 gr/dscf and the lb/hr emissions limitations and the hours per day limitation, compliance will be shown with the daily emissions limitations.

Particulate Matter:

Exhaust #1: 2.26 TPY
Exhaust #2: 2.87 TPY
Exhaust #3: 2.87 TPY
Exhaust #4: 1.53 TPY

Applicable Compliance Method -

These limitations were developed by multiplying the actual hourly emission rates by the maximum annual operating hours of 5850 divided by 2000 lbs/ton. Therefore, provided that compliance is shown with the hourly allowable emissions limitations as well as the hours per year limitation, compliance will be shown with the annual emissions limitations.

Emission Limitation -

5% opacity, visible emissions as a 6-minute average

Applicable Compliance Method -

Compliance shall be determined by visible emission evaluations performed in accordance with the procedures specified in USEPA Reference Method 9 (40CFR Part 60, Appendix A) with the opacity values determined based on a 6-minute average.

F. Miscellaneous Requirements

1. The permittee shall comply with any applicable State and federal requirements governing the storage, treatment, transport, and disposal of any waste material generated by the operation of the emissions unit.
2. The permittee is hereby notified that this permit and all agency records concerning the operation of these permitted emissions units are subject to public disclosure in accordance with OAC rule 3745-49-03.
3. The facility shall operate and maintain the emissions unit(s) in such a manner as to not cause a violation of OAC rule 3745-15-07, Air Pollution Nuisances Prohibited.