State of Ohio Environmental Protection Agency

RE: FINAL PERMIT TO INSTALL **CERTIFIED MAIL**
HAMILTON COUNTY

Street Address: 122 S. Front Street
Lazarus Gov. Center **TELE:** (614) 644-3020 **FAX:** (614) 644-2329
Mailing Address: Lazarus Gov. Center P.O. Box 1049

Application No: 14-04950

DATE: 6/21/00

CDR Pigments and Dispersions
Earl Seibert
410 Glendale Milford Road
Cincinnati, OH 45215

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

CC: **USEPA** **HCDES**

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit To Install

FINAL PERMIT TO INSTALL 14-04950

Application Number:	14-04950
APS Premise Number:	1431483219
Permit Fee:	**$800**
Name of Facility:	CDR Pigments and Dispersions
Person to Contact:	Earl Seibert
Address:	410 Glendale Milford Road Cincinnati, OH 45215

Location of proposed air contaminant source(s) [emissions unit(s)]:
410 Glendale Milford Road
Cincinnati, **Ohio**

Description of proposed emissions unit(s):
2 Dichlorobenzidine (DCB) Reaction Tanks #1 and #2 with wet scrubber.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

Pollutant	Tons Per Year
PM/PM10	0.36
HCl	0.14

Emissions Unit ID: **P011**

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
P011 - Dichlorobenzidine (DCB) Reaction Tank #1 with Wet Scrubber (modification)	OAC rule 3745-31-05(A)(3)	0.16 lb/hr PM/PM10 0.18 TPY PM/PM10 0.016 lb/hr HCl (Hydrochloric Acid) 0.071 TPY HCl
	OAC rule 3745-17-11(A)	The emission limitation established by this rule is less stringent than those established pursuant to OAC rule 3745-31-05(A)(3) above.
	OAC rule 3745-17-07(A)	See Section A.2.2.a.

2. Additional Terms and Conditions

2.a Visible particulate emissions from the stack for this emissions unit shall not exceed 20 percent opacity, as a six-minute average, except as specified by rule.

2.b The hourly and annual emission limitations outlined are based upon the emissions unit's Potential to Emit (PTE). Therefore, no records are required to demonstrate compliance with these limits.

2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by emission limitations and the use of a wet scrubber with mist eliminator.

B. Operational Restrictions

1. The pressure drop across the scrubber shall be continuously maintained at a value of not less than 0.5 inches of water at all times while the emissions unit is in operation.

2. The scrubber water flow rate shall be continuously maintained at a value of not less than 50 gallons per minute at all times while the emissions unit is in operation.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall properly install, operate and maintain equipment to continuously monitor the static pressure drop across the scrubber and the scrubber water flow rate while the emissions unit is in operation. The monitoring devices and any recorders shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manuals.

   The permittee shall collect and record the following information each day:

   a. The pressure drop across the scrubber, in inches of water, on a daily basis.

   b. The scrubber water flow rate, in gallons per minute, on a daily basis.

   c. The operating times for the capture (collection) system, control device, monitoring equipment, and the associated emissions unit.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the following scrubber parameters were not maintained at or above the required levels:

   a. The static pressure drop across the scrubber.

   b. The scrubber water flow rate.

2. The quarterly deviation reports shall be submitted as specified in the general terms and conditions of this permit.

E. Testing Requirements

1. Compliance with the visible particulate limitation shall be demonstrated by the methods outlined in 40 CFR Part 60, Appendix A, Method 9.

2. Compliance with the emission limitations in Section A.1. of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:
0.16 lb/hr PM/PM10

Applicable Compliance Method:
Compliance has been demonstrated by multiplying the maximum hourly production rate of 0.8 tons DCB by the emission factor of 20 lbs PM/ton DCB (AP-42 Table 6.4-1; 5/83) and by the scrubber control efficiency of (1-.99).

b. Emission Limitation:
0.18 TPY PM/PM10

Applicable Compliance Method:
Compliance has been demonstrated by multiplying the maximum annual production rate of 1752 tons DCB by the emission factor of 20 lbs PM/ton DCB (AP-42 Table 6.4-1; 5/83) and by the scrubber control efficiency of (1-.99) and by dividing by 2,000 lbs/ton.

c. Emission Limitation:
0.016 lb/hr HCl

Applicable Compliance Method:
Compliance has been demonstrated by multiplying the maximum hourly production rate of 0.09 tons HCl by the emission factor of 1.8 lbs HCl/ton HCl employed (AP-42 Table 8.6-1; 7/93) and by the scrubber control efficiency of (1-.90).

d. Emission Limitation:
0.071 TPY HCl

Applicable Compliance Method:
Compliance has been demonstrated by multiplying the maximum annual production rate of 788.4 tons HCl by the emission factor of 1.8 lbs HCl/ton HCl employed (AP-42 Table 8.6-1; 7/93) and by the scrubber control efficiency of (1-.90) and by dividing by 2,000 lbs/ton.

3. Compliance with the scrubber operating limitations in Section B.1. and B.2. shall be demonstrated by the record keeping in Section C.1.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

1. The emission limitations as outlined in this Permit to Install shall supersede those outlined in PTI 14-2184, as issued on March 13, 1991.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
P012 - Dichlorobenzidine (DCB) Reaction Tank #2 with wet scrubber (modification)	OAC rule 3745-31-05(A)(3)	0.16 lb/hr PM/PM10 0.18 TPY PM/PM10 0.016 lb/hr HCl (Hydrochlric Acid) 0.071 TPY HCl
	OAC rule 3745-17-11(A)	The emission limitation established by this rule is less stringent than those established pursuant to OAC rule 3745-31-05(A)(3) above.
	OAC rule 3745-17-07(A)	See Section A.2.2.a.

2. Additional Terms and Conditions

2.a Visible particulate emissions from the stack for this emissions unit shall not exceed 20 percent opacity, as a six-minute average, except as specified by rule.

2.b The hourly and annual emission limitations outlined are based upon the emissions unit's Potential to Emit (PTE). Therefore, no records are required to demonstrate compliance with these limits.

2.c Compliance with OAC rule 3745-31-05(A)(3) shall be demonstrated by emission limitations and the use of a wet scrubber with mist eliminator.

B. Operational Restrictions

3. The pressure drop across the scrubber shall be continuously maintained at a value of not less than 0.5 inches of water at all times while the emissions unit is in operation.

4. The scrubber water flow rate shall be continuously maintained at a value of not less than 50 gallons per minute at all times while the emissions unit is in operation.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall properly install, operate and maintain equipment to continuously monitor the static pressure drop across the scrubber and the scrubber water flow rate while the emissions unit is in operation. The monitoring devices and any recorders shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manuals.

   The permittee shall collect and record the following information each day:

   a. The pressure drop across the scrubber, in inches of water, on a daily basis.

   b. The scrubber water flow rate, in gallons per minute, on a daily basis.

   c. The operating times for the capture (collection) system, control device, monitoring equipment, and the associated emissions unit.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the following scrubber parameters were not maintained at or above the required levels:

   a. The static pressure drop across the scrubber.

   b. The scrubber water flow rate.

2. The quarterly deviation reports shall be submitted as specified in the general terms and conditions of this permit.

E. Testing Requirements

1. Compliance with the visible particulate limitation shall be demonstrated by the methods outlined in 40 CFR Part 60, Appendix A, Method 9.

2. Compliance with the emission limitations in Section A.1. of these terms and conditions shall be determined in accordance with the following methods:

   a. Emission Limitation:
   0.16 lb/hr PM/PM10

Applicable Compliance Method:
Compliance has been demonstrated by multiplying the maximum hourly production rate of 0.8 tons DCB by the emission factor of 20 lbs PM/ton DCB (AP-42 Table 6.4-1; 5/83) and by the scrubber control efficiency of (1-.99).

b. Emission Limitation:
0.18 TPY PM/PM10

Applicable Compliance Method:
Compliance has been demonstrated by multiplying the maximum annual production rate of 1752 tons DCB by the emission factor of 20 lbs PM/ton DCB (AP-42 Table 6.4-1; 5/83) and by the scrubber control efficiency of (1-.99) and by dividing by 2,000 lbs/ton.

c. Emission Limitation:
0.016 lb/hr HCl

Applicable Compliance Method:
Compliance has been demonstrated by multiplying the maximum hourly production rate of 0.09 tons HCl by the emission factor of 1.8 lbs HCl/ton HCl employed (AP-42 Table 8.6-1; 7/93) and by the scrubber control efficiency of (1-.90).

d. Emission Limitation:
0.071 TPY HCl

Applicable Compliance Method:
Compliance has been demonstrated by multiplying the maximum annual production rate of 788.4 tons HCl by the emission factor of 1.8 lbs HCl/ton HCl employed (AP-42 Table 8.6-1; 7/93) and by the scrubber control efficiency of (1-.90) and by dividing by 2,000 lbs/ton.

3. Compliance with the scrubber operating limitations in Section B.1. and B.2. shall be demonstrated by the record keeping in Section C.1.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new

materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

1. The emission limitations as outlined in this Permit to Install shall supersede those outlined in PTI 14-2184, as issued on March 13, 1991.

NEW SOURCE REVIEW FORM B

PTI Number: 14-04950 Facility ID: 1431483219

FACILITY NAME CDR Pigments and Dispersions

FACILITY DESCRIPTION 2 Dichlorobenzidine (DCB) Reaction CITY/TWP Cincinnati

Emissions Unit ID: **P012**

SIC CODE 2865 SCC CODE 3-01-121-99 EMISSIONS UNIT ID P011

EMISSIONS UNIT DESCRIPTION Dichlorobenzidine (DCB) Reaction Tank #1 with wet scrubber

DATE INSTALLED 1/96

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	0.08 lb/hr	0.067	0.16 lb/hr	0.18
PM_{10}	Attainment	0.08 lb/hr	0.067	0.16 lb/hr	0.18
Sulfur Dioxide	Attainment				
Organic Compounds	Non-Attainment				
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: HCl		0.0065 lb/hr	0.027	0.016 lb/hr	0.071

APPLICABLE FEDERAL RULES:

NSPS? No NESHAP? No PSD? No OFFSET POLICY? No

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?
BAT has been determined to be compliance with all applicable regulations, emission limitations, and the use of a wet scrubber with mist eliminator.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? $

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaiminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____

13221.wpd

NEW SOURCE REVIEW FORM B

PTI Number: 14-04950 Facility ID: 1431483219

FACILITY NAME CDR Pigments and Dispersions

FACILITY DESCRIPTION 2 Dichlorobenzidine (DCB) Reaction CITY/TWP Cincinnati

Emissions Unit ID: **P012**

SIC CODE 2865 SCC CODE 3-01-121-99 EMISSIONS UNIT ID P012

EMISSIONS UNIT DESCRIPTION Dichlorobenzidine (DCB) Reaction Tank #2 with wet scrubber

DATE INSTALLED 1/96

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	0.08 lb/hr	0.067	0.16 lb/hr	0.18
PM_{10}	Attainment	0.08 lb/hr	0.067	0.16 lb/hr	0.18
Sulfur Dioxide	Attainment				
Organic Compounds	Non-Attainment				
Nitrogen Oxides	Attainment				
Carbon Monoxide	Attainment				
Lead	Attainment				
Other: HCl		0.0065 lb/hr	0.027	0.016 lb/hr	0.071

APPLICABLE FEDERAL RULES:

NSPS? No NESHAP? No PSD? No OFFSET POLICY? No

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?
BAT has been determined to be compliance with all applicable regulations, emission limitations, and the use of a wet scrubber with mist eliminator.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? $

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaiminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____