



John R. Kasich, Governor
 Mary Taylor, Lt. Governor
 Craig W. Butler, Director

9/17/2015

Certified Mail

Jeffrey Kral
 Sure Foot Industries Corporation
 20260 First Ave.
 Cleveland, OH 44130

Yes	TOXIC REVIEW
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MODELING SUBMITTED
Yes	SYNTHETIC MINOR TO AVOID TITLE V
Yes	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

RE: DRAFT AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE

Facility ID: 1318008340
 Permit Number: P0119039
 Permit Type: Renewal
 County: Cuyahoga

Dear Permit Holder:

A draft of the Ohio Administrative Code (OAC) Chapter 3745-31 Air Pollution Permit-to-Install and Operate (PTIO) for the referenced facility has been issued for the emissions unit(s) listed in the Authorization section of the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the permit. A public notice will appear in the Ohio Environmental Protection Agency (EPA) Weekly Review and the local newspaper, The Plain Dealer. A copy of the public notice and the draft permit are enclosed. This permit can be accessed electronically on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Search for Permits" link under the Permitting topic on the Programs tab. Comments will be accepted as a marked-up copy of the draft permit or in narrative format. Any comments must be sent to the following:

Andrew Hall and Cleveland Division of Air Quality
 Permit Review/Development Section 2nd Floor
 Ohio EPA, DAPC 75 Erieview Plaza
 50 West Town Street Suite 700 Cleveland, OH 44114
 PO Box 1049
 Columbus, Ohio 43216-1049

Comments and/or a request for a public hearing will be accepted within 30 days of the date the notice is published in the newspaper. You will be notified if a public hearing is scheduled. A decision on issuing a final permit-to-install will be made after consideration of comments received and oral testimony if a public hearing is conducted. Any permit fee that will be due upon issuance of a final Permit-to-Install is indicated in the Authorization section. Please do not submit any payment now. If you have any questions, please contact Cleveland Division of Air Quality at (216)664-2297.

Sincerely,

Michael E. Hopkins, P.E.
 Assistant Chief, Permitting Section, DAPC

Cc: U.S. EPA Region 5 Via E-Mail Notification
 CDAQ; Pennsylvania; Canada

PUBLIC NOTICE

The following matters are the subject of this public notice by the Ohio Environmental Protection Agency. The complete public notice, including any additional instructions for submitting comments, requesting information, a public hearing, or filing an appeal may be obtained at: <http://epa.ohio.gov/actions.aspx> or Hearing Clerk, Ohio EPA, 50 W. Town St., Columbus, Ohio 43215. Ph: 614-644-2129 email: HClerk@epa.ohio.gov

Draft Air Pollution Permit-to-Install and Operate Renewal
Sure Foot Industries Corporation

20260 First Avenue,, Cleveland, OH 44130

ID#:P0119039

Date of Action: 9/17/2015

Permit Desc:FEPTIO renewal permit for a continuous paper web adhesive coating line (K001), (with knife coater and infrared oven): for applying adhesive backing on non-slip products. Uses a catalytic incinerator to control VOC emissions..

The permit and complete instructions for requesting information or submitting comments may be obtained at: <http://epa.ohio.gov/dapc/permitsonline.aspx> by entering the ID # or: David Hearne, Cleveland Division of Air Quality, 2nd Floor 75 Erieview Plaza, Cleveland, OH 44114. Ph: (216)664-2297

Permit Strategy Write-Up

1. Check all that apply:

Synthetic Minor Determination (FEPTIO to avoid Title V)

Netting Determination

2. Source Description:

Sure-Foot Industries is located at 20260 First Ave. In Middleburg Heights, OH. This facility is using an adhesive coating line (K001) which applies adhesive backing for non-slip products. This line is run with a catalytic incinerator to control VOC emissions.

3. Facility Emissions and Attainment Status:

The source has the potential to emit more than 40 tons of VOC emissions per year which includes hazardous air pollutant (HAP) emission in excess of 10 TPY for any single HAP and 25 TPY for combined HAPs. However, the company has requested a Federally Enforceable Permit-to- Install and Operate (FEPTIO) in order to avoid the MACT and Title V permitting requirements.

Cuyahoga County is currently designated as nonattainment for PM_{2.5} (2012 annual PM_{2.5} standard of 12 µg/m³), ozone (2008 eight-hour standard of 0.075 ppm), and partial nonattainment for lead.

For PM_{2.5}, on September 18, 2013, Cuyahoga County was designated as attainment for the 1997 annual PM_{2.5} standard (15 µg/m³) as well as the 2006 twenty-four-hour PM_{2.5} standard (35 µg/m³). However, on April 15, 2015, USEPA designated Cuyahoga County as nonattainment for the 2012 annual PM_{2.5} standard (12 µg/m³).

4. Source Emissions:

The adhesive coating line is classified as a paper web coating line and, therefore, is potentially subject to the Maximum Achievable Control Technology (MACT) requirement in 40 CFR Part 63 Subpart JJJJ. In order to maintain area source status in regards to the MACT and comply with Ohio EPA regulations, the company installed a catalytic oxidizer for control of VOC and HAP emissions. To avoid the MACT and Title V major source designation, the facility requested federally enforceable limits be placed on coating usage, limiting the usage to 22,500 gallons per rolling 12-month period with a maximum hourly coating usage of 60 gallons per hour. The allowable emission limitation from stack, fugitive, and cleanup, combined, shall be 6.4 tons per rolling 12-month period of VOC and HAP(s) emissions, which restricts single and combined HAP(s) below the major source threshold of 10 TPY and 25 TPY respectively.

5. Conclusion:

Limiting the usage rate to 22,500 gallons per rolling, 12-month period with a maximum hourly coating usage rate of 60 gallons per hour will restrict the HAP and VOC emissions below the Title V applicability thresholds of 10 TPY for any single HAP, 25 TPY for combined HAPs, and 100 TPY for VOC. The total VOC emissions (including HAPs) will be limited to 6.4 tons per rolling 12-month period. Therefore, Sure-Foot Industries will not be subject to Title V or the MACT permitting requirements.

6. Please provide additional notes or comments as necessary:

None.



7. Total Permit Allowable Emissions Summary (for informational purposes only):

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC	6.4
HAP(s)	6.4



DRAFT

**Division of Air Pollution Control
Permit-to-Install and Operate
for
Sure Foot Industries Corporation**

Facility ID:	1318008340
Permit Number:	P0119039
Permit Type:	Renewal
Issued:	9/17/2015
Effective:	To be entered upon final issuance
Expiration:	To be entered upon final issuance



Division of Air Pollution Control
Permit-to-Install and Operate
for
Sure Foot Industries Corporation

Table of Contents

Authorization	1
A. Standard Terms and Conditions	3
1. What does this permit-to-install and operate ("PTIO") allow me to do?.....	4
2. Who is responsible for complying with this permit?	4
3. What records must I keep under this permit?	4
4. What are my permit fees and when do I pay them?.....	4
5. When does my PTIO expire, and when do I need to submit my renewal application?	4
6. What happens to this permit if my project is delayed or I do not install or modify my source?	5
7. What reports must I submit under this permit?	5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?	5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ...	5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?	6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?	6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently?	6
13. Can I transfer this permit to a new owner or operator?.....	7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?	7
15. What happens if a portion of this permit is determined to be invalid?	7
B. Facility-Wide Terms and Conditions.....	8
C. Emissions Unit Terms and Conditions	10
1. K001	11



Draft Permit-to-Install and Operate

Sure Foot Industries Corporation

Permit Number: P0119039

Facility ID: 1318008340

Effective Date: To be entered upon final issuance

Authorization

Facility ID: 1318008340
Application Number(s): A0053626
Permit Number: P0119039
Permit Description: FEPTIO renewal permit for a continuous paper web adhesive coating line (K001), (with knife coater and infrared oven): for applying adhesive backing on non-slip products. Uses a catalytic incinerator to control VOC emissions.
Permit Type: Renewal
Permit Fee: \$0.00 *DO NOT send payment at this time, subject to change before final issuance*
Issue Date: 9/17/2015
Effective Date: To be entered upon final issuance
Expiration Date: To be entered upon final issuance
Permit Evaluation Report (PER) Annual Date: To be entered upon final issuance

This document constitutes issuance to:

Sure Foot Industries Corporation
20260 First Avenue
Cleveland, OH 44130

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Cleveland Division of Air Quality
2nd Floor
75 Erieview Plaza
Cleveland, OH 44114
(216)664-2297

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and Federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Craig W. Butler
Director



Draft Permit-to-Install and Operate

Sure Foot Industries Corporation

Permit Number: P0119039

Facility ID: 1318008340

Effective Date: To be entered upon final issuance

Authorization (continued)

Permit Number: P0119039

Permit Description: FEPTIO renewal permit for a continuous paper web adhesive coating line (K001), (with knife coater and infrared oven): for applying adhesive backing on non-slip products. Uses a catalytic incinerator to control VOC emissions.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	K001
Company Equipment ID:	K001
Superseded Permit Number:	
General Permit Category and Type:	Not Applicable



Draft Permit-to-Install and Operate
Sure Foot Industries Corporation
Permit Number: P0119039
Facility ID: 1318008340
Effective Date: To be entered upon final issuance

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions of this permit will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Cleveland Division of Air Quality in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



Draft Permit-to-Install and Operate
Sure Foot Industries Corporation
Permit Number: P0119039
Facility ID: 1318008340
Effective Date: To be entered upon final issuance

B. Facility-Wide Terms and Conditions



Draft Permit-to-Install and Operate

Sure Foot Industries Corporation

Permit Number: P0119039

Facility ID: 1318008340

Effective Date: To be entered upon final issuance

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.



Draft Permit-to-Install and Operate
Sure Foot Industries Corporation
Permit Number: P0119039
Facility ID: 1318008340
Effective Date: To be entered upon final issuance

C. Emissions Unit Terms and Conditions



1. K001

Operations, Property and/or Equipment Description:

Continuous Paper Web Adhesive Coating Line-controlled by a catalytic incinerator.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. d)(4), d)(5), and d)(6)

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. b)(1)b., b)(2)a., c)(2), d)(2), d)(3), e)(2), f)(1)b., and f)(1)c.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) PTI 13-03951 issued on 7/18/2002	VOC stack emissions shall not exceed 10.4 lbs per hour. 95% capture and 95% destruction, by weight, of VOC for all coatings. The requirements of this rule also include compliance with the requirements of OAC rule 3745-31-05 (D).



Draft Permit-to-Install and Operate

Sure Foot Industries Corporation

Permit Number: P0119039

Facility ID: 1318008340

Effective Date: To be entered upon final issuance

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
b.	OAC rule 3745-31-05 (D) FEPTIO to Avoid Title V	VOC stack emissions shall not exceed 1.95 tons per rolling, 12-month period. VOC fugitive emissions shall not exceed 4.45 tons per rolling, 12-month period, including cleanup materials. See b)(2)a. below.
c.	OAC rule 3745-21-09(B)(6)	The requirements of this rule are less stringent than the requirements of OAC rule 3745-31-05 (A)(3).
d.	OAC rule 345-21-09(F)	See b)(2)b. below.

(2) Additional Terms and Conditions

- a. The permittee has requested a Synthetic Minor PTI limiting their coating usage to 22,500 gallons per rolling, 12-month period with a maximum hourly coating usage of 60 gallons per hour in order to avoid the MACT Subpart JJJJ and Title V permitting requirements.
- b. The permittee, operating this coating line with potential emissions greater than 25.0 tons per year of VOC before the application of capture and control devices, shall employ a control system in order to reduce VOC emissions from the paper coating line by at least ninety per cent, or maintain a maximum VOC outlet concentration of twenty ppmv on a dry basis, whichever is less stringent.

c) Operational Restrictions

- (1) The average temperature of the exhaust gases immediately before the catalyst bed, for any 3-hour block of time when the emissions unit is in operation, shall not be more than 50 degrees Fahrenheit below the average temperature during the most recent emission test that demonstrated the emissions unit was in compliance. The average temperature difference across the catalyst bed, for any 3-hour block of time when the emissions unit is in operation, shall not be less than 80 percent of the average temperature difference during the most recent emission test that demonstrated the emissions unit was in compliance.

- (2) The maximum annual coating usage for this emissions unit shall not exceed 22,500 gallons, based upon a rolling, 12 - month summation of the coating usage figures.
 - (3) Unless emissions to the atmosphere are controlled by an approved emission control system with an overall control efficiency of at least ninety per cent, the permittee shall:
 - a. store all VOC containing cleaning materials and used shop towels in closed containers;
 - b. ensure that mixing and storage containers used for VOC-containing cleaning materials are kept closed at all times except when depositing or removing these materials;
 - c. minimize spills of VOC-containing cleaning materials;
 - d. convey VOC-containing cleaning materials from one location to another in closed containers or pipes; and
 - e. minimize VOC emission from cleaning of storage, mixing, and conveying equipment.
- d) **Monitoring and/or Recordkeeping Requirements**
- (1) The permittee shall operate and maintain continuous monitors and recorder(s) which measure and record the temperature immediately upstream and downstream of the incinerator's catalyst bed when the emissions unit is in operation. Units shall be degrees Fahrenheit. The monitoring and recording devices shall be capable of accurately measuring the desired parameter. The temperature monitors and recorder(s) shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, with any modifications deemed necessary by the permittee.

The permittee shall collect and record the following information each day:

 - a. all 3-hour blocks of time (when the emissions unit was in operation) during which the average temperature of the exhaust gases immediately before the catalyst bed was more than 50 degrees Fahrenheit below the average temperature during the most recent emission test that demonstrated the emissions unit was in compliance;
 - b. all 3-hour blocks of time (when the emission unit is in operation) during which the average temperature difference across the catalyst bed was less than 80 percent of the average temperature difference during the most recent emission test that demonstrated the emissions unit was in compliance; and
 - c. a log of the downtime for the capture (collection) system, control device, and monitoring equipment, when the associated emissions unit was in operation.
 - (2) The permittee shall collect and record the following information each month for this emissions unit for the purpose of determining annual VOC emissions:

- a. the name and identification number of each coating, as applied;
 - b. the VOC content of each coating, as applied, in pounds per gallon;
 - c. the number of gallons of each coating employed;
 - d. the total uncontrolled VOC emissions from all coatings, in pounds per month (b x c);
 - e. the name and identification number of each cleanup material employed;
 - f. the VOC content of each cleanup material, as applied, in pounds per gallon;
 - g. the number of gallons of each cleanup material employed;
 - h. the total uncontrolled VOC emissions from all cleanup materials, in pounds per month (f x g);
 - i. the total controlled VOC emission rate for all coatings, in pounds or ton(s), calculated using the capture and destruction efficiencies determined from the most recent performance test that demonstrated the emissions unit was in compliance and the formula contained in f)(1)b. of these terms and conditions; and
 - j. the total fugitive VOC emission rate for all coatings and cleanup materials, in pounds or ton(s), calculated using the formula contained in f)(1)c. of these terms and conditions.
- (3) The permittee shall maintain monthly records of the following information:
- a. the coating usage for each month; and
 - b. the rolling, 12-month summation of the coating usage figures.
- (4) The permit to install for this emissions unit was evaluated based on the actual materials (typically coatings and cleanup materials) and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied for each pollutant potentially emitted by this emissions unit using data from the permit to install application and the SCREEN 3.0 model (or other Ohio EPA approved model). The predicted 1-hour maximum ground-level concentration from the use of the SCREEN 3.0 model was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: Toluene

TLV ($\mu\text{g}/\text{m}^3$): 75,362(@ 20 ppm)

Maximum Hourly Emission Rate (lbs/hr): 15.15

Predicted 1-Hour Maximum Ground-Level Concentration ($\mu\text{g}/\text{m}^3$): 1243

MAGLC ($\mu\text{g}/\text{m}^3$): 1794

Pollutant: Hexane

TLV ($\mu\text{g}/\text{m}^3$): 176,237 (@ 50 ppm)

Maximum Hourly Emission Rate (lbs/hr): 4.48

Predicted 1-Hour Maximum Ground-Level Concentration ($\mu\text{g}/\text{m}^3$): 368

MAGLC ($\mu\text{g}/\text{m}^3$): 4196

(5) Physical changes to or changes in the method of operation of the emissions unit after its installation could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. Changes in the composition of the materials used (typically coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)", than the lowest TLV value previously modeled;
- b. Changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and
- c. Physical changes to the emissions unit or its exhaust parameters (e.g., increased/decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01, and a modification of the existing permit to install will not be required. If the change(s) is (are) defined as a modification under other provisions of the modification definition, then the permittee shall obtain a final permit to install prior to the change.

(6) The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy":

- a. A description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);



Draft Permit-to-Install and Operate

Sure Foot Industries Corporation

Permit Number: P0119039

Facility ID: 1318008340

Effective Date: To be entered upon final issuance

- b. Documentation of its evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
- c. Where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.

e) Reporting Requirements

(1) All applications, notifications or reports required by terms and conditions in this permit to be submitted or "reported in writing" are to be submitted to Ohio EPA through the Ohio EPA's eBusiness Center: Air Services web service ("Air Services"). Ohio EPA will accept hard copy submittals on an as-needed basis if the permittee cannot submit the required documents through the Ohio EPA eBusiness Center. In the event of an alternative hard copy submission in lieu of the eBusiness Center, the post-marked date or the date the document is delivered in person will be recognized as the date submitted. Electronic submission of applications, notifications, or reports required to be submitted to Ohio EPA fulfills the requirement to submit the required information to the Director, the District Office or Local Air Agency, and/or any other individual or organization specifically identified as an additional recipient identified in this permit unless otherwise specified. Consistent with OAC rule 3745-15-03, the required application, notification or report is considered to be "submitted" on the date the submission is successful using a valid electronic signature. Signature by the signatory authority may be represented as provided through procedures established in Air Services.

(2) The permittee shall submit quarterly deviation (excursion) reports that identify:

- a. all deviations (excursions) of the following emission limitations, operational restrictions and/or control device operating parameter limitations that restrict the potential to emit (PTE) of any regulated air pollutant and have been detected by the monitoring, record keeping and/or testing requirements in this permit:

- Emission limitations: 9.85 lbs per hour VOC (stack emissions)
- Operational limitations: 60 gallons of coating per hour and 22,500 gallons coating per rolling, 12-month period
- Control device limitations: 95% capture, 95% removal of VOC emissions from coatings.
- Temperature limitations: all 3-hour blocks of time when the emissions unit was in operation during which the average temperature of the exhaust gases immediately before the catalyst bed or the average temperature difference across the catalyst bed does not comply with the temperature limitations specified above.

- b. the probable cause of each deviation (excursion);
- c. any corrective actions that were taken to remedy the deviations (excursions) or prevent future deviations (excursions); and



- d. the magnitude and duration of each deviation (excursion).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

The quarterly reports shall be submitted, electronically through Ohio EPA Air Services, each year by January 31 (covering October to December), April 30 (covering January to March), July 31 (covering April to June), and October 31 (covering July to September), unless an alternative schedule has been established and approved by the Director (the Cleveland Division of Air Quality).

- (3) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA. The PER must be submitted by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in b) of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation:

VOC stack emissions shall not exceed 10.4 pounds per hour.

Applicable Compliance Method:

If required, compliance shall be determined in accordance with the testing requirements in f)(2) of these terms and conditions.

- b. Emission Limitation:

VOC stack emissions shall not exceed 1.95 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance shall be demonstrated by the following calculation:

$$\text{VOC}(\text{stack}) = \text{VOC}(\text{coatings}) \times 0.95 \times (1 - 0.95)$$

Where:

VOC(stack) = annual VOC emissions from the stack associated with this emissions unit;

VOC(coatings) = annual uncontrolled VOC emissions from all coatings calculated by summing the monthly VOC emissions calculated in d)(2)d. of these terms and conditions over a 12-month period;

0.95 = 95 % capture efficiency of VOC emissions; and



0.95 = 95 % VOC control efficiency based on most current stack test

If the testing identified in f)(2) of these terms and conditions is completed, values obtained for capture and control efficiencies shall be used in lieu of 0.95 and 0.95, respectively, to calculate annual VOC stack emissions.

c. Emission Limitation:

VOC fugitive emissions shall not exceed 4.45 tons per rolling, 12-month period, including cleanup emissions.

Applicable Compliance Method:

Compliance shall be demonstrated by the following calculation:

$$\text{VOC(fugitive)} = \text{VOC(coatings)} \times (1 - \text{CE}) + \text{VOC(cleanup)}$$

Where:

VOC(fugitive) = annual fugitive VOC emissions from this emissions unit;

VOC(coatings) = annual uncontrolled VOC emissions from all coatings calculated by summing the monthly VOC emissions calculated in d)(2)d. of these terms and conditions over a 12-month period;

VOC(cleanup) = annual uncontrolled VOC emissions from all cleanup materials calculated by summing the monthly VOC emissions calculated in d)(2)h. of these terms and conditions over a 12-month period;and

(1 - CE) = 5% of VOC emissions not captured with 95% capture of VOC emissions by control device.

If the testing identified in f)(2) of these terms and conditions is completed, the value obtained for capture efficiency shall be used in lieu of 0.05 to calculate annual VOC fugitive emissions.

d. Capture and Control Limitations:

95% capture and 95% destruction of VOC, by weight, for all coatings.

Applicable Compliance Method:

40 CFR Part 60, Appendix A, Methods 1 – 4, 25 or 25A (as noted below), and 40 CFR Part 51, Appendix M, Method 204 (as noted below). If required, performance testing shall be done in accordance with OAC rule 3745-21-10(C).

e. Per OAC rule 3745-21-04 (B)(1) and (B)(5) US EPA Method 24 or 24A shall be used to determine the VOC contents of all the coatings and cleanup materials employed in this emissions unit.

- (2) If required, the permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
- a. The emission testing shall be conducted to demonstrate compliance with the hourly VOC emission limitation, and the capture efficiency limitation and destruction efficiency limitation for VOC of 95% and 95%, respectively. The emission testing shall also be conducted to establish the average temperature of the exhaust gases immediately before the catalyst bed and the average temperature difference across the catalyst bed.
 - b. The following test methods shall be employed to demonstrate compliance with the capture efficiency, control efficiency, and emission limitations for VOC:
 - i. Method 25 of 40 CFR Part 60, Appendix A, if the VOC concentrations as carbon in the outlet are greater than 50 ppm, or Method 25A of 40 CFR Part 60, Appendix A, if the VOC concentrations as carbon in the outlet are less than 50 ppm;
 - ii. Method 204 of 40 CFR Part 51, Appendix M, to determine capture efficiency; and
 - iii. Method 24 or 24A of 40 CFR 60, Appendix A, to determine VOC contents of coatings and cleanup materials.

Alternative US EPA-approved test methods may be used with prior approval from the Ohio EPA.
 - c. Testing shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the Cleveland Division of Air Quality (Cleveland DAQ).
 - d. The capture efficiency shall be determined using Methods 204 through 204F, as specified in 40 CFR Part 51, Appendix M, or the permittee may request to use an alternative method or procedure for the determination of capture efficiency in accordance with the "Guidelines for Determining Capture Efficiency" dated January 9, 1995. (The Ohio EPA will consider the request for the use of an alternative method, including an evaluation of the applicability, necessity, and validity of the alternative method, and may approve its use, if such approval does not contravene any other applicable requirements.)
 - e. The control or destruction efficiency, defined as the percent reduction of mass emissions between the inlet and outlet of the control system, shall be determined in accordance with the test methods and procedures specified in OAC rule 3745-21-10. The test methods and procedures selected shall be based on a consideration of the diversity of the organic species present and their total concentration, and a consideration of the potential presence of interfering gases.

Not later than 30 days prior to proposed test date(s), the permittee shall submit an "Intent to Test" notification that shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and dates(s) of the



Draft Permit-to-Install and Operate

Sure Foot Industries Corporation

Permit Number: P0119039

Facility ID: 1318008340

Effective Date: To be entered upon final issuance

test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Cleveland DAQs refusal to accept the results of the emission test(s).

Personnel from the Cleveland DAQ shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emission unit and the testing procedures provide a valid characterization of the emissions from the emission unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Cleveland DAQ within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Cleveland DAQ.

g) **Miscellaneous Requirements**

- (1) None.