



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Craig W. Butler, Director

12/4/2015

Mike Elliott  
Rotation Dynamics Corp - Wood Graphics  
9126 Industrial Blvd.  
Covington, GA 30014

Certified Mail

No	TOXIC REVIEW
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE

Facility ID: 1431153902  
Permit Number: P0119782  
Permit Type: Administrative Modification  
County: Hamilton

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA) Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**

**How to appeal this permit**

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High Street, 17th Floor  
Columbus, OH 43215

## **How to save money, reduce pollution and reduce energy consumption**

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: [www.ohioairquality.org/clean\\_air](http://www.ohioairquality.org/clean_air)

## **How to give us feedback on your permitting experience**

Please complete a survey at [www.epa.ohio.gov/survey.aspx](http://www.epa.ohio.gov/survey.aspx) and give us feedback on your permitting experience. We value your opinion.

## **How to get an electronic copy of your permit**

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, [www.epa.ohio.gov/dapc](http://www.epa.ohio.gov/dapc) by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

If you have any questions, please contact Southwest Ohio Air Quality Agency at (513)946-7777 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,



Michael E. Hopkins, P.E.  
Assistant Chief, Permitting Section, DAPC

Cc: SWOQA



**FINAL**

**Division of Air Pollution Control  
Permit-to-Install and Operate  
for  
Rotation Dynamics Corp - Wood Graphics**

Facility ID:	1431153902
Permit Number:	P0119782
Permit Type:	Administrative Modification
Issued:	12/4/2015
Effective:	12/4/2015
Expiration:	1/18/2021





**Division of Air Pollution Control**  
**Permit-to-Install and Operate**  
for  
Rotation Dynamics Corp - Wood Graphics

**Table of Contents**

Authorization .....	1
A. Standard Terms and Conditions .....	3
1. What does this permit-to-install and operate ("PTIO") allow me to do?.....	4
2. Who is responsible for complying with this permit? .....	4
3. What records must I keep under this permit? .....	4
4. What are my permit fees and when do I pay them?.....	4
5. When does my PTIO expire, and when do I need to submit my renewal application? .....	4
6. What happens to this permit if my project is delayed or I do not install or modify my source? .....	5
7. What reports must I submit under this permit? .....	5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? .....	5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ...	5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? .....	6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? .....	6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? .....	6
13. Can I transfer this permit to a new owner or operator?.....	7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? .....	7
15. What happens if a portion of this permit is determined to be invalid? .....	7
B. Facility-Wide Terms and Conditions.....	8
C. Emissions Unit Terms and Conditions .....	10
1. P002, Chrome Plating.....	11





**Final Permit-to-Install and Operate**  
Rotation Dynamics Corp - Wood Graphics  
**Permit Number:** P0119782  
**Facility ID:** 1431153902  
**Effective Date:** 12/4/2015

## Authorization

Facility ID: 1431153902  
Application Number(s): M0003664  
Permit Number: P0119782  
Permit Description: Agency-initiated administrative modification to update the permit terms to reflect the changes in 40 CFR Part 63, Subpart N.  
Permit Type: Administrative Modification  
Permit Fee: \$0.00  
Issue Date: 12/4/2015  
Effective Date: 12/4/2015  
Expiration Date: 1/18/2021  
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

Rotation Dynamics Corp - Wood Graphics  
1270 HillsmithDr  
Cincinnati, OH 45215

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Southwest Ohio Air Quality Agency  
250 William Howard Taft Rd.  
Cincinnati, OH 45219  
(513)946-7777

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

  
Craig W. Butler  
Director



**Final Permit-to-Install and Operate**  
Rotation Dynamics Corp - Wood Graphics  
**Permit Number:** P0119782  
**Facility ID:** 1431153902  
**Effective Date:** 12/4/2015

## Authorization (continued)

Permit Number: P0119782

Permit Description: Agency-initiated administrative modification to update the permit terms to reflect the changes in 40 CFR Part 63, Subpart N.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

<b>Emissions Unit ID:</b>	<b>P002</b>
Company Equipment ID:	Chrome Plating
Superseded Permit Number:	P0110947
General Permit Category and Type:	Not Applicable



**Final Permit-to-Install and Operate**  
Rotation Dynamics Corp - Wood Graphics  
**Permit Number:** P0119782  
**Facility ID:** 1431153902  
**Effective Date:** 12/4/2015

## **A. Standard Terms and Conditions**

**1. What does this permit-to-install and operate ("PTIO") allow me to do?**

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

**2. Who is responsible for complying with this permit?**

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

**3. What records must I keep under this permit?**

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

**4. What are my permit fees and when do I pay them?**

There are two fees associated with permitted air contaminant sources in Ohio:

PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

**5. When does my PTIO expire, and when do I need to submit my renewal application?**

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

**6. What happens to this permit if my project is delayed or I do not install or modify my source?**

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

**7. What reports must I submit under this permit?**

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

**8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?**

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions of this permit will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

**9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?**

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

**10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?**

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the [DO/LAA] in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

**11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?**

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

**12. What happens if one or more emissions units operated under this permit is/are shut down permanently?**

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

**13. Can I transfer this permit to a new owner or operator?**

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

**14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?**

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

**15. What happens if a portion of this permit is determined to be invalid?**

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



**Final Permit-to-Install and Operate**  
Rotation Dynamics Corp - Wood Graphics  
**Permit Number:** P0119782  
**Facility ID:** 1431153902  
**Effective Date:** 12/4/2015

## **B. Facility-Wide Terms and Conditions**



1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - (1) None.
  - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - (1) None.



**Final Permit-to-Install and Operate**  
Rotation Dynamics Corp - Wood Graphics  
**Permit Number:** P0119782  
**Facility ID:** 1431153902  
**Effective Date:** 12/4/2015

## **C. Emissions Unit Terms and Conditions**



**1. P002, Chrome Plating**

**Operations, Property and/or Equipment Description:**

Chrome Plating

- a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - (1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - a. None.
  - (2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - a. None.
- b) Applicable Emissions Limitations and/or Control Requirements
  - (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	Chromium (Cr) emissions from this emissions unit shall not exceed 0.00017 pounds/hour  See b)(2)a.  The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(A)(1) and 40 CFR Part 63, Subpart N.
b.	OAC rule 3745-17-07(A)(1)	Visible particulate emissions from any stack shall not exceed 20 percent opacity as a six-minute average, except as specified by rule.
c.	OAC rule 3745-17-11(B)(1)	The emission limitation established by this rule is less stringent than that established pursuant to OAC rule 3745-31-05(A)(3).
d.	40 CFR Part 63, Subpart N	See b)(2)a. – b)(2)d. and c)(1) – c)(3)

(2) Additional Terms and Conditions

- a. The permittee shall not allow the concentration of total chromium in the exhaust gas stream discharged from the open surface, hard chromium electroplating operation(s), P002, to exceed 0.015 mg/dscm ( $6.6 \times 10^{-6}$  gr/dscf). This limitation also applies during startup and shutdown operations, but not during periods of malfunction where work practice standards address and correct any malfunction event.

[40 CFR 63.342(c)(1)(ii)]

- b. After September 21, 2015, perfluorooctane sulfonic acid (PFOD)-based fume suppressants (containing 1% or greater PFOS by weight) shall not be used in the open surface hard chromium electroplating tanks or chromium anodizing tanks.

[40 CFR 63.342(c)(1)(v)]

- c. At all times, the permittee must operate and maintain any affected source subject to the requirements of this subpart, including associated air pollution control equipment and monitoring equipment, in a manner consistent with safety and good air pollution control practices for minimizing emissions. The general duty to minimize emissions does not require the owner or operator to make any further efforts to reduce emissions if levels required by this standard have been achieved. Determination of whether such operation and maintenance procedures are being used will be based on information available which may include, but is not limited to, monitoring results, review of operation and maintenance procedures, review of operation and maintenance records, and inspection of the source.

[40 CFR 63.342(a)(1)]

- d. The emission limitations in b)(2)a. apply during tank operation as defined in 40 CFR 63.341, and during periods of startup and shutdown as these are routine occurrences for affected sources subject to this subpart. In response to an action to enforce the standards set forth in this subpart, the owner or operator may assert a defense to a claim for civil penalties for violations of such standards that are caused by a malfunction, as defined in 40 CFR 63.2. Appropriate penalties may be assessed, however, if the owner or operator fails to meet the burden of proving all the requirements in the affirmative defense. The affirmative defense shall not be available for claims for injunctive relief. For further requirements see 40 CFR 63.342(b)(1).

[40 CFR 63.342(b)(1)]

c) Operational Restrictions

- (1) The permittee shall implement the following operational, maintenance, and work practices standards for the chromium electroplating and anodizing tanks, excluding those using a trivalent chromium bath containing a wetting agent as a component ingredient in the bath:
  - a. At all times, including periods of startup, shutdown, and malfunction, the permittee shall operate and maintain the chromium electroplating or anodizing tank(s), including the associated air pollution control device(s) and monitoring equipment, in a manner consistent with good air pollution control practices.
  - b. Malfunctions shall be corrected as soon as practicable after their occurrence.
  - c. The determination of whether acceptable operation and maintenance procedures are being used shall be based on the facility records, which shall be made available to the regulating agency (appropriate Ohio EPA Division of Air Pollution Control, District Office or local air agency) upon request, and which may include, but not be limited to: monitoring results; review of the operation and maintenance plan, operational procedures, and records; and inspection of the tank(s). Based on this information, the regulating agency may require the permittee to make changes to the operation and maintenance plan if the plan:
    - i. does not address a malfunction that has occurred;
    - ii. fails to provide for the proper operation of the tank(s), the air pollution control techniques, and process monitoring equipment during a malfunction in a manner consistent with good air pollution practices; or
    - iii. does not provide adequate procedures for correcting malfunctioning process equipment and/or monitoring equipment as quickly as practicable.
  - d. The standards and limitations that apply to chromic acid baths shall not be met by using a reducing agent to change the form of chromium from hexavalent to trivalent.
  - e. These operation and maintenance standards are enforceable independent of the emission standards.

[40 CFR 63.342(f)(1) and (2)] and [40 CFR 63.342(g)]
- (2) The permittee shall prepare an operation and maintenance plan to be implemented no later than the startup of the unit or the compliance date. The plan shall include the following elements:
  - a. The plan shall specify the operation and maintenance criteria for the affected source, the add-on air pollution control device, and the process and control system monitoring equipment, and shall include a standardized checklist to document the operation and maintenance of the equipment.

- b. The plan shall incorporate the work practice standards for the add-on air pollution control device as identified in Table 1 to Subpart N.
- c. The plan shall specify procedures to be followed to ensure that equipment or process malfunctions due to poor maintenance or other preventable conditions do not occur.
- d. The plan shall include a systematic procedure for identifying malfunctions of process equipment and process and control system monitoring equipment, and for implementing corrective actions to address any malfunctions.
- e. The plan shall include housekeeping procedures as specified in Table 2 to Subpart N. See g)(1).
- f. If the operation and maintenance plan fails to address or inadequately addresses an event that meets the characteristics of a malfunction at the time the plan is initially developed, the permittee shall revise the operation and maintenance plan within 45 days after such an event occurs. The revised plan shall include procedures for operating and maintaining the process equipment and monitoring equipment during similar malfunction events, and a program for corrective action for such events.
- g. If actions taken by the permittee during periods of malfunction are inconsistent with the procedures specified in the operation and maintenance plan, the permittee shall record the actions taken for that event and shall report such actions by phone to the regulating agency (appropriate Ohio EPA Division of Air Pollution Control, District Office or local air agency) within 2 working days following the actions performed inconsistent with the plan. This verbal report shall be followed by a letter within 7 working days following the event, unless the permittee makes alternative reporting arrangements, in advance, with the regulating agency.
- h. The permittee shall maintain the written operation and maintenance plan on record at the facility; and it shall be made readily available for inspection, at the request of the regulating agency and for the life of the emissions unit. If the operation and maintenance plan is revised, the permittee shall maintain previous versions of the plan at the facility for a period of 5 years following each revision; the superceded version(s) of the plan shall also be made available for inspection, if so requested by the regulating agency.
- i. The permittee may use applicable standard operating procedure (SOP) manuals, Occupational Safety and Health Administration (OSHA) plans, or other existing plans to meet the operation and maintenance plan requirements, as long as the alternative plans meet the requirements of 40 CFR 63.342(f)(3).

[40 CFR 63.342(f)(3)]

- (3) The operation and maintenance plan shall incorporate the following work practice standards for the composite mesh-pad control system; the plan shall provide procedures for:

- a. quarterly visual inspections of the composite mesh-pad system, to ensure there is proper drainage, no chromic acid buildup on the pads, and no evidence of chemical attack on the structural integrity of the device;
- b. quarterly visual inspections of the back portion of the mesh pad closest to the fan, to ensure there is no breakthrough of chromic acid mist;
- c. quarterly visual inspections of the ductwork from tank to the composite mesh-pad system, to ensure there are no leaks; and
- d. perform washdown of the composite mesh-pads in accordance with the manufacturers recommendations.

[40 CFR 63.342(f)(3)]

d) **Monitoring and/or Recordkeeping Requirements**

- (1) In addition to fulfilling all record keeping requirements contained in the General Provisions to 40 CFR Part 63, Subpart A, as they apply to the chromium electroplating and/or anodizing tank(s), the permittee shall also maintain the following records:
  - a. inspection records for the monitoring equipment, i.e., composite mesh pad system, to document that the inspection and maintenance required by the work practice standards of 40 CFR 63.342(f) and Table 1 of 40 CFR 63.342 have been performed. The record can take the form of a checklist and should identify the device inspected, the date of inspection, a brief description of the working condition of the device during the inspection, and any actions taken to correct deficiencies found during the inspection;
  - b. records of all maintenance performed on the tank(s) and monitoring equipment, except routine housekeeping practices;
  - c. records of the occurrence, duration, and cause (if known) of each malfunction of process and monitoring equipment;
  - d. records of actions taken during periods of malfunction to minimize emissions in accordance with 40 CFR 63.342(a)(1), including corrective actions to restore malfunctioning process and monitoring equipment to its normal or usual manner of operation;
  - e. other records, which may take the form of checklists, necessary to demonstrate consistency with the provisions of the operation and maintenance plan required by 40 CFR 63.342(f)(3);
  - f. test reports documenting results of all performance tests;
  - g. all measurements as may be necessary to determine the conditions of performance tests;

- h. records of monitoring data, required by 40 CFR 63.343(c) that are used to demonstrate compliance with the standard including the date and time the data are collected;
- i. the specific identification (i.e., the date and time of commencement and completion) of each period of excess emissions, as indicated by monitoring data, that occurs during malfunction of the process or monitoring equipment;
- j. the specific identification (i.e., the date and time of commencement and completion) of each period of excess emissions, as indicated by an exceedance of the surface tension limitation, that occurs during periods other than malfunction of the process or monitoring equipment;
- k. the total process operating time of the tank(s) during the reporting period;
- l. all documentation supporting the notifications and reports as outlined in the "Reporting Requirements" section of this permit and the general reporting requirements in 40 CFR 63.9 and 40 CFR 63.10, from Subpart A and 40 CFR 63.347; and
- m. records of the date and time that fume suppressants are added to the electroplating or anodizing bath and records of the fume suppressant manufacturer and product name.
- n. records of the actual cumulative rectifier capacity of the hard chromium electroplating tanks expended during each month of the reporting period and the total capacity expended each year.

All records shall be maintained for a period of 5 years.

[40 CFR 63.346(b)]

- (2) The permittee shall perform the following monitoring and record keeping requirements in order to demonstrate compliance through the use of the composite mesh-pad system:
  - a. During the initial performance test, the permittee shall determine the outlet chromium concentration using the methods described in the Testing Requirements section of this permit. The pressure drop across the composite mesh-pad system shall be established as a site-specific operating parameter, setting the value that corresponds to compliance with the applicable emission limitation, as established during performance testing.
  - b. The permittee may conduct multiple performance tests to establish a range of compliant pressure drop values; or may set as the compliant value, the average pressure drop measured over the three test runs of one performance test and accept  $\pm 2$  inches of water column from this value as the compliant range.
  - c. On and after the date on which the initial performance test is required to be completed under 40 CFR 63.7, the permittee shall monitor and record the pressure drop across the composite mesh-pad system once each day that the emissions unit is in operation. To be in compliance, the composite mesh-pad

system shall be operated within  $\pm 2$  inches of water column of the pressure drop value established during compliance performance testing, or shall be operated within the range of compliant values for pressure drop established during multiple performance tests.

- d. The permittee may repeat the performance test, as above, and establish a new site-specific operating parameter for the pressure drop across the composite mesh-pad system if the following conditions are met:
  - i. the outlet chromium concentration is determined using the test methods and procedures in the "Testing Requirements" section of this permit;
  - ii. the site-specific operating parameter value is established using the procedures established in the "Testing Requirements" section of this permit;
  - iii. the record keeping requirements contained in this permit are met;
  - iv. the proper notification of the test date (at least 60 days before the test is scheduled) is provided to the regulating agency (appropriate Ohio EPA Division of Air Pollution Control, District Office or local air agency); and
  - v. the results of the performance test are submitted to the regulating agency, as required in the "Reporting Requirements" section of this permit.
- e. The requirement to operate the composite mesh-pad system within  $\pm 2$  inches of water column of the pressure drop value established during compliance performance testing does not apply during automatic washdown cycles of the composite mesh-pad system.

[40 CFR 63.343(c)(1)]

e) Reporting Requirements

- (1) The permittee, qualifying as an area source, shall prepare an annual "Summary Report" ("Ongoing Compliance Status Report") to document ongoing compliance. The "Summary Report" shall be maintained onsite and made available to the regulating agency (appropriate Ohio EPA Division of Air Pollution Control, District Office or local air agency) upon request. This report shall include the following:
  - a. the company name and address of the emissions unit;
  - b. a description of the source, type of process performed, and the air pollution control method and monitoring device(s) that is/are/shall be used to demonstrate continuous compliance;
  - c. an identification of the operating parameter(s) that is/are/shall be monitored for compliance determination;

- d. the relevant emission limitation for the emissions unit, and the operating parameter value(s), or range of values, established during compliance testing and reported in the notification of compliance status report(s);
- e. the beginning and ending dates of the reporting period;
- f. the total operating time of the emissions unit during the reporting period;
- g. a summary of operating parameter values, including the total duration of excess emissions during the reporting period as indicated by those values, the total duration of excess emissions expressed as a percent of the total emissions unit operating time during that reporting period; and a breakdown of the total duration of excess emissions during the reporting period into those that are due to process upsets, control equipment malfunctions, other known causes, and unknown causes;
- h. the hard chromium electroplating facility that is limiting the maximum cumulative rectifier capacity to less than 60 million ampere-hours per year, the actual cumulative rectifier capacity expended during the reporting period, on a month-by-month basis;
- i. a certification by a responsible official that the work practice standards in this permit were followed in accordance with the operation and maintenance plan for the emissions unit;
- j. if the operation and maintenance plan required by this permit was not followed, an explanation of the reasons for not following the provisions, an assessment of whether any excess emission and/or parameter monitoring exceedances are believed to have occurred, and a copy of the reports required by the work practices in this permit;
- k. a description of any changes in monitoring, processes, or controls since the last reporting period;
- l. the number and duration and a brief description of each type of malfunction that occurred during the reporting period and which caused or may have caused an exceedance of any applicable emission limitation; and a description of actions taken by the permittee to minimize emissions in accordance with 40 CFR 63.342(a)(1) and correct the malfunction;
- m. the date of the report;
- n. the name, title, and signature of the responsible official who is certifying the accuracy of the report; and
- o. the report shall be completed annually and retained on site, and made available to the regulating agency upon request.

The "Summary Report" shall be prepared annually, unless it is determined that more frequent reporting is required; semiannual reports shall be prepared and submitted to the

regulating agency (appropriate Ohio EPA Division of Air Pollution Control, District Office or local air agency) if either of the following conditions are met:

- p. the total duration of excess emissions (as indicated by the monitoring data collected by the owner or operator of the affected source in accordance with 40 CFR 63.343(c)) is one percent or greater of the total operating time for the reporting period; or
- q. the total duration of malfunctions of the add-on air pollution control device and/or monitoring equipment is 5% or greater of the total operating time.

Once the permittee reports an exceedance or malfunction meeting these conditions, ongoing compliance status reports shall be submitted semiannually until a request to reduce reporting frequency is approved.

[40 CFR 63.347(h)(1) and (2)]

- (2) Based on which measures accurately assess the compliance status of the emissions unit(s) located at the area source, the regulating agency (appropriate DAPC district or local office) may determine, on a case-by-case basis, if the "Summary Report" ("Ongoing Compliance Status Report") must be completed more frequently than annually and if it must be submitted to the agency or can be retained onsite.

[40 CFR 63.347(h)(2)]

- (3) The permittee, who qualifies as an area source but has been required to submit "Summary Reports" on a semiannual (or more frequent) basis, or is required to submit its annual report instead of retaining it on site, may reduce the frequency of reporting to annual (or semi-annual if quarterly) and/or may be permitted to maintain the report on site, rather than submit the annual or semi-annual report, if all of the following conditions are met:
  - a. for 1 full year (e.g., 2 semiannual or 4 quarterly reporting periods), the ongoing compliance status reports demonstrate that the affected emissions unit is in compliance with the relevant emission limit;
  - b. the permittee continues to comply with all applicable record keeping and monitoring requirements of 40 CFR Part 63, Subparts A and N; and
  - c. the regulating agency does not object to a reduced reporting frequency.

The frequency of completing and/or submitting the "Summary Reports" may be reduced or the report maintained on site (not required to be submitted) only after the permittee notifies the regulating agency in writing of the intention to make the change and the same agency does not object. In deciding whether to approve a reduced reporting frequency or to allow the report to be retained on site, the Ohio EPA regulating agency may request to review information concerning the facility's previous performance history during the 5-year record keeping period prior to the intended change in reporting frequency, or the record keeping period since the emissions unit's compliance date, whichever is shorter. Records subject to review include performance test results,

monitoring data, and evaluations of the permittee's conformance with emission limitations and work practice standards. If the permittee's request is disapproved, the regulating agency will notify the permittee in writing within 45 days after receiving notice. This notification will specify the grounds on which the disapproval is based. In the absence of a notice of disapproval within 45 days, approval is automatically granted.

As soon as the monitoring data show that the facility is not in compliance with the relevant emission limit, the frequency of reporting shall revert to semiannually, and the permittee shall document this exceedance in the "Ongoing Compliance Status/Summary Report", for the next reporting period. After demonstrating ongoing compliance with the relevant emission limit for another full year, the permittee may again request approval to reduce the reporting frequency.

[40 CFR 63.347(h)(3)]

- (4) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA District Office or Local Air Agency by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.

[OAC rule 3745-15-03(B)(2)] and [OAC rule 3745-15-03(D)]

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

The permittee shall not allow the concentration of total chromium in the exhaust gas stream discharged from the open surface, hard chromium electroplating operation(s), P002, to exceed 0.015 mg/dscm ( $6.6 \times 10^{-6}$  gr/dscf) and 0.00017 pounds/hour.

Applicable Compliance Method:

If required, performance testing shall be conducted in accordance with the test methods and procedures specified in 40 CFR, Part 63, Subpart N. Ongoing compliance shall be based upon the established operating parameters for the pressure drop across the composite mesh-pad emission control system.

[40 CFR 63.344(c) ]

b. Emission Limitation:

Visible particulate emissions from the stack serving this emissions unit shall not exceed 20 percent opacity as a six-minute average, except as provided by rule.

Applicable Compliance Method:

Compliance with the stack visible particulate emissions limitation shall be determined through visible emissions observations performed in accordance with U.S. EPA Method 9.

[OAC rule 3745-17-03(B)(1)(a)]

- (2) The permittee shall measure the pressure drop across the add-on air pollution control device in accordance with the following guidelines:
- a. Specifications for differential pressure measurement devices used to measure pressure drop across a control system shall be in accordance with the manufacturer's accuracy specifications.
  - b. Pressure taps shall be installed at any of the following locations:
    - i. at the inlet and outlet of the control system (the inlet tap should be installed in the ductwork just prior to the control device and the corresponding outlet pressure tap should be installed on the outlet side of the control device prior to the blower or on the downstream side of the blower);
    - ii. on each side of the packed bed within the control system or on each side of each mesh pad within the control system; and
    - iii. on the front side of the first mesh pad and back side of the last mesh pad within the control system.
  - c. Pressure taps shall be sited at locations that are:
    - i. as free from pluggage as possible and away from any flow disturbances such as cyclonic demisters; and
    - ii. situated such that no air infiltration at the measurement site will occur that could bias the measurement;
  - d. pressure taps shall be constructed of either polyethylene, polybutylene, or other nonreactive materials;
  - e. nonreactive plastic tubing shall be used to connect the pressure taps to the device used to measure pressure drop;
  - f. any of the following pressure gauges may be used to monitor pressure drop: a magnehelic gauge, an inclined manometer, or a U tube manometer;
  - g. prior to connecting any pressure lines to the pressure gauge(s), each gauge shall be zeroed (calibration of the pressure gauges is not required, with every required reading); and

- h. all monitoring equipment shall be installed such that representative measurements of emissions or process parameters from the affected emissions unit are obtained. Verification of the operational status of the monitoring equipment shall include execution of the manufacturers written accuracy specifications or recommendations for installation, operation, and calibration of the system(s).

[40 CFR 63.344(d)]

g) Miscellaneous Requirements

- (1) The following are the housekeeping requirements identified in 40 CFR 63.342 as referenced in the Operation and Maintenance plan outlined in c)(2):

**TABLE 2 TO §63.342—HOUSEKEEPING PRACTICES**

<b>For</b>	<b>You must:</b>	<b>At this minimum frequency</b>
1. Any substance used in an affected chromium electroplating or chromium anodizing tank that contains hexavalent chromium	(a) Store the substance in a closed container in an enclosed storage area or building; AND (b) Use a closed container when transporting the substance from the enclosed storage area	At all times, except when transferring the substance to and from the container. Whenever transporting substance, except when transferring the substance to and from the container.
2. Each affected tank, to minimize spills of bath solution that result from dragout. Note: this measure does not require the return of contaminated bath solution to the tank. This requirement applies only as the parts are removed from the tank. Once away from the tank area, any spilled solution must be handled in accordance with Item 4 of these housekeeping measures	(a) Install drip trays that collect and return to the tank any bath solution that drips or drains from parts as the parts are removed from the tank; OR (b) Contain and return to the tank any bath solution that drains or drips from parts as the parts are removed from the tank; OR (c) Collect and treat in an onsite wastewater treatment plant any bath solution that drains or drips from parts as the parts are removed from the tank	Prior to operating the tank. Whenever removing parts from an affected tank. Whenever removing parts from an affected tank.
3. Each spraying operation for removing excess chromic acid from parts removed from, and occurring over, an affected tank	Install a splash guard to minimize overspray during spraying operations and to ensure that any hexavalent chromium laden liquid captured by the splash guard is returned to the affected chromium electroplating or anodizing tank	Prior to any such spraying operation.
4. Each operation that involves the handling or use of any substance used in an affected chromium electroplating or chromium anodizing tank that contains hexavalent chromium	Begin clean up, or otherwise contain, all spills of the substance. Note: substances that fall or flow into drip trays, pans, sumps, or other containment areas are not considered spills	Within 1 hour of the spill.

<p>5. Surfaces within the enclosed storage area, open floor area, walkways around affected tanks contaminated with hexavalent chromium from an affected chromium electroplating or chromium anodizing tank</p>	<p>(a) Clean the surfaces using one or more of the following methods: HEPA vacuuming; Hand-wiping with a damp cloth; Wet mopping; Hose down or rinse with potable water that is collected in a wastewater collection system; Other cleaning method approved by the permitting authority;        OR        (b) Apply a non-toxic chemical dust suppressant to the surfaces</p>	<p>At least once every 7 days if one or more chromium electroplating or chromium anodizing tanks were used, or at least after every 40 hours of operating time of one or more affected chromium electroplating or chromium anodizing tank, whichever is later. According to manufacturer's recommendations.</p>
<p>6. All buffing, grinding, or polishing operations that are located in the same room as chromium electroplating or chromium anodizing operations</p>	<p>Separate the operation from any affected electroplating or anodizing operation by installing a physical barrier; the barrier may take the form of plastic strip curtains</p>	<p>Prior to beginning the buffing, grinding, or polishing operation.</p>
<p>7. All chromium or chromium-containing wastes generated from housekeeping activities</p>	<p>Store, dispose, recover, or recycle the wastes using practices that do not lead to fugitive dust and in accordance with hazardous waste requirements</p>	<p>At all times.</p>