



State of Ohio Environmental Protection Agency

Street Address:

Mailing Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Lazarus Gov. Center

**RE: DRAFT PERMIT TO INSTALL
STARK COUNTY**

CERTIFIED MAIL

Application No: 15-01426

DATE: 7/6/00

J&D Mining Inc
James R Demuth
PO Box 405 7345 Willowdale Ave SE
Waynesburg, OH

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43266-0149.

A Permit to Install may be issued in proposed of final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install a fee of **\$1000** will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

Canton LAA

WV

PA

Stark County Area Transportation Study



**Permit To Install
Terms and Conditions**

**Issue Date: To be entered upon final issuance
Effective Date: To be entered upon final issuance**

DRAFT PERMIT TO INSTALL 15-01426

Application Number: 15-01426
APS Premise Number: 1576001809
Permit Fee: **To be entered upon final issuance**
Name of Facility: J&D Mining Inc
Person to Contact: James R Demuth
Address: PO Box 405 7345 Willowdale Ave SE
Waynesburg, OH 44688

Location of proposed air contaminant source(s) [emissions unit(s)]:
**7345 Willowdale Ave SE
Sandy Twp, Ohio**

Description of proposed emissions unit(s):
Coal crusher and Chapter 31 modifications of roadways and storage piles.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

J&D Mining Inc
PTI Application: 15-01426
Issued: To be entered upon final issuance

Facility ID: 1576001809

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

Issued: To be entered upon final issuance

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM	15.99
PM10	4.1
NOx	10.64
CO	2.28
SO2	0.7
OC	0.9

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F001 - unpaved roadways and parking areas Chapter 31 modification	OAC rule 3745-31-05(A)(3)	Particulate emissions shall not exceed 1 ton/year. PM10 emissions shall not exceed 0.5 ton/year.
Non-Appendix A area so OAC rules 3745-17-07 and 3745-17-08 do not apply.		On unpaved roadways and parking areas, there shall be no visible emissions except for three minutes during any 60-minute period. Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (See sections A.2.a through A.2.d below.)

2. Additional Terms and Conditions

- 2.a. All unpaved roadways and parking areas shall be treated with water and/or suitable dust suppression chemicals to minimize or eliminate at all times visible emissions of fugitive dust generated by vehicular traffic and to ensure compliance with the above-mentioned visible emission limitation.
- 2.b. The control measures shall be implemented at frequencies that will minimize or eliminate visible emissions of fugitive dust generated by vehicular traffic and ensure compliance with the above-mentioned visible emission limitations, and the needed frequencies of implementation shall be determined by the permittee's inspections. It is further understood that on any specific day, implementation of the control measures shall not be necessary for a paved or unpaved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to minimize or eliminate visible emissions of fugitive dust generated by vehicular traffic and to ensure compliance with the above-mentioned visible emission limitations.
- 2.c. Any material carried off of the permittee's property and deposited onto public streets by vehicular traffic or by erosion by water, etc., shall be promptly removed and disposed of properly to minimize or prevent resuspension.
- 2.d. Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary to minimize or eliminate visible emissions of fugitive dust.

B. Operational Restriction

None

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily inspections of **all** roadways and parking areas. The purpose of the inspections is to determine the need for implementing the control measures specified in Section A.2. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to minimize or eliminate visible emissions of fugitive dust generated by vehicular traffic and to ensure compliance with the above-mentioned visible emission limitations. Any required inspection that is not performed due

J&D

PTI /

Emissions Unit ID: F001

Issued: To be entered upon final issuance

to any of the above-identified events shall be performed as soon as such event(s) has(have) ended, except if the next required inspection is within one week.

2. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
 - c. the dates the control measures were implemented; and,
 - d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

D. Reporting Requirements

1. The permittee shall submit deviation reports that identify either of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and,
 - b. each instance when a control measure that was to be implemented as a result of an inspection was not implemented.
2. The deviation reports shall be submitted in accordance with paragraph A.2.c. of the General Terms and Conditions.

E. Testing Requirements

1. Compliance with the emissions limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method(s):
 - a. Emission Limitation
On unpaved roadways and parking areas, there shall be no visible emissions except for three minutes during any 60-minute period.

Applicable Compliance Method:

Compliance with the emission limitations for the paved and unpaved roadways and parking areas identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources," as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.*

* The procedures relating to Test Method 22 reflect the settlement agreement reached between Ohio EPA and the Ohio Electric Utilities concerning the Utilities' appeal to the Ohio Environmental Review Appeals Commission of the 1991 revisions and additions to OAC Chapter 3745-17. The revised rule containing the procedures was adopted by the Director of Ohio EPA in December, 1997. The USEPA and the Ohio Electric Utilities have agreed to consider the procedures as federally enforceable during the time from the effective date of this permit to the effective date of USEPA approval of the procedures as a revision to the Ohio SIP for particulate matter.

- b. Emission Limitation
Particulate emissions shall not exceed 1 ton/year.

Applicable Compliance Method:

J&D

PTI /

Emissions Unit ID: F001

Issued: To be entered upon final issuance

Use AP-42 to determine emissions.

- c. Emission Limitation
PM10 emissions shall not exceed 0.5 ton/year.

Applicable Compliance Method:
Use AP-42 to determine emissions.

F. Miscellaneous Requirements

None

J&D

PTI

Emissions Unit ID: F002

Issued: To be entered upon final issuance

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>F002 - Coal and limestone storage piles including load-in and load-out and wind erosion.</p> <p>Chapter 31 modification</p> <p>Non-Appendix A Area so OAC rules 3745-17-07 and 3745-17-08 do not apply.</p>	<p>OAC rule 3745-31-05(A)(3)</p>	<p>Particulate emissions shall not exceed 1.5 tons/year.</p> <p>PM10 emissions shall not exceed 0.5 ton/year.</p> <p>There shall be no visible emissions from the storage piles except for one minute in any hour.</p> <p>Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (See Sections A.2.d through A.2.f below.)</p>

2. Additional Terms and Conditions

- 2.a The storage piles that are covered by this permit and subject to the requirements of OAC rule 3745-31-05(A)(3) are listed below:
 - i. crushed limestone; and,
 - ii. crushed coal

Emissions Unit ID: **F002**

- 2.b** The permittee shall employ best available control measures on all load-in and load-out operations associated with the storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to applying sufficient water to the crushed limestone, minimizing the drop height of the front-end loaders and applying dust suppressant to the ground in the vicinity of the storage piles to ensure compliance. (Note: the coal is sufficiently moist such that no water needs to be added.) Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.c** The above-mentioned control measure(s) shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) is (are) necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is (are) unnecessary.
- 2.d** The permittee shall employ best available control measures for wind erosion from the surfaces of all storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to keeping the piles moist to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.e** The above-mentioned control measure(s) shall be employed for wind erosion from each pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
- 2.f** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

None

Issued: To be entered upon final issuance

C. Monitoring and/or Recordkeeping Requirements

- 1. Except as otherwise provided in this section, the permittee shall perform inspections of each load-in operation at each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum load-in inspection frequency</u>
all storage piles	daily

- 2. Except as otherwise provided in this section, the permittee shall perform inspections of each load-out operation at each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum load-out inspection frequency</u>
all storage piles	daily

- 3. Except as otherwise provided in this section, the permittee shall perform inspections of the wind erosion from pile surfaces associated with each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum wind erosion inspection frequency</u>
all storage piles	weekly

- 4. No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

- 5. The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.

6. The permittee may, upon receipt of written approval from the Canton local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
7. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
 - c. the dates the control measures were implemented; and,
 - d. on a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).

The information required in 7.d. shall be kept separately for (i) the load-in operations, (ii) the load-out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

D. Reporting Requirements

1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and,
 - b. each instance when a control measure that was to be implemented as a result of an inspection was not implemented.
2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

E. Testing Requirements

J&D

PTI /

Emissions Unit ID: **F002**

Issued: To be entered upon final issuance

1. Compliance with the emissions limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation

- There shall be no visible emissions from the storage piles except for one minute in any hour.

Applicable Compliance Method

Compliance with the emission limitations for the paved and unpaved roadways and parking areas identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources," as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.*

- * The procedures relating to Test Method 22 reflect the settlement agreement reached between Ohio EPA and the Ohio Electric Utilities concerning the Utilities' appeal to the Ohio Environmental Review Appeals Commission of the 1991 revisions and additions to OAC Chapter 3745-17. The revised rule containing the procedures was adopted by the Director of Ohio EPA in December, 1997. The USEPA and the Ohio Electric Utilities have agreed to consider the procedures as federally enforceable during the time from the effective date of this permit to the effective date of USEPA approval of the procedures as a revision to the Ohio SIP for particulate matter.

J&D

PTI /

Issued: To be entered upon final issuance

Emissions Unit ID: **F002**

- b. Emission Limitation
Particulate emissions shall not exceed 1.5 tons/year.

Applicable Compliance Method:
Use AP-42 to determine emissions.

- c. Emission Limitation
PM10 emissions shall not exceed 0.5 ton/year.

Applicable Compliance Method:
Use AP-42 to determine emissions.

F. Miscellaneous Requirements

None

J&D

PTI

Emissions Unit ID: F004

Issued: To be entered upon final issuance

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	
F004 - Portable coal crusher/screener/conveyor powered by a 200 HP diesel engine.	OAC rule 3745-31-05(A)(3)	40 CFR Part 60 Subpart Y NSPS
Non-Appendix A Area so OAC rules 3745-17-07 and 3745-17-08 do not apply.		

Applicable Emissions
Limitations/Control Measures

Particulate emissions shall not exceed 3.08 lbs/hr and 13.49 tons/yr.

PM10 emissions shall not exceed 0.71 lb/hr and 3.1 tons/yr.

Nitrogen oxide emissions shall not exceed 2.43 lbs/hr and 10.64 tons/yr.

Carbon monoxide emissions shall not exceed 0.52 lb/hr and 2.28 tons/yr.

Sulfur dioxide emissions shall not exceed 0.16 lb/hr and 0.7 ton/yr.

Organic compound emissions shall not exceed 0.2 lb/hr and 0.9 ton/yr.

The permittee shall employ best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust. (See Sections A.2.d through A.2.f below.)

The requirements of this rule also include compliance with the requirements of 40 CFR Part 60 Subpart Y NSPS.

On and after the date on which the performance test required to be conducted by is completed, the permittee shall not cause to be

discharged into the atmosphere from any coal processing and conveying equipment, coal storage system, or coal transfer and loading system processing coal, gases which exhibit 20 percent opacity or greater.

J&D

PTI

Emissions Unit ID: **F004**

Issued: To be entered upon final issuance

2.. The coal being processed shall have a sufficient moisture content to ensure compliance with the above-mentioned visible emission limitation.

B. Operational Restriction

None

C. Monitoring and/or Record Keeping Requirements

1. On days this emissions unit operates, the permittee shall perform daily observations to determine whether visible emissions of fugitive dust are being generated by the processing of the coal.
2. The permittee shall maintain records of the following information:
 - a. the date and reason any required daily observation was not performed;
 - b. the date of each observation where it was determined by the permittee that it was necessary to implement the control measures;
 - c. the dates the control measures were implemented; and,
 - d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where the moisture content of the coal was sufficient to not require the control measures.

D. Reporting Requirements

1. The permittee shall submit deviation reports that identify either of the following occurrences:
 - a. each day when this emissions unit was operated during which an observation was not performed; and,
 - b. each instance when a control measure that was to be implemented as a result of an observation was not implemented.

The deviation reports shall be submitted in accordance with paragraph A.2. of the General Terms and Conditions.

E. Testing Requirements

J&D

PTI

Emissions Unit ID: **F004**

Issued: To be entered upon final issuance

1. Compliance with the emissions limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation

- On and after the date on which the performance test required to be conducted by is completed, the permittee shall not cause to be discharged into the atmosphere from any coal processing and conveying equipment, coal storage system, or coal transfer and loading system processing coal, gases which exhibit 20 percent opacity or greater.

- Applicable Compliance Method:

- If required, Method 9. See section E.2 below.

- b. Emission Limitation

- Particulate emissions shall not exceed 3.08 lbs/hr and 13.49 tons/yr.

- Applicable Compliance Method

- Use AP-42 emission factors.

- c. Emission Limitation

- PM10 emissions shall not exceed 0.71 lb/hr and 3.1 tons/yr..

- Applicable Compliance Method

- Use AP-42 emission factors.

- d. Emission Limitation

- Nitrogen oxide emissions shall not exceed 2.43 lbs/hr and 10.64 tons/yr.

- Applicable Compliance Method

- Use AP-42 emission factors.

- e. Emission Limitation

- Carbon monoxide emissions shall not exceed 0.52 lb/hr and 2.28 tons/yr.

- Applicable Compliance Method

- Use AP-42 emission factors.

- f. Emission Limitation

- Sulfur dioxide emissions shall not exceed 0.16 lb/hr and 0.7 ton/yr.

Applicable Compliance Method
Use AP-42 emission factors.

- g. Emission Limitation
Organic compound emissions shall not exceed 0.2 lb/hr and 0.9 ton/yr.

Applicable Compliance Method
Use AP-42 emission factors.

2. The permittee shall conduct, or have conducted, visible emissions observations of the opacity of fugitive dust coming from this emissions unit in accordance with the following requirements:
- a. The visible emission observations shall be conducted within 60 days of issuance of the Final PTI.
 - b. The visible emissions observations shall be conducted to determine whether the discharge into the atmosphere from any coal processing and conveying equipment, coal storage system, or coal transfer and loading system processing coal, has gases that exhibit 20 percent opacity or greater.
 - c. USEPA Method 9, found in 40 CFR 60 Appendix A, shall be used to conduct observations of visible emissions.
 - d. The testing shall be performed while this emissions unit is being operated at maximum production capacity or as close to that capacity as is physically possible.
 - e. The minimum total time of observations shall be 3 hours (30 6-minute averages).
 - f. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Canton local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Canton local air agency's refusal to accept the results of the emission test(s).

Personnel from the Canton local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the

J&D

PTI /

Emissions Unit ID: **F004**

Issued: To be entered upon final issuance

control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Canton local air agency within 30 days following completion of the test(s).

F. Miscellaneous Requirements

None

NEW SC

PTI Num

FACILITY

Emissions Unit ID: **F004** _____

FACILITY DESCRIPTION Coal crusher and Chapter 31 modifications of roadways and storage piles. CITY/TWP Sandy Twp

SIC CODE 1499 SCC CODE 3050211 EMISSIONS UNIT ID F001

EMISSIONS UNIT DESCRIPTION Roadways and parking areas Chapter 31 mod.

DATE INSTALLED Additional roadways installed in 1993

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				1
PM ₁₀	Attainment				0.5
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Dust control measures

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ _____

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 15-01426

Facility ID: 1576001809

FACILITY NAME J&D Mining Inc

FACILITY DESCRIPTION Coal crusher and Chapter 31 modifications CITY/TWP Sandv Twn

Emissions Unit ID: **F004**

SIC CODE 1499

SCC CODE 30502507

EMISSIONS UNIT ID F002

EMISSIONS UNIT DESCRIPTION Aggregate storage piles Chapter 31 mod

DATE INSTALLED Additional piles in 1993

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment				1.5
PM ₁₀	Attainment				0.5
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Watering if needed

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 15-01426

Facility ID: 1576001809

FACILITY NAME J&D Mining Inc

FACILITY DESCRIPTION Coal crusher and Chapter 31 modifications CITY/TWP Sandv Twn

Emissions Unit ID: **F004**

SIC CODE 1499

SCC CODE 30504030

EMISSIONS UNIT ID F004

EMISSIONS UNIT DESCRIPTION Portable coal crushing, screening and conveying plant.

DATE INSTALLED 1993

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment			3.08 lbs/hr	13.49
PM ₁₀	Attainment			0.71 lb/hr	3.1
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? Y

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination Damp coal

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ NA

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES _____ NO

IDENTIFY THE AIR CONTAMINANTS: _____